

Subscribing organizations are encouraged to copy and distribute this table of contents for non-commercial purposes

## Biochemical Society Special Lecture



Nitrate- and nitrite-responsive sensors NarX and NarQ of proteobacteria

**V. Stewart**

**1-10**

## Morton Medal Lecture



New insights into the roles of phosphoinositides and inositol polyphosphates in yeast

**R.H. Michell (pictured), N.M. Perera and S.K. Dove**

**11-15**

## Independent Meeting

### Signalling the Future

University of Liverpool, Liverpool, 4-6 September 2002

**Edited by D. Fernig (Liverpool), M. Fisher (Liverpool), M. Wheatley (Birmingham), M. Parker (Imperial College London), O. Petersen (Liverpool), M. Wakelam (Birmingham), P. Hawkins (Cambridge), S. Cook (Cambridge), S. Jackson (Cambridge), P. Ingham (Sheffield), T. Hart (Liverpool), M. Bennett (Liverpool), J. Saunders (Liverpool), R. Beynon (Liverpool) and J. Hurst (Liverpool)**

*Sponsored by The Cancer and Polio Research Fund, The Biochemical Society, AstraZeneca, The International Union of Biochemistry and Molecular Biology, Centre for Comparative and Infectious Diseases, University of Liverpool, The Society for Endocrinology, The British Society for Developmental Biology, The European Chemoreception Research Organization, Cancer Research UK, The Wellcome Trust, The Physiological Society, GlaxoSmithKline, Pfizer, BioRad, Micromass, Trends in Biochemical Sciences and Kinetic Imaging*

Liverpool: the early years of biochemistry

**G.A.J. Pitt**

**16-19**

Signal transduction by vascular endothelial growth factor receptors

**L. Claesson-Welsh**

**20-24**

Isolation of novel Src substrates

**S.A. Courtneidge**

**25-28**

Structure and activation of muscarinic acetylcholine receptors

**E.C. Hulme, Z.L. Lu, J.W. Saldanha and M.S. Bee**

**29-34**

Agonist binding to peptide hormone receptors

**M. Wheatley, S.R. Hawtin, V.J. Wesley, H.C. Howard, J. Simms, A. Miles, K. McEwan and R.A. Parslow**

**35-39**

The complex matter of DNA double-strand break detection

**J.M. Bradbury and S.P. Jackson**

**40-44**

Neural differentiation of mouse embryonic stem cells

**M.P. Stavridis and A.G. Smith**

**45-49**

Neuron-glia interactions during axon guidance in *Drosophila*

**A. Hidalgo**

**50-55**

Structure and mechanism of the oestrogen receptor <b>E.H. Kong, A.C.W. Pike and R.E. Hubbard</b>	56–59
Glucocorticoid suppression of nuclear factor- $\kappa$ B: a role for histone modifications <b>M. Kagoshima, K. Ito, B. Cosio and I.M. Adcock</b>	60–65
Cross-coupling between the oestrogen receptor and phosphoinositide 3-kinase <b>J.K. Liao</b>	66–70
Route of steroid-activated macromolecules through nuclear pores imaged with atomic force microscopy <b>H. Oberleithner, C. Schäfer, V. Shahin and L. Albermann</b>	71–75
Calcium signalling in and around the nuclear envelope <b>J. Gerasimenko, Y. Maruyama, A. Tepikin, O.H. Petersen and O. Gerasimenko</b>	76–78
Activated M-phase-promoting factor (MPF) is exported from the nucleus of starfish oocytes to increase the sensitivity of the Ins(1,4,5) $P_3$ receptors <b>L. Santella, E. Ercolano, D. Lim, G.A. Nusco and F. Moccia</b>	79–82
The role of Rap1 in integrin-mediated cell adhesion <b>J.L. Bos, K. de Bruyn, J. Enserink, B. Kuiperij, S. Rangarajan, H. Rehmann, J. Riedl, J. de Rooij, F. van Mansfeld and F. Zwartkruis</b>	83–86
A-kinase-anchoring proteins and cytoskeletal signalling events <b>J.D. Scott</b>	87–89
Integrin–protein kinase C relationships <b>J. Ivaska, S. Kermorgant, R. Whelan, M. Parsons, T. Ng and P.J. Parker</b>	90–93
Phospholipase D1 and potential targets of its hydrolysis product, phosphatidic acid <b>N.T. Ktistakis, C. Delon, M. Manifava, E. Wood, I. Ganley and J.M. Sugars</b>	94–97
Regulation, secretion and activity of type III-secreted proteins of enterohaemorrhagic <i>Escherichia coli</i> O157 <b>A.J. Roe, D.E.E. Hoey and D.L. Gally</b>	98–103
<i>Yersinia pestis</i> and plague <b>R.W. Titball, J. Hill, D.G. Lawton and K.A. Brown</b>	104–107
Temporal regulation of outer surface proteins of the Lyme-disease spirochaete <i>Borrelia burgdorferi</i> <b>T.G. Schwan</b>	108–112
Sense of smell: recognition and transduction of olfactory signals <b>H. Breer</b>	113–116
Pheromones, binding proteins and receptor responses in rodents <b>M.V. Novotny</b>	117–122
Plant stress signalling: understanding and exploiting plant–plant interactions <b>J.A. Pickett, H.B. Rasmussen, C.M. Woodcock, M. Matthes and J.A. Napier</b>	123–127
Arthropod semiochemicals: mosquitoes, midges and sealice <b>A.J. Mordue Luntz</b>	128–133
Grouping of odorant receptors: odour maps in the mammalian olfactory bulb <b>K. Mori</b>	134–136

Olfactory adventures of elephantine pheromones <b>L.E.L. Rasmussen, J. Lazar and D.R. Greenwood</b>	<b>137-141</b>
Multiple roles of major urinary proteins in the house mouse, <i>Mus domesticus</i> <b>R.J. Beynon and J.L. Hurst</b>	<b>142-146</b>
Chemical signalling in mice <b>G.K. Beauchamp and K. Yamazaki</b>	<b>147-151</b>
Towards an understanding of the pregnancy-blocking urinary chemosignals of mice <b>P.A. Brennan and P. Peele</b>	<b>152-155</b>
The future: putting Humpty-Dumpty together again <b>D. Noble</b>	<b>156-158</b>
Communication: from neurons to people; from present to future <b>S.P.R. Rose</b>	<b>159-161</b>

## Independent Meeting

### AMPK 2002 – 2nd International Meeting on AMP-activated Protein Kinase

University of Dundee, Scotland, 12–14 September 2002

**Edited by D.G. Hardie (Dundee) and D. Carling (Imperial College London)**

*Sponsored by The Wellcome Trust, The Biochemical Society, BioDundee, Novo-Nordisk, Merck Sante, Aventis Pharma, Eli Lilly, Mercury Therapeutics, Merck & Co Inc., Pfizer Inc., Abbott, GlaxoSmithKline, Boehringer, AstraZeneca, Upstate and Roche*

AMP-activated protein kinase, super metabolic regulator <b>B.E. Kemp, D. Stapleton, D.J. Campbell, Z.-P. Chen, S. Murthy, M. Walter, A. Gupta, J.J. Adams, F. Katsis, B. van Denderen, I.G. Jennings, T. Iseli, B.J. Michell and L.A. Witters</b>	<b>162-168</b>
A molecular approach to the concerted action of kinases involved in energy homoeostasis <b>D. Neumann, U. Schlattner and T. Wallimann</b>	<b>169-174</b>
Role of the yeast Snf1 protein kinase in invasive growth <b>S. Kuchin, V.K. Vyas and M. Carlson</b>	<b>175-177</b>
Snf1 protein kinase: a key player in the response to cellular stress in yeast <b>P. Sanz</b>	<b>178-181</b>
Long-term regulation of AMP-activated protein kinase and acetyl-CoA carboxylase in skeletal muscle <b>W.W. Winder, D.G. Hardie, K.J. Mustard, L.J. Greenwood, B.E. Paxton, S.H. Park, D.S. Rubink and E.B. Taylor</b>	<b>182-185</b>
A possible role for AMP-activated protein kinase in exercise-induced glucose utilization: insights from humans and transgenic animals <b>J.N. Nielsen, S.B. Jørgensen, C. Frøsig, B. Viollet, F. Andreelli, S. Vaulont, B. Kiens, E.A. Richter and J.F.P. Wojtaszewski</b>	<b>186-190</b>
AMP-activated protein kinase regulation and action in skeletal muscle during exercise <b>N. Musi, H. Yu and L.J. Goodyear</b>	<b>191-195</b>

Role of AMP-activated protein kinase in leptin-induced fatty acid oxidation in muscle <b>Y. Minokoshi and B.B. Kahn</b>	<b>196–201</b>
Malonyl-CoA and AMP-activated protein kinase (AMPK): possible links between insulin resistance in muscle and early endothelial cell damage in diabetes <b>N.B. Ruderman, J.M. Cacicedo, S. Itani, N. Yagihashi, A.K. Saha, J.M. Ye, K. Chen, M. Zou, D. Carling, G. Boden, R.A. Cohen, J. Keaney, E.W. Kraegen and Y. Ido</b>	<b>202–206</b>
AMP-activated protein kinase regulation of fatty acid oxidation in the ischaemic heart <b>T.A. Hopkins, J.R.B. Dyck and G.D. Lopaschuk</b>	<b>207–212</b>
New targets of AMP-activated protein kinase <b>L. Hue, C. Beauloye, L. Bertrand, S. Hormann, U. Krause, A.-S. Marsin, D. Meissé, D. Vertommen and M.H. Rider</b>	<b>213–215</b>
Physiological role of AMP-activated protein kinase (AMPK): insights from knockout mouse models <b>B. Viollet, F. Andreelli, S.B. Jørgensen, C. Perrin, D. Flamez, J. Mu, J.F.P. Wojtaszewski, F.C. Schuit, M. Birnbaum, E. Richter, R. Burcelin and S. Vaulont</b>	<b>216–219</b>
AMP-activated protein kinase and hepatic genes involved in glucose metabolism <b>P. Ferré, D. Azzout-Marniche and F. Foufelle</b>	<b>220–223</b>
AMP-activated protein kinase regulates gene expression by direct phosphorylation of nuclear proteins <b>T. Leff</b>	<b>224–227</b>
Glycogen storage disease as a unifying mechanism of disease in the PRKAG2 cardiac syndrome <b>M.H. Gollob</b>	<b>228–231</b>
Identification and characterization of AMPK $\gamma$ 3 mutations in the pig <b>L. Andersson</b>	<b>232–235</b>
Selective suppression of AMP-activated protein kinase in skeletal muscle: update on 'lazy mice' <b>J. Mu, E.R. Barton and M.J. Birnbaum</b>	<b>236–241</b>

## Irish Area Section Meeting

### Cellular Stress Responses and Cancer

National University of Ireland, Galway, 4–5 July 2002

Edited by M.P. Carty and N. Lowndes (Galway)

Role of the <i>Saccharomyces cerevisiae</i> Rad9 protein in sensing and responding to DNA damage <b>G.W.-L. Toh and N.F. Lowndes</b>	<b>242–246</b>
Protein–protein interactions during mammalian DNA single-strand break repair <b>K.W. Caldecott</b>	<b>247–251</b>

The <i>RAD30</i> cancer susceptibility gene <b>M.P. Carty, M. Glynn, M. Maher, T. Smith, J. Yao, K. Dixon, J. McCann, L. Rynn and A. Flanagan</b>	<b>252–256</b>
Role played by BRCA1 in regulating the cellular response to stress <b>P.M. Gilmore, J.E. Quinn, P.B. Mullan, H.N. Andrews, N. McCabe, M. Carty, R.D. Kennedy and D.P. Harkin</b>	<b>257–262</b>
Sister chromatid cohesion and genome stability in vertebrate cells <b>C. Morrison, P. Vagnarelli, E. Sonoda, S. Takeda and W.C. Earnshaw</b>	<b>263–265</b>
Regulation of eukaryotic DNA replication at the initiation step <b>S. Pollok, J. Stoepel, C. Bauerschmidt, E. Kremmer and H.-P. Nasheuer</b>	<b>266–269</b>

## Biochemical Society Focused Meeting

### PI 3-Kinase in the Immune System

Novartis Horsham Research Centre, 9–10 September 2002

**Edited by M.J. Welham (Bath), S.E. Ward (Bath) and P. Finan (Novartis)**

*Sponsored by GlaxoSmithKline, The Biochemical Society, ICOS, New England Biolabs, Novartis, Pfizer and Serono Pharmaceuticals*

PI3K-signalling in B- and T-cells: insights from gene-targeted mice <b>K. Okkenhaug and B. Vanhaesbroeck</b>	<b>270–274</b>
Phosphoinositide 3-kinase $\gamma$ : a key modulator in inflammation and allergy <b>M.P. Wymann, K. Björklöf, R. Calvez, P. Finan, M. Thomas, A. Trifilieff, M. Barbier, F. Altruda, E. Hirsch and M. Laffargue</b>	<b>275–280</b>
Fc $\gamma$ RIIB activation leads to inhibition of signalling by independently ligated receptors <b>A.M. Brauweiler and J.C. Cambier</b>	<b>281–285</b>
Role of Src homology 2-containing-inositol 5'-phosphatase (SHIP) in mast cells and macrophages <b>M.J. Rauh, J. Kalesnikoff, M. Hughes, L. Sly, V. Lam and G. Krystal</b>	<b>286–291</b>
Regulation of cell survival and proliferation by the FOXO (Forkhead box, class O) subfamily of Forkhead transcription factors <b>K.U. Birkenkamp and P.J. Coffer</b>	<b>292–297</b>