

Subscribing organizations are encouraged to copy and distribute this table of contents for non-commercial purposes

## Independent Meeting

### International Hydrogenases Conference 2004

University of Reading, 24–29 August 2004

**Edited by R. Cammack (King's College London, U.K.) and F. Sargent (University of East Anglia, Norwich, U.K.)**

*Sponsored by COST (European Cooperation in the field of Scientific and Technical Research), the European Science Foundation and the European Office of Aerospace Research and Development*

Bio-hydrogen: microbes have their own agenda

**R. Cammack**

1–2

Electrocatalytic proton reduction by dithiolate-bridged diiron carbonyl complexes:  
a connection to the H-cluster?

**S.J. Borg, M.I. Bondin, S.P. Best, M. Razavet, X. Liu and C.J. Pickett**

3–6

EPR experiments to elucidate the structure of the ready and unready states of the  
[NiFe] hydrogenase of *Desulfovibrio vulgaris* Miyazaki F

**M. van Gastel, C. Fichtner, F. Neese and W. Lubitz**

7–11

On the relationship between affinity for molecular hydrogen and the physiological  
directionality of hydrogenases

**D.J. van Haaster, P.-L. Hagedoorn, J.A. Jongejan and W.R. Hagen**

12–14

Treatment of spin-coupled metal-centres in pulsed electron-electron  
double-resonance experiments

**C. Elsaesser, M. Brecht and R. Bittl**

15–19

A semi-empirical molecular orbital scheme to study electron transfer in  
iron-sulphur proteins

**M. Sundararajan, J.P. McNamara, M. Mohr, I.H. Hillier and H. Wang**

20–21

Hydrogen metabolism in the hyperthermophilic bacterium *Aquifex aeolicus*

**M. Guiral, C. Aubert and M.-T. Giudici-Ortoni**

22–24

Non-standard structures of the Ni-Fe cofactor in the regulatory and the  
NAD-reducing hydrogenases from *Ralstonia eutropha*

**S. Löscher, T. Burgdorf, T. Bührke, B. Friedrich, H. Dau and M. Haumann**

25–27

Transcriptional regulation of the uptake [NiFe]hydrogenase genes in  
*Rhodobacter capsulatus*

**P.M. Vignais, S. Elsen and A. Colbeau**

28–32

Biodiversity of uptake hydrogenase systems from legume endosymbiotic bacteria

**B. Brito, C. Baginsky, J.M. Palacios, E. Cabrera, T. Ruiz-Argüeso and J. Imperial**

33–35

Anaerobic regulation of hydrogenase transcription in different bacteria

**Á.T. Kovács, G. Rákely, J. Balogh, G. Maróti, A. Fülöp and K.L. Kovács**

36–38

The exceptional photofermentative hydrogen metabolism of the green alga <i>Chlamydomonas reinhardtii</i>	39–41
<b>A. Hemschemeier and T. Happe</b>	
Formate and its role in hydrogen production in <i>Escherichia coli</i>	42–46
<b>R.G. Sawers</b>	
Eukaryotic Fe-hydrogenases – old eukaryotic heritage or adaptive acquisitions?	47–50
<b>J.H.P. Hackstein</b>	
Interacting regulatory networks in the facultative photosynthetic bacterium, <i>Rhodobacter sphaeroides</i> 2.4.1	51–55
<b>S. Kaplan, J. Eraso and J.H. Roh</b>	
High-level transcription of large gene regions: a novel T <sub>7</sub> RNA-polymerase-based system for expression of functional hydrogenases in the phototrophic bacterium <i>Rhodobacter capsulatus</i>	56–58
<b>T. Drepper, S. Arvani, F. Rosenau, S. Wilhelm and K.-E. Jaeger</b>	
Construction of a [NiFe]-hydrogenase deletion mutant of <i>Desulfovibrio vulgaris</i> Hildenborough	59–60
<b>A. Goenka, J.K. Voordouw, W. Lubitz, W. Gärtner and G. Voordouw</b>	
The hydrogenases of <i>Thiocapsa roseopersicina</i>	61–63
<b>K.L. Kovács, Á.T. Kovács, G. Maróti, L.S. Mészáros, J. Balogh, D. Latinovics, A. Fülöp, R. Dávid, E. Dorogházi and G. Rákely</b>	
Molecular characterization of uptake hydrogenase in <i>Frankia</i>	64–66
<b>M. Leul, U. Mattsson and A. Sellstedt</b>	
Uptake hydrogenase in cyanobacteria: novel input from non-heterocystous strains	67–69
<b>P. Tamagnini, E. Leitão and F. Oxelfelt</b>	
Approaches to developing biological H <sub>2</sub> -photoproducing organisms and processes	70–72
<b>M.L. Ghirardi, P.W. King, M.C. Posewitz, P. Ching Maness, A. Fedorov, K. Kim, J. Cohen, K. Schulten and M. Seibert</b>	
Hydrogenase electrodes for fuel cells	73–75
<b>A.A. Karyakin, S.V. Morozov, E.E. Karyakina, N.A. Zorin, V.V. Perelygin and S. Cosnier</b>	
Applications of bacterial hydrogenases in waste decontamination, manufacture of novel bionanocatalysts and in sustainable energy	76–79
<b>L.E. Macaskie, V.S. Baxter-Plant, N.J. Creamer, A.C. Humphries, I.P. Mikheenko, P.M. Mikheenko, D.W. Penfold and P. Yong</b>	
Molecular dynamics and experimental investigation of H <sub>2</sub> and O <sub>2</sub> diffusion in [Fe]-hydrogenase	80–82
<b>J. Cohen, K. Kim, M. Posewitz, M.L. Ghirardi, K. Schulten, M. Seibert and P. King</b>	
Use of molecular hydrogen as an energy substrate by human pathogenic bacteria	83–85
<b>R.J. Maier</b>	
Nar1p, a conserved eukaryotic protein with similarity to Fe-only hydrogenases, functions in cytosolic iron-sulphur protein biogenesis	86–89
<b>J. Balk, A.J. Pierik, D.J. Aguilar Netz, U. Mühlenhoff and R. Lill</b>	

NifU and NifS are required for the maturation of nitrogenase and cannot replace the function of *isc*-gene products in *Azotobacter vinelandii*

**D.C. Johnson, P.C. Dos Santos and D.R. Dean**

90–93

Genetics and biotechnology of the H<sub>2</sub>-uptake [NiFe] hydrogenase from *Rhizobium leguminosarum* bv. *viciae*, a legume endosymbiotic bacterium

**J.M. Palacios, H. Manyani, M. Martínez, A.C. Ureta, B. Brito, E. Báscones, L. Rey, J. Imperial and T. Ruiz-Argüeso**

94–96

A hydrogen-sensing multiprotein complex controls aerobic hydrogen metabolism in *Ralstonia eutropha*

**B. Friedrich, T. Bührke, T. Burgdorf and O. Lenz**

97–101

Identification of genes required for hydrogenase activity in *Chlamydomonas reinhardtii*

**M.C. Posewitz, P.W. King, S.L. Smolinski, R. Davis Smith II, A.R. Ginley, M.L. Ghirardi and M. Seibert**

102–104

Common principles in the biosynthesis of diverse enzymes

**R.L. Jack, A. Dubini, T. Palmer and F. Sargent**

105–107

[NiFe]-Hydrogenase maturation endopeptidase: structure and function

**E. Theodoratou, R. Huber and A. Böck**

108–111

## Biochemical Society Focused Meetings

### The 10th Nitrogen Cycle Meeting 2004

University of East Anglia, Norwich, U.K., 2–4 September 2004

**Edited by C.S. Butler (Newcastle upon Tyne, U.K.) and D.J. Richardson (Norwich, U.K.)**

*Sponsored by the COST (European Cooperation in the field of Scientific and Technical Research) Office and the ESF (European Science Foundation)*

The emerging molecular structure of the nitrogen cycle: an introduction to the proceedings of the 10th annual N-cycle meeting

**C.S. Butler and D.J. Richardson**

113–118

1994–2004: 10 years of research on the anaerobic oxidation of ammonium

**M.S.M. Jetten, I. Cirpus, B. Kartal, L. van Niftrik, K.T. van de Pas-Schoonen, O. Sliekers, S. Haaijer, W. van der Star, M. Schmid, J. van de Vossenberg, I. Schmidt, H. Harhangi, M. van Loosdrecht, J. Gijs Kuenen, H. Op den Camp and M. Strous**

119–123

Chaperones involved in assembly and export of N-oxide reductases

**K. Hatzixanthis, D.J. Richardson and F. Sargent**

124–126

Molybdate-dependent expression of the periplasmic nitrate reductase in *Bradyrhizobium japonicum*

**N. Bonnard, A. Tresierra-Ayala, E.J. Bedmar and M.J. Delgado**

127–129

Membrane-bound denitrification in the Gram-positive bacterium *Bacillus azotoformans*

**Suharti and S. de Vries**

130–133

Microaerobic denitrification in *Neisseria meningitidis*

**J.D. Rock and J.W.B. Moir**

134–136

Cytochrome c nitrite reductase: from structural to physicochemical analysis <b>B. Burlat, J.D. Gwyer, S. Pock, T. Clarke, J.A. Cole, A.M. Hemmings, M.R. Cheesman, J.N. Butt and D.J. Richardson</b>	<b>137–140</b>
The complete denitrification pathway of the symbiotic, nitrogen-fixing bacterium <i>Bradyrhizobium japonicum</i> <b>E.J. Bedmar, E.F. Robles and M.J. Delgado</b>	<b>141–144</b>
Complexity and diversity in c-type cytochrome biogenesis systems <b>J.W.A. Allen, M.L. Ginger and S.J. Ferguson</b>	<b>145–146</b>
The enigma of <i>Paracoccus pantotrophus</i> cytochrome <i>cd</i> <sub>1</sub> activation <b>R.S. Zajicek and S.J. Ferguson</b>	<b>147–148</b>
The role of ResA in type II cytochrome c maturation <b>A. Crow, N.E. Le Brun and A. Oubrie</b>	<b>149–151</b>
Nitrogen fixation: key genetic regulatory mechanisms <b>I. Martinez-Argudo, R. Little, N. Shearer, P. Johnson and R. Dixon</b>	<b>152–156</b>
Plasmid replicons of <i>Rhizobium</i> <b>L.C. Crossman</b>	<b>157–158</b>
Nitrate and nitrite transport in <i>Escherichia coli</i> <b>W. Jia and J.A. Cole</b>	<b>159–161</b>
Function of the <i>Rhizobium etli</i> CFN42 <i>nirK</i> gene in nitrite metabolism <b>E. Bueno, N. Gómez-Hernández, L. Girard, E.J. Bedmar and M.J. Delgado</b>	<b>162–163</b>
Nitrogen assimilation and nitrogen control in cyanobacteria <b>E. Flores and A. Herrero</b>	<b>164–167</b>
Alkaline cyanide biodegradation by <i>Pseudomonas pseudoalcaligenes</i> CECT5344 <b>V.M. Luque-Almagro, R. Blasco, M.J. Huertas, M. Martínez-Luque, C. Moreno-Vivián, F. Castillo and M.D. Roldán</b>	<b>168–169</b>
Complex formation between AmtB and GlnK: an ancestral role in prokaryotic nitrogen control <b>A. Javelle and M. Merrick</b>	<b>170–172</b>
Microbial reduction of selenate and nitrate: common themes and variations <b>C.A. Watts, H. Ridley, E.J. Dridge, J.T. Leaver, A.J. Reilly, D.J. Richardson and C.S. Butler</b>	<b>173–175</b>
Nitric oxide and nitrosative stress tolerance in bacteria <b>R.K. Poole</b>	<b>176–180</b>
DNA binding properties of the <i>Escherichia coli</i> nitric oxide sensor NorR: towards an understanding of the regulation of flavorubredoxin expression <b>N. Tucker, B. D'Autréaux, S. Spiro and R. Dixon</b>	<b>181–183</b>
N-oxide sensing in <i>Pseudomonas aeruginosa</i> : expression and preliminary characterization of DNR, an FNR-CRP type transcriptional regulator <b>S. Rinaldo, G. Giardina, M. Brunori and F. Cutruzzolà</b>	<b>184–186</b>
Purification and characterization of cytochrome <i>c'</i> from <i>Neisseria meningitidis</i> <b>W.M. Huston, E.C. Lowe, C.S. Butler and J.W.B. Moir</b>	<b>187–189</b>

Electron transport through nitrate and nitrite reductases in <i>Campylobacter jejuni</i>	<b>190–192</b>
<b>M.S. Pittman and D.J. Kelly</b>	
Transcriptional regulation of nitric oxide reduction in <i>Ralstonia eutropha</i> H16	<b>193–194</b>
<b>A. Büsch, K. Strube, B. Friedrich and R. Cramm</b>	
Transcriptional regulation of a hybrid cluster (prismane) protein	<b>195–197</b>
<b>N.A. Filenko, D.F. Browning and J.A. Cole</b>	
Detoxification of nitric oxide by the flavorubredoxin of <i>Salmonella enterica</i> serovar Typhimurium	<b>198–199</b>
<b>P.C. Mills, D.J. Richardson, J.C.D. Hinton and S. Spiro</b>	
Tracking nitrate reducers and denitrifiers in the environment	<b>200–204</b>
<b>L. Philippot</b>	
Complete conversion of nitrate into dinitrogen gas in co-cultures of denitrifying bacteria	<b>205–209</b>
<b>K.T. Van de Pas-Schoonen, S. Schalk-Otte, S. Haaijer, M. Schmid, H. Op den Camp, M. Strous, J. Gijs Kuenen and M.S.M. Jetten</b>	
Nitrate respiration in the actinomycete <i>Streptomyces coelicolor</i>	<b>210–212</b>
<b>G. van Keulen, J. Alderson, J. White and R.G. Sawers</b>	

---

**Transporters 2004: International Symposium on Membrane Transport and Transporters**  
Selwyn College Cambridge, 2–5 September 2004

**Edited by S.A. Baldwin (Leeds, U.K.) and P.M. Taylor (Dundee, U.K.)**

---

Transport regulation by the serum- and glucocorticoid-inducible kinase SGK1	<b>213–215</b>
<b>F. Lang, V. Vallon, F. Grahammer, M. Palmada and C. Böhmer</b>	
The concentrative nucleoside transporter family (SLC28): new roles beyond salvage?	<b>216–219</b>
<b>I. Aymerich, S. Duflot, S. Fernández-Veledo, E. Guillén-Gómez, I. Huber-Ruano, F.J. Casado and M. Pastor-Anglada</b>	
Evolution of the bacterial phosphotransferase system: from carriers and enzymes to group translocators	<b>220–224</b>
<b>M.H. Saier, Jr, R.N. Hvorup and R.D. Barabote</b>	
Growth factors regulate cell survival by controlling nutrient transporter expression	<b>225–227</b>
<b>A.L. Edinger</b>	
Thyroid hormone transporters	<b>228–232</b>
<b>E.C.H. Friesema, J. Jansen and T.J. Visser</b>	
Neutral amino acid transport in epithelial cells and its malfunction in Hartnup disorder	<b>233–236</b>
<b>S. Bröer, J.A. Cavanaugh and J.E.J. Rasko</b>	
Biological functions of SLC5A8, a candidate tumour suppressor	<b>237–240</b>
<b>V. Ganapathy, E. Gopal, S. Miyauchi and P.D. Prasad</b>	
ABC transporters in the balance: is there a role in multidrug resistance?	<b>241–245</b>
<b>O. Polgar and S.E. Bates</b>	

---

**Nutrient Sensing through the Plasma Membrane of Eukaryotic Cells**

Royal Agricultural College, Cirencester, 25–29 September 2004

**Edited by S. Shirazi-Beechey***Sponsored by Flanders Interuniversity Institute for Biotechnology and Nestlé U.K. Ltd.*

---

Glucose as a hormone: receptor-mediated glucose sensing in the yeast  
*Saccharomyces cerevisiae***M. Johnston and J.-H. Kim****247–252**

Nutrient sensing systems for rapid activation of the protein kinase A pathway in yeast

**J.M. Thevelein, R. Geladé, I. Holsbeeks, O. Lagatie, Y. Popova, F. Rolland, F. Stoltz,  
S. Van de Velde, P. Van Dijck, P. Vandormael, A. Van Nuland, K. Van Roey,  
G. Van Zeebroeck and B. Yan****253–256**Glucose sensing via the protein kinase A pathway in *Schizosaccharomyces pombe***C.S. Hoffman****257–260**

Amino acid sensing by Ssy1

**P. Poulsen, B. Wu, R.F. Gaber, K. Ottow, H.A. Andersen and M.C. Kielland-Brandt****261–264**

Glucose sensing through the Hxk2-dependent signalling pathway

**F. Moreno, D. Ahuatzi, A. Riera, C.A. Palomino and P. Herrero****265–268**

Sugar sensing and signalling networks in plants

**F. Rolland and J. Sheen****269–271**

Sucrose-induced translational repression of plant bZIP-type transcription factors

**A. Wiese, N. Elzinga, B. Wobbes and S. Smeekens****272–275**

Trehalose metabolism and glucose sensing in plants

**N. Avonce, B. Leyman, J. Thevelein and G. Iturriaga****276–279**The role of trehalose-6-phosphate synthase in *Arabidopsis* embryo development**L.D. Gómez, S. Baud and I.A. Graham****280–282**

Nitrate and glutamate sensing by plant roots

**S. Filleur, P. Walch-Liu, Y. Gan and B.G. Forde****283–286**

Development and use of fluorescent nanosensors for metabolite imaging in living cells

**M. Fehr, S. Okumoto, K. Deusdle, I. Lager, L.L. Looger, J. Persson, L. Kozhukh, S. Lalonde and W.B. Frommer****287–290**Carbon source induced yeast-to-hypha transition in *Candida albicans* is dependent on the presence of amino acids and on the G-protein-coupled receptor Gpr1**M.M. Maidan, J.M. Thevelein and P. Van Dijck****291–293**

Glucose modulation of cell size in yeast

**M. Vanoni, R.L. Rossi, L. Querin, V. Zinzalla and L. Alberghina****294–296**

Acquired glucose sensitivity of k-ras transformed fibroblasts

**F. Chiaradonna, C. Magnani, E. Sacco, R. Manzoni, L. Alberghina and M. Vanoni****297–299**

Nutrient sensing in pancreatic $\beta$ cells suppresses mitochondrial superoxide generation and its contribution to apoptosis <b>G. Martens, Y. Cai, S. Hinke, G. Stangé, M. Van De Castele and D. Pipeleers</b>	300-301
Expression of sweet taste receptors of the T1R family in the intestinal tract and enteroendocrine cells <b>J. Dyer, K.S.H. Salmon, L. Zibrik and S.P. Shirazi-Beechey</b>	302-305
Glucokinase and glucose homeostasis: proven concepts and new ideas <b>D. Zelent, H. Najafi, S. Odili, C. Buettger, H. Weik-Collins, C. Li, N. Doliba, J. Grimsby and F.M. Matschinsky</b>	306-310
CD36-dependent fatty acid uptake regulates expression of peroxisome proliferator activated receptors <b>V.A. Drover and N.A. Abumrad</b>	311-315
The calcium-sensing receptor as a nutrient sensor <b>D. Riccardi and D. Maldonado-Perez</b>	316-320