

Subscribing organizations are encouraged to copy and distribute this table of contents for non-commercial purposes

## Novartis Medal Lecture



Rho GTPases and the control of cell behaviour

A. Hall

891–895

## Keilin Memorial Lecture



The efficiency and plasticity of mitochondrial energy transduction

M.D. Brand

897–904

## Focus Topics at BioScience2005

### Mechanistic and Functional Studies of Proteins

SECC Glasgow, U.K., 17–21 July 2005

Edited by S. Crosthwaite (Manchester, U.K.), M. Ginger (Oxford, U.K.), K. Gull (Oxford, U.K.), A. Lee (Southampton, U.K.), H. McWatters (Oxford, U.K.), J. Mottram (Glasgow, U.K.), P. Rich (University College London, U.K.), C. Robinson (Warwick, U.K.) and H. van Veen (Cambridge, U.K.)

Lipid interactions with bacterial channels: fluorescence studies

A.M. Powl, J. Carney, P. Marius, J.M. East and A.G. Lee

905–909

Simulation studies of the interactions between membrane proteins and detergents

P.J. Bond, J. Cuthbertson and M.S.P. Sansom

910–912

Spectroscopic studies of phospholamban variants in phospholipid bilayers

J.C. Clayton, E. Hughes and D.A. Middleton

913–915

Molecular simulations and lipid–protein interactions: potassium channels and other membrane proteins

M.S.P. Sansom, P.J. Bond, S.S. Deol, A. Grotleski, S. Haider and Z.A. Sands

916–920

Binding sites of lipophilic quinone and quinone analogue inhibitors in the cytochrome *b*<sub>6</sub>*f* complex of oxygenic photosynthesis

W.A. Cramer, H. Zhang, J. Yan and G. Kurisu

921–923

Lipids in and around photosynthetic reaction centres

P.K. Fyfe and M.R. Jones

924–930

Quantification of the effects of melittin on liposome structure

J. Popplewell, N. Freeman, S. Carrington, G. Ronan, C. McDonnell and R. Ford

931–933

Reaction mechanism and phospholipid structures of bovine heart cytochrome c oxidase <b>S. Yoshikawa</b>	<b>934–937</b>
Specific protein–lipid interactions in membrane proteins <b>C. Hunte</b>	<b>938–942</b>
Organ specificity in the circadian control of plant gene expression <b>S. Sullivan, M. Shenton and H.G. Nimmo</b>	<b>943–944</b>
The co-ordination of central plant metabolism by the circadian clock <b>J. Hartwell</b>	<b>945–948</b>
Synchronizing the <i>Neurospora crassa</i> circadian clock with the rhythmic environment <b>N. Price-Lloyd, M. Elvin and C. Heintzen</b>	<b>949–952</b>
Degradation of the <i>Neurospora</i> circadian clock protein FREQUENCY through the ubiquitin–proteasome pathway <b>Q. He and Y. Liu</b>	<b>953–956</b>
Organization of endogenous clocks in insects <b>C. Helfrich-Förster</b>	<b>957–961</b>
Zebrafish circadian clocks: cells that see light <b>T.K. Tamai, A.J. Carr and D. Whitmore</b>	<b>962–966</b>
The extraordinary mitochondrion and unusual citric acid cycle in <i>Trypanosoma brucei</i> <b>J.J. van Hellemond, F.R. Opperdoes and A.G.M. Tielens</b>	<b>967–971</b>
Implications of a genomic search for autophagy-related genes in trypanosomatids <b>D.J. Rigden, M. Herman, S. Gillies and P.A.M. Michels</b>	<b>972–974</b>
Post-genomic views of a ‘unique’ metabolism in the eukaryotic flagellum <b>M.L. Ginger</b>	<b>975–976</b>
<i>Plasmodium falciparum</i> possesses organelle-specific $\alpha$ -keto acid dehydrogenase complexes and lipoylation pathways <b>S. Günther, P.J. McMillan, L.J.M. Wallace and S. Müller</b>	<b>977–980</b>
Maintaining the protective variant surface glycoprotein coat of African trypanosomes <b>G. Rudenko</b>	<b>981–982</b>
The myo-inositol-1-phosphate synthase gene is essential in <i>Trypanosoma brucei</i> <b>K.L. Martin and T.K. Smith</b>	<b>983–985</b>
What the genome sequence is revealing about trypanosome antigenic variation <b>J.D. Barry, L. Marcello, L.J. Morrison, A.F. Read, K. Lythgoe, N. Jones, M. Carrington, G. Blandin, U. Böhme, E. Caler, C. Hertz-Fowler, H. Renauld, N. El-Sayed and M. Berriman</b>	<b>986–989</b>
A molecular understanding of the catalytic cycle of the nucleotide-binding domain of the ABC transporter HlyB <b>J. Zaitseva, S. Jenewein, C. Oswald, T. Jumpertz, I.B. Holland and L. Schmitt</b>	<b>990–995</b>

Crystallographic and single-particle analyses of native and nucleotide-bound forms of the cystic fibrosis transmembrane conductance regulator (CFTR) protein <b>N.H. Awayn, M.F. Rosenberg, A.B. Kamis, L.A. Aleksandrov, J.R. Riordan and R.C. Ford</b>	<b>996–999</b>
ABC proteins and antibiotic drug resistance: is it all about transport? <b>I.D. Kerr, E.D. Reynolds and J.H. Cove</b>	<b>1000–1002</b>
Control of the CFTR channel's gates <b>P. Vergani, C. Basso, M. Mense, A.C. Nairn and D.C. Gadsby</b>	<b>1003–1007</b>
Similarities between ATP-dependent and ion-coupled multidrug transporters <b>H. Venter, S. Shahi, L. Balakrishnan, S. Velamakanni, A. Bapna, B. Woebking and H.W. van Veen</b>	<b>1008–1011</b>
Do protein–lipid interactions determine the recognition of transmembrane helices at the ER translocon? <b>S.H. White and G. von Heijne</b>	<b>1012–1015</b>
Pathways for protein transport to seed storage vacuoles <b>N.A. Jolliffe, C.P. Craddock and L. Frigerio</b>	<b>1016–1018</b>
Protein import into mitochondria <b>D. Mokranjac and W. Neupert</b>	<b>1019–1023</b>
The complexity of pathways for protein import into thylakoids: it's not easy being green <b>A. Di Cola, E. Klostermann and C. Robinson</b>	<b>1024–1027</b>

---

## Proteins in Disease

SECC Glasgow, U.K., 17–21 July 2005

**Edited by B. Austen (St George's Hospital Medical School, London, U.K.), C. Connolly (Dundee, U.K.), B. Irvine (Belfast, U.K.), M. Sugden (Queen Mary, London, U.K.) and V. Zammit (Hannah Research Institute, Ayr, U.K.)**

---

Leptin: a potential cognitive enhancer? <b>J. Harvey, L.J. Shanley, D. O'Malley and A.J. Irving</b>	<b>1029–1032</b>
Insulin and cholesterol pathways in neuronal function, memory and neurodegeneration <b>T.J. Nelson and D.L. Alkon</b>	<b>1033–1036</b>
Insulin and cognitive function in humans: experimental data and therapeutic considerations <b>M.W.J. Strachan</b>	<b>1037–1040</b>
Increased risk of Alzheimer's disease in Type II diabetes: insulin resistance of the brain or insulin-induced amyloid pathology? <b>G.J. Biessels and L.J. Kappelle</b>	<b>1041–1044</b>
Adipose tissue function in the insulin-resistance syndrome <b>F. Karpe and G.D. Tan</b>	<b>1045–1048</b>
Adipose tissue changes in obesity <b>S.W. Coppack</b>	<b>1049–1052</b>

Mouse models of PPAR- $\gamma$ deficiency: dissecting PPAR- $\gamma$ 's role in metabolic homoeostasis <b>S.L. Gray, E. Dalla Nora and A.J. Vidal-Puig</b>	<b>1053–1058</b>
Regulation of lipid metabolism via angiopoietin-like proteins <b>S. Kersten</b>	<b>1059–1062</b>
Role of malonyl-CoA in the hypothalamic control of food intake and energy expenditure <b>M.D. Lane, Z. Hu, S.-H. Cha, Y. Dai, M. Wolfgang and A. Sidhaye</b>	<b>1063–1067</b>
Diet-induced obesity in the Sprague–Dawley rat: dietary manipulations and their effect on hypothalamic neuropeptide energy balance systems <b>J.G. Mercer and Z.A. Archer</b>	<b>1068–1072</b>
Diseases of adipose tissue: genetic and acquired lipodystrophies <b>J. Capeau, J. Magré, O. Lascols, M. Caron, V. Béréziat, C. Vigouroux and J.P. Bastard</b>	<b>1073–1077</b>
Signalling role of adipose tissue: adipokines and inflammation in obesity <b>P. Trayhurn and I.S. Wood</b>	<b>1078–1081</b>
Protein aggregation, metals and oxidative stress in neurodegenerative diseases <b>B.J. Tabner, O.M.A. El-Agnaf, M.J. German, N.J. Fullwood and D. Allsop</b>	<b>1082–1086</b>
The role of cell-derived oligomers of A $\beta$ in Alzheimer's disease and avenues for therapeutic intervention <b>D.M. Walsh, I. Klyubin, G.M. Shankar, M. Townsend, J.V. Fadeeva, V. Betts, M.B. Podlisny, J.P. Cleary, K.H. Ashe, M.J. Rowan and D.J. Selkoe</b>	<b>1087–1090</b>
Protein lipidation of BACE <b>R.B. Parsons and B.M. Austen</b>	<b>1091–1093</b>
Glycosylation and misfolding of PrP <b>F. Wiseman, E. Cancellotti and J. Manson</b>	<b>1094–1095</b>
Expression and activity of $\beta$ -site amyloid precursor protein cleaving enzyme in Alzheimer's disease <b>J.A. Johnston, W.W. Liu, S.A. Todd, D.T.R. Coulson, S. Murphy, G.B. Irvine and A.P. Passmore</b>	<b>1096–1100</b>
A $\beta$ -degrading enzymes: modulators of Alzheimer's disease pathogenesis and targets for therapeutic intervention <b>E.A. Eckman and C.B. Eckman</b>	<b>1101–1105</b>
$\alpha$ -Synuclein aggregation in neurodegenerative diseases and its inhibition as a potential therapeutic strategy <b>K.E. Paleologou, G.B. Irvine and O.M.A. El-Agnaf</b>	<b>1106–1110</b>
Structure and neurotoxicity of novel amyloids derived from the BRI gene <b>G. Gibson, O.M.A. El-Agnaf, Z. Anwar, C. Sidera, A. Isbister and B.M. Austen</b>	<b>1111–1112</b>
Studies of the aggregation of an amyloidogenic $\alpha$ -synuclein peptide fragment <b>J. Madine, A.J. Doig, A. Kitmitto and D.A. Middleton</b>	<b>1113–1115</b>
Novel heparan sulphate analogues: inhibition of $\beta$ -secretase cleavage of amyloid precursor protein <b>S.J. Patey, E.A. Yates and J.E. Turnbull</b>	<b>1116–1118</b>

# Research Colloquia at BioScience2005

## Research Colloquia

SECC Glasgow, U.K., 17–21 July 2005

**Edited by F. Antoni (Edinburgh, U.K.), C. Cooper (Essex, U.K.) and M. Schweizer (Heriot-Watt, U.K.)**

Negative feedback in NO/cGMP signalling <b>D. Koesling, F. Mullershausen, A. Lange, A. Friebe, E. Mergia, C. Wagner and M. Russwurm</b>	<b>1119–1122</b>
Reactive oxygen species (ROS)-mediated $\beta$ -cleavage of the prion protein in the mechanism of the cellular response to oxidative stress <b>N.T. Watt and N.M. Hooper</b>	<b>1123–1125</b>
Inhibition of pro-inflammatory cytokine receptor signalling by cAMP in vascular endothelial cells <b>W.A. Sands and T.M. Palmer</b>	<b>1126–1128</b>
Novel tissue remodelling roles for human recombinant erythropoietin <b>P.J. Coussons, S. Baig, C. Fanutti and R. Grant</b>	<b>1129–1130</b>
Compartmentation of G-protein-coupled receptors and their signalling components in lipid rafts and caveolae <b>P.A. Insel, B.P. Head, H.H. Patel, D.M. Roth, R.A. Bunney and J.S. Swaney</b>	<b>1131–1134</b>
Expression cloning of novel regulators of 92 kDa type IV collagenase expression <b>R.R. Nair and D.D. Boyd</b>	<b>1135–1136</b>
Atypical L-type channels are down-regulated in hypoxia <b>L. Callinan, T.V. McCarthy, Y. Maulet and J.J. Mackrill</b>	<b>1137–1139</b>

## Independent Meeting

### Seventh Yeast Lipid Conference

Swansea Clinical School, Swansea, Wales, U.K., 12–14 May 2005

**Edited by D. Kelly, S. Kelly and D. Lamb (Swansea, U.K.)**

Protein and lipid motifs regulate phosphatidylserine traffic in yeast <b>D.R. Voelker</b>	<b>1141–1145</b>
The contributions of biosynthesis and acyl chain remodelling to the molecular species profile of phosphatidylcholine in yeast <b>H.A. Boumann and A.I.P.M. de Kroon</b>	<b>1146–1149</b>
Regulation of phospholipid synthesis in yeast by zinc <b>G.M. Carman</b>	<b>1150–1153</b>
In <i>Saccharomyces cerevisiae</i> , impaired PRPP synthesis is accompanied by valproate and Li <sup>+</sup> sensitivity <b>S. Vavassori, K. Wang, L.M. Schweizer and M. Schweizer</b>	<b>1154–1157</b>

Deficiency in mitochondrial anionic phospholipid synthesis impairs cell wall biogenesis <b>Q. Zhong and M.L. Greenberg</b>	<b>1158-1161</b>
Mitochondrial fatty acid synthesis and maintenance of respiratory competent mitochondria in yeast <b>J.K. Hiltunen, F. Okubo, V.A.S. Kursu, K.J. Autio and A.J. Kastaniotis</b>	<b>1162-1165</b>
Using genomic and lipidomic strategies to investigate sphingolipid function in the yeast heat-stress response <b>L.A. Cowart and Y.A. Hannun</b>	<b>1166-1169</b>
Signalling functions for sphingolipid long-chain bases in <i>Saccharomyces cerevisiae</i> <b>K. Liu, X. Zhang, C. Sumanasekera, R.L. Lester and R.C. Dickson</b>	<b>1170-1173</b>
Formation and mobilization of neutral lipids in the yeast <i>Saccharomyces cerevisiae</i> <b>A. Wagner and G. Daum</b>	<b>1174-1177</b>
Interactions of the ergosterol biosynthetic pathway with other lipid pathways <b>M. Veen and C. Lang</b>	<b>1178-1181</b>
Homoeostatic systems for sterols and other lipids <b>J. Garbarino and S.L. Sturley</b>	<b>1182-1185</b>
<i>Saccharomyces cerevisiae</i> , a model to study sterol uptake and transport in eukaryotes <b>S. Reiner, D. Micolod and R. Schneiter</b>	<b>1186-1188</b>
Enzyme redesign and interactions of substrate analogues with sterol methyltransferase to understand phytosterol diversity, reaction mechanism and the nature of the active site <b>W.D. Nes</b>	<b>1189-1196</b>
Single amino acid exchanges in FAD-binding domains of squalene epoxidase of <i>Saccharomyces cerevisiae</i> lead to either loss of functionality or terbinafine sensitivity <b>C. Ruckenstuhl, A. Eidenberger, S. Lang and F. Turnowsky</b>	<b>1197-1201</b>
Access of the substrate to the active site of squalene and oxidosqualene cyclases: comparative inhibition, site-directed mutagenesis and homology-modelling studies <b>S. Oliaro-Bosso, T. Schulz-Gasch, S. Taramino, M. Scaldaferrri, F. Viola and G. Balliano</b>	<b>1202-1205</b>
Two mutants selectively resistant to polyenes reveal distinct mechanisms of antifungal activity by nystatin and amphotericin B <b>I. Hapala, V. Klobučníková, K. Mazáňová and P. Kohút</b>	<b>1206-1209</b>
Aazole susceptibility and resistance in <i>Candida dubliniensis</i> <b>E. Pinjon, G.P. Moran, D.C. Coleman and D.J. Sullivan</b>	<b>1210-1214</b>
Regulation of sterol metabolism in <i>Candida albicans</i> by the <i>UPC2</i> gene <b>T.C. White and P.M. Silver</b>	<b>1215-1218</b>
Membrane raft lipid constituents affect drug susceptibilities of <i>Candida albicans</i> <b>R. Pasrija, T. Prasad and R. Prasad</b>	<b>1219-1223</b>