

Subscribing organizations are encouraged to copy and distribute this table of contents for non-commercial purposes

## Biochemical Society Focused Meetings

### Non-Vesicular Intracellular Traffic

Goodenough College, London, U.K., 15–16 December 2005

Edited by S. Cockcroft (University College London, U.K.) and T. Levine (Institute of Ophthalmology, London, U.K.)

Sterol and lipid trafficking in mammalian cells <b>F.R. Maxfield and M. Mondal</b>	335–339
Nucleus–vacuole junctions in yeast: anatomy of a membrane contact site <b>E. Kvam and D.S. Goldfarb</b>	340–342
MLN64 and MENTHO, two mediators of endosomal cholesterol transport <b>F. Alpy and C. Tomasetto</b>	343–345
Sec14p-like proteins regulate phosphoinositide homoeostasis and intracellular protein and lipid trafficking in yeast <b>C.J. Mousley, K.R. Tyeryar, M.M. Ryan and V.A. Bankaitis</b>	346–350
Moving $\text{Ca}^{2+}$ from the endoplasmic reticulum to mitochondria: is spatial intimacy enough? <b>G.A. Rutter</b>	351–355
Sterol trafficking between the endoplasmic reticulum and plasma membrane in yeast <b>D.P. Sullivan, H. Ohvo-Rekilä, N.A. Baumann, C.T. Beh and A.K. Menon</b>	356–358
Uptake and trafficking of exogenous sterols in <i>Saccharomyces cerevisiae</i> <b>S. Raychaudhuri and W.A. Prinz</b>	359–362
Lipid homoeostasis and Golgi secretory function <b>S. Lev</b>	363–366
Organization and functions of sphingolipid biosynthesis in yeast <b>H. Riezman</b>	367–369
Interaction of the smooth endoplasmic reticulum and mitochondria <b>J.G. Goetz and I.R. Nabi</b>	370–373
Regulation of ecto-5'-nucleotidase activity via $\text{Ca}^{2+}$ -dependent, annexin 2-mediated membrane rearrangement? <b>E.B. Babiychuk and A. Draeger</b>	374–376
Phosphatidylinositol-transfer protein and its homologues in yeast <b>P. Griac, R. Holic and D. Tahotra</b>	377–380
Movement of calcium signals and calcium-binding proteins: firewalls, traps and tunnels <b>S.L. Barrow, M.W. Sherwood, N.J. Dolman, O.V. Gerasimenko, S.G. Voronina and A.V. Tepikin</b>	381–384

Endoplasmic reticulum generates calcium signalling microdomains around the nucleus and spindle in syncytial *Drosophila* embryos

**H. Parry, A. McDougall and M. Whitaker**



**385–388**

The OSBP-related proteins (ORPs): global sterol sensors for co-ordination of cellular lipid metabolism, membrane trafficking and signalling processes?

**V.M. Olkkonen, M. Johansson, M. Suchanek, D. Yan, R. Hyynnen, C. Ehnholm, M. Jauhainen, C. Thiele and M. Lehto**

**389–391**

Endosomal cholesterol traffic: vesicular and non-vesicular mechanisms meet  
**M. Hölttä-Vuori and E. Ikonen**

**392–394**

Lipid trafficking between the endoplasmic reticulum and the chloroplast  
**K. Awai, C. Xu, B. Lu and C. Benning**

**395–398**

Lipid dynamics in neurons

**J.E. Vance, B. Karten and H. Hayashi**

**399–403**

Macromolecular assemblies regulate non-vesicular phosphatidylserine traffic in yeast

**J.-Y. Choi, W.R. Riekhof, W.-I. Wu and D.R. Voelker**

**404–408**

---

## Cytokine–Proteoglycan Interactions: Biology and Structure

Royal Holloway University of London, Egham Hill, U.K., 9–10 January 2006

**Edited by B. Mulloy (NIBSC, U.K.) and C. Rider (Royal Holloway University of London, U.K.)**

---

Cytokines and proteoglycans: an introductory overview

**B. Mulloy and C.C. Rider**

**409–413**

Signalling by HGF/SF and Met: the role of heparan sulphate co-receptors

**L.E. Kemp, B. Mulloy and E. Gherardi**

**414–417**

Interaction of the guidance molecule Slit with cellular receptors

**E. Hohenester, S. Hussain and J.A. Howitt**

**418–421**

The biological relevance of chemokine–proteoglycan interactions

**A.E.I. Proudfoot**

**422–426**

Protein–GAG interactions: new surface-based techniques, spectroscopies and nanotechnology probes

**E.A. Yates, C.J. Terry, C. Rees, T.R. Rudd, L. Duchesne, M.A. Skidmore, R. Lévy, N.T.K. Thanh, R.J. Nichols, D.T. Clarke and D.G. Fernig**

**427–430**

Computational approaches to the identification of heparin-binding sites on the surfaces of proteins

**M. Forster and B. Mulloy**

**431–434**

Developing chemokine mutants with improved proteoglycan affinity and knocked-out GPCR activity as anti-inflammatory recombinant drugs

**H. Potzinger, E. Geretti, B. Brandner, V. Wabitsch, A.-M. Piccinini, A. Rek and A.J. Kungl**

**435–437**

Multiprotein signalling complexes: regional assembly on heparan sulphate

**J.T. Gallagher**

**438–441**

Insights into the role of heparan sulphate in fibroblast growth factor signalling

**N.J. Harmer**

**442–445**

TSG-6: a pluripotent inflammatory mediator?

**C.M. Milner, V.A. Higman and A.J. Day**

**446–450**

The role of heparan sulphate proteoglycans in angiogenesis

**S.E. Stringer**

**451–453**

Heparan sulphate requirement in platelet-derived growth factor B-mediated pericyte recruitment

**S. Kurup, A. Abramsson, J.P. Li, U. Lindahl, L. Kjellen, C. Betsholtz, H. Gerhardt and D. Spillmann**

**454–455**

Basic fibroblast growth factor: an extracellular mechanotransducer in articular cartilage?

**T. Vincent and J. Saklatvala**

**456–457**

Heparin/heparan sulphate binding in the TGF- $\beta$  cytokine superfamily

**C.C. Rider**

**458–460**

Interferon and heparan sulphate

**H. Lortat-Jacob**

**461–464**