Contents

Volume 7, Part 1, 1979

PA	GE
578TH MEETING, GALWAY	
Colloquium: Aspects of Industrial Enzymology	
Large-scale isolation of enzymes. By MR. Kula, G. Johansson & A. F. Bückmann	1
The stabilization of enzymes for industrial use. By S. A. Barker, C. J. Gray & A. W. Lomath	. 5
The stability of immobilized enzymes. By D. B. Johnson	7
Applications of enzyme thermistors. By K. Mosbach, B. Danielsson & B. Mattiasson	11
Immobilized cofactors in reactor systems. By R. England, R. Eisenthal, P. Gacesa & W. Whish	13
Communications	
The inactivation of xanthine-oxidizing enzymes, native and deflavo forms, in the presence of oxygen. By M. P. Coughlan & D. B. Johnson	18
Stability studies on invertase in microcapsules and bound to inorganic supports. By D. B. Johnson, M. L. O'Connor, T. J. Hackett & M. Kierstan	21
Preparation and some properties of deoxyribonucleic acid polymerase of high specific activity from <i>Mycobacterium smegmatis</i> . <i>By</i> G. R. Campbell, P. Carty & F. G. Winder	23
Molecular forms of deoxyribonucleic acid present in the purified enzyme from <i>Mycobacterium smegmatis</i> . By F. G. Winder & P. Carty	26
Relationship of the enzymic activity of polyacrylamide-gel-entrapped trypsin to pH. By M. D. Trevan & S. Grover	28
Effect of culture conditions on the survival of mammalian cells without medium change. By M. M. Clynes	30
Multiple patterns on induction of rat liver microsomal mono-oxygenases and other polypeptides by xenobiotics. By R. K. Murray, R. N. Sharma, JG. Joly, R. G. Cameron & E. Farber	32
Cerebral energy metabolism in hyperammonaemia. By B. B. O'Neill & D. J. O'Donovan	35
An evaluation of the use of haem-biosynthetic parameters in the detection of industrial and environmental lead exposure: δ -Aminolaevulinic acid and coproporphyrin. By M. R. Moore & P. A. Meredith	37

iv CONTENTS

An evaluation of the use of haem-biosynthetic parameters in the detection of industrial and environmental lead exposure: Erythrocyte δ -aminolaevulinate dehydratase and blood protoporphyrin concentrations. $By P. A.$ Meredith & M. R.	
Moore	39
The release of skeletal-muscle microsomal contents by selective treatment with sodium deoxycholate. By B. O'Halloran & D. R. Headon	41
The response of prostaglandin synthase preparation to the concentration of arachidonic acid. By R. Narayanan, A. McGrath, C. Tritschler, J. M. Manning & M. G. Harrington	42
Effect of halothane (2-bromo-2-chloro-1,1,1-trifluoroethane) on calcium-binding and -release by sarcoplasmic reticulum. By J. J. A. Heffron & G. A. Gronert	44
Synergistic stimulation by chlorpromazine and potassium ions of calcium-transport activity in brain plasma-membrane vesicles. By A. O'Callaghan & P. F. Duggan	47
Adenosine triphosphate-dependent calcium-transport systems: Generality of activation by potassium ions. By M. Adams & P. F. Duggan	49
Calcium phosphate analogues in milk and bone salts. By T. C. A. McGann	51
Effects of temperature on the action of autologous serum in mitogen-induced lymphocyte transformation. By P. B. Collins, P. C. Wiehe, M. W. M. Suen & A. H. Johnson	53
Peroxidase labelling of antibodies for use in enzyme immunoassay. By T. H. Adams & G. B. Wisdom	55
Regulation of lutropin (luteinizing-hormone) receptors in rat testis by pregnant-mare serum gonadotropin. By J. P. Gosling, P. Morgan, M. Ryan & P. F. Fottrell	57
The metabolism of thyrotropin-releasing hormone by guinea-pig brain. By D. J. Hayes, J. J. Phelan & G. O'Cuinn	59
A method for estimating standard errors of the mean concentrations of dissociated and undissociated forms of a weak acid in aqueous solution from experimentally determined values of pH and total acid. By J. P. Ryan	63
Gas-liquid-chromatographic analysis of 5-fluorouracil and its metabolite 5-fluorodihydrouracil in plasma. By B. J. McDermott, H. W. Van den Berg & R. F. Murphy	65
Derivatives of L-asparaginase designed to be immobilized in vivo. By N. Mattarella & T. Richardson	66
Evolutionary temperature adaptation of the calcium -dependent adenosine triphosphatase of fish sarcoplasmic reticulum. By H. McArdle & I. Johnston	69
Xanthine oxidase activity in mammalian cell cultures. By M. M. Clynes, M. P. Hurley & M. F. Shannon	72
Hypothalamic inactivation of thyroliberin (thyrotropin-releasing hormone). By E. C. Griffiths, J. A. Kelly, N. White & S. L. Jeffcoate	74
Hypothalamic inactivation of luliberin (luteinizing-hormone-releasing hormone). By J. A. Kelly, E. C. Griffiths, S. L. Jeffcoate & C. R. N. Hopkinson	76
579TH MEETING, LONDON	
Colloquium: Bioenergetic Aspects of Microbial Processes	
Chairman's Remarks By J. W. Drozd	79
Respiration, oxidative phosphorylation and yields in aerobic bacteria. By C. W. Jones	80

CONTENTS v

Overflow metabolism in aerobic micro-organisms. By D. W. Tempest & O. M. Neijssel	82
The physiology of aerobic bacteria in immobilized systems. <i>By</i> H. J. Somerville & J. R. Mason	85
The physiology of microbial growth in activated sludge. By M. Davies	.88
Bioenergetic aspects of the microbial leaching of metals. By D. P. Kelly	91
The potential of systems integration in microbial photosynthesis. By CG. Hedén	94
Colloquium: Non-Hormonal Hypoglycaemic Compounds	
An introduction to the control of carbohydrate metabolism: Possible sites for pharmacological intervention in hyperglycaemia. By H. S. A. Sherratt & L. Hue	99
The relationship of diphenyleneiodonium-induced hypoglycaemia to the specific covalent modification of NADH-ubiquinone oxidoreductase. By D. P. Bloxham	103
Mechanism of the hypoglycaemia caused by hypoglycin and pent-4-enoate. By D. Billington	106
Communications	
A possible pathogenic mechanism for the induction of rotenone tumours. By M. Gosálvez, J. Díaz-Gil, J. Alcañiz & J. Borrell	113
Induction of casein synthesis in a rat mammary tumour epithelial cell line by dimethyl sulphoxide. By M. J. Warburton, L. P. Head & P. S. Rudland	115
The effect of paracetamol and other foreign compounds on protein synthesis in isolated adult rat hepatocytes. By J. Gwynn, J. R. Fry & J. W. Bridges	1,17
Phenobarbitone induction of microsomal mono-oxygenase activity in primary cultures of adult rat hepatocytes. By J. R. Fry, P. Wiebkin & J. W. Bridges	119
Metabolic activation of benzo[α]pyrene and 9-hydroxybenzo[α]pyrene by tissue fractions from rat liver and lung. By R. A. Prough, J. Capdevila & R. A. Lubet	122
Metabolism of benzo[α]pyrene by the cytochrome <i>P</i> -450/ <i>P</i> -448 of <i>Saccharomyces cerevisiae</i> . <i>By</i> L. F. J. Woods & A. Wiseman	124
Increased excretion of urinary porphyrins by white rats given intragastrically the chemical carcinogens diethylnitrosamine, monocrotaline, T-2 toxin and ethylmethanesulphonate. <i>By</i> R. Schoental & S. Gibbard	127
Absorption of drugs from the urinary bladder. By N. S. E. Sargent, D. G. Upshall & J. W. Bridges	129
Subunit differences among the multiple forms of mushroom tyrosinase. By D. A. Robb	131
Phenol sulphotransferase in developing chick embryo. By R. A. Collett & A. Ungkitchanukit	132
The occurrence of sulphated glycoproteins in nerve endings. By C. J. Branford White & J. A. Appleby	134
Identification of a putative nicotinic acetylcholine receptor in fractions from housefly brain. By R. Harris, K. J. Cattell & J. F. Donnellan	136
Some properties of protoveratrine-induced γ -aminobutyrate release from rat brain slices. By M. C. W. Minchin	139

vi CONTENTS

Possible involvement of frontal-cortical catecholamine systems in the regulation of neurotransmitter mechanisms at sub-cortical sites in the rat brain. By C. J. Pycock, C. J. Carter & R. W. Kerwin	140
2-Phenylethylamine and amphetamine in human brain: Effects of L-deprenyl in Parkinson's disease. By G. P. Reynolds, P. Riederer & M. Sandler	143
The activities of glutamic acid decarboxylase and choline acetyltransferase in post-mortem brains of schizophrenics and controls. By A. J. Cross & F. Owen	145
Stereospecific binding of 2-amino-6,7-dihydroxy-1,2,3,4-tetrahydronaphthalene to rat brain dopamine receptors. <i>By A. Davis, J. A. Poat & G. N. Woodruff</i>	147
Membrane solubilization by detergents, and detergent/protein ratios. By B. Loizaga, I. G. Gurtubay, J. M. Macarulla, F. M. Goñi & J. C. Gómez	148
Selective solubilization of mitochondrial inner-membrane components by Triton X-100. By I. G. Gurtubay, E. Azagra, A. Gutiérrez-Arranz, J. C. G. Milicua & F. M. Goñi	150
Studies on the mode of action of phenformin in the rat small intestine. By H. J. Leese & S. J. Downing	152
Localization of lysosomes by immunofluorescence. By K. J. Payne, B. H. Anderton, M. J. Davey, D. Robinson & R. Thorpe	1,54
Hydrophobic labelling of bovine heart cytochrome c with an azidophosphatidylcholine. By R. Bisson, C. Montecucco, H. Gutweniger & A. Azzi	1,56
A simple culture technique for studying biochemical changes during reticulocyte maturation <i>in vitro</i> . <i>By</i> E. M. Tucker, A. R. Dain & J. D. Young	159
The effect of purified bovine testicular hyaluronidase on cultured rabbit lung fibroblasts. By P. Gacesa, K. S. Dodgson, J. Hunt, R. J. Richards & A. H. Olavesen	162
Protection of rats against hypoglycin and pent-4-enoate toxicity by pretreatment with clofibrate. By F. Van Hoof, L. Hue & H. S. A. Sherratt	163
The reaction of cytochrome cd_1 with oxygen and peroxides. By W. J. Ingledew & M. Saraste	166
Inhibition of rat liver glucose 6-phosphatase by N-alkylmaleimides. By B. Vakili & M. Banner	168
Observations on the structure of the carbohydrate moieties of the Tamm-Horsfall glycoprotein. By A. M. M. Afonso & R. D. Marshall	170
Some properties of L-asparagine synthetase of the L-asparaginase-resistant mouse lymphoma 6C3HED. By M. R. Davies & R. D. Marshall	174
Evidence from ³¹ P nuclear magnetic resonance that polyphosphate synthesis is a slip reaction in <i>Paracoccus denitrificans</i> . <i>By</i> S. J. Ferguson, D. G. Gadian & D. B. Kell	176
The relationship between proton translocation and cell yields in the facultative methylotroph <i>Pseudomonas</i> AMI and a mutant lacking cytochrome c. By C. W. Keevil & C. Anthony	179
Oxidative phosphorylation in membrane preparations of the facultative methylotroph <i>Pseudomonas AMI. By A. I. Netrusov & C. Anthony</i>	182
The subunit structure of the B800-850 light-harvesting pigment protein complex from <i>Rhodopseudomonas sphaeroides</i> strain 2.4.1. <i>By</i> R. J. Cogdell, J. G. Lindsay, W. MacDonald & G. P. Reid	184

CONTENTS vii

Identification of a previously undescribed cytochrome b in human neutrophils and its relationship to phagocytosis-induced oxidase activity. By A. W. Segal & O. T. G. Jones	187
Continuous distribution of quantitative antibody responses to strain C3000 Escherichia coli in inbred mice. By N. N. Suh & A. Ebringer	188
Restoration of 'contact inhibition' in tumour cells in tissue culture by treatment with thiazolidine-4-carboxylic acid. By M. Gosálvez, C. Vivero & I. Alvarez	ļ91
Bacterial aggregating and conglutinin-like factors in human saliva and amniotic fluid: Investigations of molecular size. By F. M. Eggert	193
Salivary and amniotic-fluid agglutinin and aggregating factors: Evidence for complexing between high-molecular-weight non-mucin glycoproteins and immunoglobulins. By F. M. Eggert	194
Alkaline hydrolysis of nuclear proteins. By M. Gronow & T. M. Thackrah	196
The formation of homospermidine by an enzyme from <i>Rhodopseudomonas viridis</i> . <i>By</i> G. H. Tait	199
Some properties of the purified ferritin reductase from the rat liver microsomes. By Z. Zaman & R. L. Verwilghen	201
Zinc, iron and copper binding by dietary fibre. By C. Reilly	202
The effect of fructose on potassium ion movements across the cell membrane in liver. By L. Sestoft, M. Folke, L. Ø. Kristensen, S. Gammeltoft & P. Bartels	204
Effect of potassium deficiency on cellular composition. By S. Southon & F. W. Heaton	207
Proteins and glycoproteins exposed at the external surface of rat liver mitochondrial inner and outer membranes. By J. G. Lindsay & M. P. D'Souza	210
Evidence that adenosine triphosphatase is one of the mitochondrial antigens of autoimmune liver disease. By H. Baum, J. M. Davey, J. Elsden, A. Leoutsakos, F. Meek & T. Sayers	213
Associated effluxes of calcium and adenine nucleotides from mitochondria: Mediation by thyroxine and other agents, and inhibition by bongkrekic acid and adenosine diphosphate. By M. H. Al-Shaikhaly & H. Baum	215
An anion-conducting pore in the mitochondrial inner membrane. By M. J. Selwyn, A. P. Dawson & D. V. Fulton	216
Evidence that in submitochondrial particles cytochrome oxidase translocates protons. By M. C. Sorgato & S. J. Ferguson	219
A new steady-state method for investigating mitochondrial proton transport. By M. D. Brand	221
Purification and preliminary structural analysis of the efrapeptins, a group of antibiotics that inhibit the mitochondrial adenosine triphosphatase. By C. G. Jackson, P. E. Linnett, R. B. Beechey & P. J. F. Henderson	224
576TH MEETING, LONDON	
Colloquium: Newly Discovered Systems of Enzyme Regulation by Reversible Phosphorylation	
Chairman's Introduction: Well-established systems (by title only). By P. Cohen	227

viii CONTENTS

Regulation of liver phosphofructokinase by phosphorylation—dephosphorylation (by title only). By I. Brand	227
Regulation of L-pyruvate kinase by phosphorylation–dephosphorylation (by title only). By L. Engstrom	2,27
Cholesterol ester hydrolase activity in steroid-hormone-producing tissues (by title only). By G. S. Boyd & A. M. S. Gorban	228
Reversible modulation of hydroxymethylglutaryl-coenzyme A reductase and its inactivating enzyme by phosphorylation-dephosphorylation (by title only). By T. S. Ingebritsen	228
Regulation of acetyl-coenzyme A carboxylase by phosphorylation—dephosphorylation (by title only.) By D. G. Hardie	2,28
Glycerol phosphate acyltransferase can be inactivated by cyclic AMP-dependent protein kinase (by title only). By H. Nimmo	229
The control of protein synthesis by phosphorylation (by title only). By T. Hunt	229
The control of phosphorylation of ribosomal proteins (by title only). By D. Leader	229
The control of phosphate content of histone H1 (by title only). By H. Matthews	229
BIOCHEMICAL REVIEWS	
Mitochondrial myopathies. By J. M. Land & J. B. Clark	23,1
The 'uniqueness' of plant mitochondria. By J. M. Palmer	246
BOOK REVIEWS	253