

CONTENTS

Address on the occasion of the presentation of the Merck Sharp and Dohme International Award to THE HOWARD FLOREY INSTITUTE, MELBOURNE and the Franz Volhard Award to DR F. BYROM. F. GROSS	1s
The Third Volhard Lecture: Tension and the artery: the experimental elucidation of pseudo-uraemia and malignant nephrosclerosis. F. B. BYROM	3s
Casual, basal and supplemental blood pressures in 519 first-degree relatives of substantial hypertensive patients and in 350 population controls. F. HORACE SMIRK	13s
I. Vascular changes in hypertension	
The renin-angiotensin system and the pathogenesis of vascular disease in malignant hypertension. J. GIESE	19s
Primary malignant nephrosclerosis. A. BOHLE, K. E. GRUND, U. HELMCHEN and D. MEYER	23s
The renal vascular lesions of severe and malignant hypertension: a light-immunofluorescent microscopy, transmission and scanning electron-microscopy study. D. B. JONES	27s
The arteriolar lesions of steroid hypertension in rats. F. S. GOLDBY	31s
Does the renin-angiotensin system contribute to the vascular lesions in renal hypertensive rats? R. DIETZ, H. HAEBARA, B. LÜTH, G. MAST, Z. NEMES, A. SCHÖMIG and M. SZOKOL	33s
Importance of hypertension and genetic factors for atherogenesis in rats. Y. YAMORI, R. HORIE, H. HANDA, Y. NARA, M. OHTAKA and M. FUKASE	37s
Some factors influencing the damaging effect of acute arterial hypertension on cerebral vessels in rats. B. B. JOHANSSON	41s
Vasopressin and malignant deoxycorticosterone hypertension in rats. J. MÖHRING, B. MÖHRING, M. PETRI and D. HAACK	45s
Vascular lesions in hypertensive rats under salt loading: kidney renin and lysosomal enzymes. N. SAITO, S. MUKAINO, K. OGINO and C. KAWAI	49s
Effects of noradrenaline on consecutive vascular segments at low or normal calcium concentrations in control and spontaneously hypertensive rats. B. FOLKOW, M. HALLBÄCK, J. V. JONES and M. SUTTER	53s
Assessment of autonomic and non-autonomic components of resting hindlimb vascular resistance and reactivity to pressor substances in renal hypertensive rabbits. J. A. ANGUS, M. J. WEST and P. I. KORNER	57s

Changes in vascular smooth muscle sensitivity to vasoconstrictor agents induced by corticosteroids, adrenalectomy and differing salt intake in rats. A. SCHÖMIG, B. LÜTH, R. DIETZ and F. GROSS	61s
Evidence for peripheral vascular involvement in mild elevation of blood pressure in man. R. SILVERTSSON, R. SANNERSTEDT and Y. LUNDGREN	65s
Accelerated hypertension in the rat: relation between renin, renal vascular lesions, salt intake and blood pressure. SAUWALUCK CHUSILP, A. S. P. HUA and PRISCILLA KINCAID-SMITH	69s
The pathogenesis of hypertensive vascular changes in the rat: microscopic and ultrastructural correlation <i>in vivo</i> . J. B. HOBBS, S. CHUSILP, A. HUA, P. KINCAID-SMITH and M. A. McIVER	73s
Effects of blood pressure reduction on the structural vascular abnormality in skin and muscle vascular beds in human essential hypertension. R. SILVERTSSON and L. HANSSON	77s
II. Renin secretion	
The intrarenal release of renin in the rat. T. O. MORGAN, J. DAVIS and A. GILLIES	81s
Role of the renal nerves in renin release during suprarenal aortic stenosis in cats. A. STELLA, F. CALARESU and A. ZANCHETTI	85s
Renin inhibitory effect of synthetic phosphorylethanolamine (PE-104) in the rat. M. MIYAZAKI, K. YAMAMOTO and K. HOSOKI	89s
Control of renin secretion <i>in vivo</i> and <i>in vitro</i> in rats: arguments in favour of a precursor form of renin and of a role of a microtubular system. F. BANICHAHI, A. CAPPONI, C. PRICAM, C. DE SENARCLENS and M. B. VALLOTTON	93s
Renin release from isolated rat glomeruli. S. HOLDSWORTH, A. McLEAN, B. J. MORRIS, E. DAX and C. I. JOHNSTON	97s
Stimulation of renin secretion by frusemide and diazoxide in the isolated rat kidney. R. VANDONGEN and DIANNE M. GREENWOOD	101s
Inter-relationship between autoregulation of glomerular filtration rate, tubuloglomerular feedback and juxtaglomerular renin activity in normotensive and hypertensive rats. J. SCHNERMANN, D. W. PLOTH and H. DAHLHEIM	105s
Effects of carotid occlusion and clonidine on renin secretion in anaesthetized dogs. I. A. REID and A. JONES	109s
The nature of the β -adrenoreceptor controlling plasma renin activity in man. B. F. JOHNSON, I. K. SMITH, J. LABROOY and CAROLE BYE	113s
III. Renin, sodium and experimental hypertension	
Tissue iso-renins. D. GANTEN, J. S. HUTCHINSON, H. HAEBARA, P. SCHELLING, H. FISCHER and U. GANTEN	117s
Effects of aldosterone and spironolactone on arterial renin in rats. J. ROSENTHAL	121s
The role of sodium retention in Goldblatt 2-kidney hypertension in the rat. H. THURSTON and J. D. SWALES	125s

Salt, frusemide and renin in severe experimental renal hypertension. M. FERNANDES, G. ONESTI, R. DYKYJ, R. FIORENTINI, ANNE B. GOULD, K. E. KIM and C. SWARTZ	129s
Exchangeable sodium in experimental hypertension in rats. A. E. DOYLE, S. DUFFY and G. J. MACDONALD	133s
Cardiac output changes during experimental renal hypertension in the rabbit. P. J. FLETCHER, P. I. KORNER, J. A. ANGUS and J. R. OLIVER	137s
Ventricular performance after onset of renal hypertension. C. M. FERRARIO, A. KOSOGLOV, R. BAJBUS and G. R. NADZAM	141s
Lowering of blood pressure, plasma renin substrate, cholesterol and triglyceride by portacaval anastomosis in rats fed on a 60% sucrose/5% lard diet. K. D. G. EDWARDS, R. HERZ, J. E. SEALEY and S. E. BRADLEY	145s
Studies on the effect of angiotensin II and of Des ¹ -angiotensin II on blood pressure, plasma renin activity and plasma aldosterone in the dog. R. BECKERHOFF, G. UHLSCHMID, W. VETTER and W. SIEGENTHALER	147s
An investigation of the prolonged pressor response to renin in the nephrectomized rat. G. W. BOYD	151s
Evidence against inhibition of the renin-angiotensinogen reaction by des-angiotensin substrate in the rat. E. HACKENTHAL, R. HACKENTHAL and K. B. HOFBAUER	155s
Delayed onset and reduced severity of adrenal-compression hypertension in rats treated with digitoxin. C. E. HALL, S. AYACHI and O. HALL	159s
Anti-hypertensive action of DL- α -tocopheryl esters in rats. T. IGARASHI, Y. NAKAJIMA, M. KOBAYASHI and S. OHTAKE	163s
Humoral response and blood pressure regulation during hypercapnia and haemorrhage in dogs. G. J. DUSTING and JANINA STASZEWSKA-BARCZAK	165s
Evidence of altered permeability of the erythrocyte membrane for sodium and potassium ions in spontaneously hypertensive rats. YU. V. POTSNOV, S. N. ORLOV, P. V. GULAK and A. S. SHEVCHENKO	169s
IV. Renin in human hypertension	
Follow-up of renin in essential hypertension. W. H. BIRKENHÄGER, T. L. KHO, M. A. SCHALEKAMP, G. A. ZAAL, A. WESTER, P. W. DE LEEUW, R. VANDONGEN and T. D. FAWZIMENINGER	173s
Solitary kidney and ageing as causes of low renin and aldosterone concentrations: relevance to 'low-renin' essential hypertension. R. GORDON, FRED A. DORAN, M. THOMAS, FRANCES THOMAS and P. CHERAS	177s
High-renin essential hypertension: adrenergic cardiovascular correlates. M. ESLER, S. JULIUS, O. RANDALL, V. DEQUATTRO and A. ZWEIFLER	181s

Reduced plasma renin activity in essential hypertension: effects of blood pressure, age and sodium. G. W. THOMAS, J. G. G. LEDINGHAM, L. J. BEILIN and A. N. STOTT	185s
Change in the renin dependency of blood pressure induced by volume depletion and/or propranolol therapy in hypertensive patients. G. G. GEYSKES, P. BOER, J. VOS and E. J. DORHOUT MEES	189s
Angiotensin II blockade in normal subjects and essential hypertensive patients. G. A. MACGREGOR and P. M. DAWES	193s
Determination of renin-dependency and sodium-dependency in the three renin sub-groups of essential hypertension. H. GAVRAS, A. RIBEIRO, H. R. BRUNNER and I. GAVRAS	197s
Dissociation of blood angiotensin II and plasma renin activity during chronic treatment in essential hypertension. M. P. SAMBHI, J. D. BARRETT, P. EGGENA and C. THANANOPAVARN	201s
The role of vascular capacitance in the genesis of essential hypertension. M. ULRYCH	203s
Increased central blood volume: a possible pathophysiological factor in mild low-renin essential hypertension. S. JULIUS and M. ESLER	207s
Significance of increase in labelled albumin disappearance rate in arterial hypertension. M. ULRYCH and Z. ULRYCH	211
Plasma renin concentration and the hypotensive effect of bendrofluazide and of atenolol. R. FAGARD, A. AMERY, J. F. DEPLAEN, P. LIJNEN and A. MISSOTTEN	215s
The effect of intravenous angiotensin II on the peripheral circulation with particular reference to its bearing on general haemodynamics. M. CACHOVAN, J. BROD, J. BAHLMANN, R. SIPPEL, B. CELSEN and H. HUNDESHAGEN	219s
V. Renal hypertension in man	
The haemodynamic response to salt and water loading in patients with end-stage renal disease and anephric man. K. E. KIM, G. ONESTI, E. T. DELGUERCIO, J. GRECO, M. FERNANDES and C. SWARTZ	223s
Plasma renin activity, plasma angiotensin II and extracellular fluid volume in patients after renal transplantation. J. S. HORVATH, C. BAXTER, F. FURBY, V. HOOD, J. JOHNSON, B. MCGRATH and D. J. TILLER	227s
Surgical intervention in severe and complicated renal hypertension: Report of the Sydney Renal Hypertension Group (1969-75). R. M. GRAHAM, E. F. SEBEL and G. S. STOKES	231s
Diazoxide-induced stimulation of renin release in renal vein renin sampling. J. R. STOCKIGT, E. J. HIGGS and N. SACHARIAS	235s
Clinical significance of plasma renin activity in human renovascular hypertension. A. SALVETTI, F. ARZILLI, P. SASSANO, L. POLI and A. PESOLA	239s
The immediate plasma renin response to propranolol: evidence for a different mode of renin release in essential and renal hypertension. F. SKRABAL, W. CZAYKOWSKA, P. DITTRICH and H. BRAUNSTEINER	243s

Results and costs of investigating newly detected hypertensive patients. E. K. M. SMITH, G. W. VIOL and A. TOI	247s
VI. Prostaglandins, kinins and anti-hypertensive compounds	
Effects of indomethacin in rabbit renovascular hypertension. C. G. STRONG and J. C. ROMERO	249s
Renal prostaglandin synthesis in hypertension induced by deoxycorticosterone and sodium chloride in the rat. D. J. PUGSLEY, RACHEL MULLINS and L. J. BEILIN	253s
Vascular actions of frusemide and bumetanide on the rat superior mesenteric vascular bed: interactions with prostaglandins. D. F. HORROBIN, M. S. MANKU and J. P. MTABAJI	257s
Renal urinary kallikrein in normotensive and hypertensive rats during enhanced excretion of water and electrolytes. H. R. CROXATTO, R. ALBERTINI, R. ARRIAGADA, J. ROBLERO, M. ROJAS and R. ROSAS	259s
Urinary kallikrein and plasma renin during the reversal of renovascular hypertension in rats. O. P. GULATI, O. A. CARRETERO, T. MORINO and N. B. OZA	263s
Isolation of renal membranes that contain kallikrein, angiotensin I-converting enzyme (kininase II) and angiotensinase in the rat. P. E. WARD, E. G. ERDÖS, C. D. GEDNEY, R. M. DOWBEN and R. C. REYNOLDS	267s
Effects of stimulation and inhibition of the renal prostaglandin synthetase system on renin release <i>in vivo</i> and <i>in vitro</i> . P. C. WEBER, C. LARSSON, M. HAMBERG, E. ÄNGGÅRD, E. J. COREY and B. SAMUELSSON	271s
Contribution of prostaglandins to the renal vascular supersensitivity to vasoconstrictor agents exhibited by New Zealand genetic hypertensive rats. J. M. ARMSTRONG, CAROLINE BELL, N. LATTIMER, J. C. MCGIFF and K. M. MULLANE	275s
The effects of aldosterone and spironolactone on renal kallikrein in the rat. H. S. MARGOLIUS, JULIE CHAO and T. KAIZU	279s
Renin-angiotensin and kallikrein-kinin systems in sodium homeostasis and hypertension in rats. C. I. JOHNSTON, P. G. MATTHEWS and E. DAX	283s
Anti-hypertensive lipid from tissue culture of renomedullary interstitial cells of the rat. E. E. MUIRHEAD, W. A. RIGHTSSEL, B. E. LEACH, L. W. BYERS, J. A. PITCOCK and B. BROOKS	287s
Functional-morphological correlates of renomedullary interstitial cells. J. A. PITCOCK, W. A. RIGHTSSEL, P. BROWN, B. BROOKS and E. E. MUIRHEAD	291s
VII. Adrenal steroids in hypertension	
Further unravelling of the causes of ACTH-induced hypertension in the sheep. J. P. COGHLAN, D. A. DENTON, J. S. K. FAN, J. G. MCDUGALL, B. A. SCOGGINS and A. A. SHULKES	295s
Deoxycorticosterone measured by a radioimmunoassay <i>in vivo</i> in rats undergoing adrenal regeneration. JULIA H. HAUGER-KLEVE and P. VECSEI	299s

Deoxycorticosterone hypertension in the pig. J. M. TERRIS, K. H. BERECEK, E. L. COHEN, J. C. STANELY, W. M. WHITHOUSE, JR and D. F. BOHR	303s
Influence of spironolactone on endogenous steroid metabolism in man. U. ABSHAGEN, S. SPÖRL, M. SCHÖNESHÖFFER, M. L'AGE, H. RENNEKAMP and W. OELKERS	307s
The role of 11-deoxycorticosterone in human hypertension. S. Y. TAN, R. H. NOTH and P. J. MULROW	311s
Increased renal sensitivity to aldosterone in the potassium-loaded rat. W. R. ADAM and J. W. FUNDER	315s
Synthesis of endocrine control in hypertension. A. C. GUYTON, A. W. COWLEY, JR, D. B. YOUNG, J. W. DECLUE, R. D. MANNING, JR, R. FAGARD, R. E. MCCAA and N. C. TRIPPODO	319s
Role of steroids in hypertension: evaluation of plasma mineralocorticoid activity with aldosterone receptors. J. D. BAXTER, M. SCHAMBELAN, D. T. MATULICH, B. J. SPINDLER and F. C. BARTTER	321s
Angiotensin II analogues and aldosterone secretion in sodium-deficient sheep. J. R. BLAIR-WEST, J. P. COGLAN, D. A. DENTON, H. D. NIALL, B. A. SCOGGINS and G. W. TREGEAR	325s
Aldosterone regulation in primary aldosteronism: differences between adenoma and bilateral hyperplasia. F. MANTERO, M. GION, D. ARMANINI and G. OPOCHER	329s
SC 23992: radioreceptor assays for therapeutic and side effects. J. W. FUNDER, J. MERCER and J. HOOD	333s
Selective hypoaldosteronism: a study of steroid biosynthetic pathways under adrenocorticotrophin and angiotensin II infusion. M. LEBEL and J. H. GROSE	335s
VIII. Baroreceptor control mechanisms	
Baroreceptor reflexes from different vascular areas in animals and man. A. ZANCHETTI, R. A. L. DAMPNEY, J. LUDBROOK, G. MANCIA and A. STELLA	339s
Carotid baroreceptor reflex in normotensive and hypertensive subjects. G. MANCIA, J. LUDBROOK, A. FERRARI, L. GREGORINI, R. VALENTINI and A. ZANCHETTI	343s
Factors influencing the carotid baroreceptor response to pressure changes in a neck chamber. J. LUDBROOK, G. MANCIA, A. FERRARI and A. ZANCHETTI	347s
Resetting of the baroreceptor in hypotension in rats. H. C. SALGADO and E. M. KRIEGER	351s
Cardiac reflexes conducted by vagal afferents in normotensive and renal hypertensive dogs. P. KEZDI	353s
Relationship of age and blood pressure to baroreflex sensitivity and arterial compliance in man. O. S. RANDALL, M. D. ESLER, G. F. BULLOCH, A. S. MAISEL, C. N. ELLIS, A. J. ZWEIFLER and S. JULIUS	357s

Baroreflex control of coronary conductance in normotensive and renal hypertensive conscious dogs with complete heart block. S. W. WHITE, W. L. PORGES, J. V. O. REID and C. I. BHAGAT	361s
Valsalva vasoconstrictor reflex in human hypertension and after β -adrenoreceptor blockade in conscious rabbits. P. I. KORNER, P. A. BLOMBERG, A. BOBIK, A. M. TONKIN and J. B. UThER	365s
Time-course of the reduction of baroreceptor sensitivity in experimental hypertensive rabbits. JENNIFER E. ANGELL-JAMES and M. J. GEORGE	369s
Interplay of sino-aortic reflexes and haemodynamic changes during natural sleep in the cat. G. BACCELLI, R. ALBERTINI, G. MANCIA and A. ZANCHETTI	373s
IX. Central mechanisms of blood pressure control	
Peripheral and central catecholaminergic neurons in genetic and experimental hypertension in rats. H. GROBECKER, J. M. SAAVEDRA, M. F. ROIZEN, V. WEISE, I. J. KOPIN and J. AXELROD	377s
Brain-stem structures and catecholamines in the control of arterial blood pressure in the rat. W. DE JONG, P. ZANDBERG, D. H. G. VERSTEEG and M. PALKOVITS	381s
Lack of hypotensive effect on central injection of angiotensin inhibitors in spontaneously hypertensive (SH) and normotensive rats. J. L. ELGHOZI, J. ALTMAN, M. A. DEVYNCK, J. F. LIARD, J. P. GRUNFELD and P. MEYER	385s
Effect of intraventricular perfusion of angiotensin II in conscious normal rats and in rats with hereditary hypothalamic diabetes insipidus. J. S. HUTCHINSON, P. SCHELLING, J. MÖHRING and D. GANTEN	391s
Effect of angiotensin II on noradrenaline content in the rat hypothalamus. M. IJIMA, Y. KITAMURA, N. YAMAMOTO, H. KAWAMURA, T. YASUGI and M. HATANO	395s
Impermeability of the blood-cerebrospinal fluid barrier for angiotensin II in rats. P. SCHELLING, J. S. HUTCHINSON, U. GANTEN, G. SPONER and D. GANTEN	399s
Blood pressure response to central and peripheral injection of angiotensin II and 8-C-phenylglycine analogue of angiotensin II in rats with experimental hypertension. B. A. SCHOELKENS, W. JUNG and R. STEINBACH	403s
Enhancement of the anti-hypertensive effect of methyl dopa and other anti-hypertensive drugs by carbidopa in spontaneously hypertensive rats. A. SCRIBINE, C. T. LUDDEN, C. A. STONE, R. J. WURTMAN and C. J. WATKINS	407s
Reduction of the hypotensive effect of clonidine and α -methyl dopa by various psychotropic drugs. P. A. VAN ZWIETEN	411s
X. Autonomic mechanisms and catecholamines	
Catecholamines and hypertension. J. AXELROD	415s

The role of α - and β -presynaptic receptors in the regulation of noradrenaline release elicited by nerve stimulation. S. Z. LANGER	423s
The role of noradrenaline and other transmitter hormones in the pathogenesis of hypertension. W. J. LOUIS, B. JARROTT and A. E. DOYLE	427s
Neural and non-neural mechanisms in spontaneous hypertension. Y. YAMORI	431s
Sympathotonia in primary hypertension and in a caricature resembling dysautonomia. V. DEQUATTRO, V. CAMPESE, Y. MIURA and M. ESLER	435s
Plasma noradrenaline and renovascular hypertension in the rat. J. L. REID, H. J. DARGIE, S. S. FRANKLIN and BEVERLY FRASER	439s
Anti-hypertensive effect of metoprolol in spontaneously hypertensive rats. B. LJUNG, B. ÅBLAD, L. DREWS, E. FELLENIUS, A. KJELLSTEDT and M. WALLBORG	443s
The effects of propranolol on spontaneous and experimental hypertension in the rat. A. C. PRESSINA, A. CORGNATI, P. PALATINI, C. ONEGLIA and C. DAL PALU	447s
Interaction of angiotensin II with catecholamines in the circulation of the dog and cat. K. K. F. NG, S. DUFFY, W. J. LOUIS and A. E. DOYLE	451s
Catecholamines, blood pressure, renin and myocardial function in the spontaneously hypertensive rat. SUZANNE OPARIL, LYNDA ERINOFF and A. CUTILLETTA	455s
Interaction of dopamine, methyldopa and reserpine in the sympatho-adrenal system in essential hypertension. K. ABE, H. AOYAGI, M. YASUJIMA, S. MIYAZAKI, T. KUSAKA, M. SEINO, Y. OTSUKA, N. IROKAWA, S. CHIBA, Y. SAKURAI, K. SAITO and K. YOSHINAGA	461s
Serum dopamine β -hydroxylase activity in essential hypertension. K. AOKI, K. TAZUMI, T. YOSHIDA, S. KATO, I. SATO and K. TAKIKAWA	465s
Noradrenaline sensitivity of an isolated perfused artery: effects of normal and hypertensive plasma. C. ROSENDORFF, D. S. BLOOM and M. G. STEIN	469s
XI. β-Adrenoreceptor blockade in human hypertension	
Pharmacokinetics of β -receptor-blocking agents in relation to their anti-hypertensive effect. R. GUGLER, G. BODEM and H. J. DENGLER	473s
Anti-hypertensive effect of acebutolol: its relation to sympathetic nervous system responsiveness and to plasma renin and dopamine- β -hydroxylase activities. A. FOURNIER, J. M. HARDIN, J. M. ALEXANDRE, M. LOMBAERT, G. RONCO, J. F. BEZOC, G. DESMET and J. QUICHAUD	477s
Haemodynamic long-term effects of β -receptor-blocking agents in hypertension: a comparison between alprenolol, atenolol, metoprolol and timolol. P. LUND-JOHANSEN and O. J. OHM	481s
Increased plasma noradrenaline concentrations in essential hypertension and their decrease after long-term treatment with a β -receptor-blocking agent (prindolol). H. M. BRECHT, F. BANTHIEN, W. ERNST and W. SCHOEPPE	485s

- Effect of long-term anti-hypertensive β -receptor-blocking treatment on haemodynamic and metabolic responses to prolonged exercise in man. M. FRISK-HOLMBERG, A. JUHLIN-DANNFELDT, L. JORFELDT and H. ÅSTRÖM 489s
- Haemodynamic responses to exercise and acute β -receptor blockade in renin sub-types of essential hypertension. F. BURKART, F. R. BÜHLER, M. PFISTERER, B. E. LÜTOLD and M. KÜNG 493s
- Effects of intravenous labetalol on blood pressure, angiotensin II and aldosterone in hypertension: comparison with propranolol. E. A. ROSEI, P. M. TRUST, J. J. BROWN, R. FRASER, A. F. LEVER, J. J. MORTON and J. I. S. ROBERTSON 497s
- Combined α - and β -adrenoreceptor blockade in hypertension: a controlled trial of labetalol (AH 5158) compared with propranolol and placebo. D. PUGSLEY, B. ARMSTRONG, M. NASSIM and L. J. BEILIN 501s
- The anti-hypertensive efficacy of combined α - and β -adrenoreceptor blockade with phentolamine-oxprenolol or with labetalol (AH 5158). B. F. JOHNSON, J. LABROOY and A. D. MUNRO-FAURE 505s
- Compared incidence of first myocardial infarction in hypertensive patients under treatment containing propranolol or excluding β -receptor blockade. I. MCD. G. STEWART 509s
- Clinical evaluation of atenolol in hypertension. L. HANSSON, B. E. KARLBERG, H. ÅBERG, A. WESTERLUND, N. C. HENNINGSEN and S. JAMESON 513s
- Quantitative effects of timolol and hydrochlorothiazide on blood pressure, heart rate and plasma renin activity: results of a double-blind factorial trial in patients with essential hypertension. J. P. CHALMERS, J. S. HORVATH, P. I. KORNER, D. J. TILLER, A. J. BUNE, J. D. ENGLAND and P. J. FLETCHER 517s
- A controlled study on the anti-hypertensive effect of a new β -adrenoreceptor-blocking drug, metoprolol, in combination with chlorthalidone. A. JÄÄTTELÄ and K. PYÖRÄLÄ 521s
- Clinical and haemodynamic study of atenolol (Tenormin) in essential hypertension. H. Æ. JENSEN, K. RASMUSSEN and N. MOSBÆK 525s
- The effect on blood pressure of β -adrenoreceptor-blocking drugs given once daily. M. WILSON, G. MORGAN and T. MORGAN 527s
- Evaluation of the effect of timolol alone and in combination with hydrochlorothiazide and amiloride in the treatment of mild to moderate arterial hypertension: a double-blind, controlled study. G. MUIESAN, B. MAGNANI, E. AGABITI-ROSEI, C. ALICANDRI, E. AMBROSIONI and N. MIELE 529s
- Comparison of metoprolol and propranolol in modification of haemodynamic and renin-aldosterone responses to tilting in humans. G. W. VIOL, E. K. M. SMITH and J. D. FITZGERALD 533s
- Differential effects of acute and chronic β -adrenoreceptor blockade on blood pressure and the renin-angiotensin-aldosterone system in essential hypertension. R. KOLLOCH, K. O. STUMPE, H. VETTER, W. GRAMANN and F. KRÜCK 537s

Comparative anti-hypertensive effectiveness of β -adrenoreceptor antagonists with different pharmacological properties: dose-response studies during acute and chronic administration. S. H. TAYLOR, C. DAVIDSON, W. SINGLETON and U. THADANI	541s
Clinical trial of the β -adrenoreceptor-blocking agent tolamolol with the use of 24 hour blood pressure recordings. M. J. WEST, P. SLEIGHT and A. J. HONOUR	545s
β -Receptor-blockade hypotension and the central nervous system. P. J. LEWIS	549s
Increase of total body potassium and decrease of exchangeable sodium after long-term treatment with a β -receptor-blocking agent (prindolol) in essential hypertension. H. M. BRECHT, E. WERNER and W. SCHOEPPE	551s
Cardiac function in the treatment of arterial hypertension with propranolol. M. GUAZZI, A. POLESE, C. FIORENTINI, M. T. OLIVARI, F. MAGRINI and C. BARTORELLI	555s
Comparison of a slow-release formulation of oxprenolol with conventional oxprenolol in the treatment of hypertension. K. P. O'BRIEN and E. J. W. STEPHENS	559s
XII. Therapeutics	
Medical Research Council's Treatment Trial for mild hypertension: an interim report. W. E. MIALL, P. J. BRENNAN and A. H. MANN	563s
A within-patient comparison of bethanidine, methyldopa and propranolol in the treatment of hypertension. B. N. C. PRICHARD, A. J. BOAKES and B. R. GRAHAM	567s
Within-patient comparisons between different anti-hypertensive drugs. B. HARVALD	571s
Vasodilating drugs: contrasting haemodynamic effects. R. C. TARAZI, H. P. DUSTAN, E. L. BRAVO and A. P. NIARCHOS	575s
The use of minoxidil in the treatment of severe essential hypertension: a report on 100 patients. R. G. JACOMB and F. J. BRUNNBERG	579s
Treatment of severe and moderate hypertension with minoxidil: experience in twenty-eight patients. G. DUNEA, B. MAMDANI and S. D. MAHURKAR	583s
Treatment of severe hypertension with minoxidil and its effects on systemic and pulmonary haemodynamics. D. HALL, K. L. FROER and C. LORACHER	587s
Clinical and haemodynamic study of minoxidil in moderately hypertensive patients. H. AERENLUND JENSEN, K. RASMUSSEN and N. MOSBÆK	591s
Double-blind comparison of minoxidil and hydrallazine in severe hypertension. G. CONNOR, R. L. WILBURN and C. M. BENNETT	593s
Treatment of hypertension in middle-aged men: a feasibility study in a community. H. ÅBERG and H. HEDSTRAND	597s
Clinical and haemodynamic study of a new vasodilator drug L6150 (3-[bis-(2-hydroxyethyl) amino]-6-hydrazinopyridazine) in man. J. BROD, J. BAHLMANN, C. CACHOVAN, H. DAHLGRÜN, P. PRETSCHNER and M. FUTTEROVÁ	601s

Haemodynamic and endocrinological changes during anti-hypertensive treatment with a new vasodilator substance (L6150) and propranolol. A. WESTER, G. A. ZAAL, P. W. DE LEEUW and W. H. BIRKENHÄGER	605s
Cardiovascular effects of prazosin in dogs. I. CAVERO	609s
A study of the use of prazosin in hypertensive patients in Korea. J. S. KIM	613s
Prazosin and hydrallazine in the treatment of hypertension. PRISCILLA KINCAID-SMITH, A. S. P. HUA, J. B. MYERS, ILEENE MACDONALD and P. FANG	617s
A cross-over study between hydrallazine and prazosin. K. RASMUSSEN and H. AE. JENSEN	621s
Comparison of the effects of pharmacological therapy and low-sodium diet on mild hypertension. B. MAGNANI, E. AMBROSIONI, R. AGOSTA and F. RACCO	625s
A comparison of the effects of chlorothiazide and of metolazone in the treatment of hypertension. A. S. P. HUA and PRISCILLA KINCAID-SMITH	627s
Initial treatment of the young hypertensive: thiazide diuretic or β -adrenoreceptor-blocking agent in a single daily dose? R. D. GORDON	631s
Relative effectiveness of chlorothiazide, reserpine and hydrallazine in spontaneously hypertensive rats. E. D. FREIS and D. O. RAGAN	635s
Pharmacokinetic and pharmacological studies with clonidine in normal subjects. D. S. DAVIES, L. M. H. WING, J. L. REID, P. TIPPETT and C. T. DOLLERY	639s
Haemodynamic and endocrine changes during anti-hypertensive treatment with clonidine and its derivative St 600. T. L. KHO, G. A. ZAAL, A. WESTER, P. W. DE LEEUW and W. H. BIRKENHÄGER	641s
XIII. Epidemiology	
Report on progress in the Australian National Blood Pressure Study (NBPS). J. D. ABERNETHY, J. L. BAKER, M. U. BULLEN, M. L. LAMB and M. R. STEWART	645s
Characteristics and prognosis for women with hypertension in a community: results of a longitudinal study in Göteborg, Sweden. C. BENGTTSSON and O. LINDQUIST	649s
Effectiveness of screening for hypertension in Scotland. V. M. HARTHORNE, D. G. BEEVERS, H. GILMOUR, G. M. STEWART and HELEN WATT	653s
Identification and treatment of arterial hypertension in general practice. C. HODES, P. A. ROGERS and M. G. EVERITT	657s
Alcohol use, hypertension and coronary heart disease. J. D. MATHEWS	661s
Effect of weight on prevalence of hypertension, and its interaction with the arm circumference: Belgian Hypertension Committee Epidemiological Study. J. C. DEMANET, G. RORIVE, K. SAMII, H. VAN CAUWENBERGE and P. SMETS	665s
Blood pressure and its spontaneous variations in a northern Italian population. G. B. AMBROSIO, L. BUGARO, S. GABALDO, R. FIGATO, S. ZAMBONI and C. DAL PALÚ	669s

A 40 years' follow-up study of 1000 untreated hypertensive patients. P. BECHGAARD	673s
XIV. Other studies	
Blood pressure response to physical activity in hypertensive subjects at different times of the day. B. KRÖNIG, F. KNAPPEN, K. DUFÉY and H. P. WOLFF	677s
Blood pressure and heart rate response to isometric exercise and mental arithmetic in normotensive and hypertensive subjects. G. NYBERG	681s
Reversed diurnal blood pressure rhythm in hypertensive pregnancies. C. W. G. REDMAN, L. J. BEILIN and J. BONNAR	687s
Increased renal excretion of arginine-vasopressin during mild hydropenia in young men with mild essential benign hypertension. A. M. KHOKHAR and J. D. H. SLATER	691s
Deoxyribonucleic acid repair synthesis: a new factor for defining high blood pressure. T. THULIN, R. W. PERO, C. BRYNGELSSON, F. MITELMAN, Å. NORDÉN and B. SCHERSTÉN	695s
Thrombolysis by ultrasound. G. TRÜBESTEIN, C. ENGEL, F. ETZEL, A. SOBBE, H. CREMER and U. STUMPF	697s
<i>Schwanengesang</i> . F. GROSS	699s
Concluding remarks. J. I. S. ROBERTSON	703s
Author Index	705s