

CONTENTS

Address on the occasion of the presentation of the Merck Sharp and Dohme International Award to PROFESSOR JENS BING and his associates and the Franz Volhard Award to PROFESSOR BJÖRN FOLKOW. J. I. S. ROBERTSON	1s
The Fourth Volhard Lecture: Cardiovascular structural adaptation; its role in the initiation and maintenance of primary hypertension. BJÖRN FOLKOW	3s
I. Vascular wall	
Role of persistent vascular renin after bilateral nephrectomy in Goldblatt-two kidney hypertension. H. THURSTON, B. C. HURST, R. F. BING and J. D. SWALES	23s
The relationship between blood pressure and aortic collagen metabolism in renal hypertensive rats. J. M. FOIDART, G. L. RORIVE, B. V. NUSGENS and C. M. LAPIERE	27s
Pressure-independent hypertrophy of veins and pulmonary arteries of spontaneously hypertensive rats. Characterization of function, structural and histochemical changes. S. GREENBERG, E. C. PALMER and W. M. WILBORN	31s
The compliance of the resistance vessels in skeletal muscle of hypertensive patients. O. J. HARTLING, T. L. SVENDSEN, P. E. NIELSEN and J. TRAP-JENSEN	37s
Altered activity of the sodium-potassium pump in arteries of rats with steroid hypertension. M. B. PAMNANI, D. L. CLOUGH and F. J. HADDY	41s
II. Catecholamines	
<i>REVIEW</i> : Nervous system and hypertension. J. P. CHALMERS	45s
Plasma noradrenaline and adrenaline and β -adrenoreceptor responsiveness in renin subgroups of essential hypertension. F. R. BÜHLER, O. BERTEL and D. W. KIOWSKI	57s
Plasma noradrenaline and the pressor action of exogenous noradrenaline in normotensive subjects and patients with essential hypertension. T. PHILIPP, A. DISTLER, U. CORDES and H. P. WOLFF	61s
Circulating catecholamines and systolic time intervals in labile and sustained hypertension. D. COUSINEAU, J. DE CHAMPLAIN and L. LAPOINTE	65s
Plasma noradrenaline concentrations and haemodynamics in the early stage of essential hypertension. Y. MIURA, K. KOBAYASHI, H. SAKUMA, H. TOMIOKA, M. ADACHI and K. YOSHINAGA	69s
Plasma noradrenaline, age and blood pressure: a population study. D. H. JONES, C. A. HAMILTON and J. L. REID	73s
Free and conjugated catecholamines in human hypertension. O. KUCHEL, N. T. BUU, TH. UNGER and J. GENEST	77s
Relation of plasma noradrenaline to blood pressure, age, sex and sodium balance in patients with stable essential hypertension and in normotensive subjects. H. M. BRECHT and W. SCHOEPPE	81s
Noradrenaline secretion by the human kidney. P. W. DE LEEUW, H. E. FALKE, R. PUNT and W. H. BIRKENHÄGER	85s

The kinetics of plasma noradrenaline in normal and hypertensive subjects. S. GHIONE, C. PALOMBO, M. PELLEGRINI, E. FOMMEL, A. PILO and L. DONATO	89s
Relationship of basal plasma noradrenaline to blood pressure, age, sex, plasma renin activity and plasma volume in essential hypertension. A. V. CHOBANIAN, H. GAVRAS, J. C. MELBY, IRENE GAVRAS and H. JICK	93s
Plasma adrenaline and noradrenaline in essential hypertension and after long-term treatment with β -adrenoreceptor-blocking agents. R. FRANCO-MORSELLI, M. BAUDOUIN-LEGROS and P. MEYER	97s
Brain catecholamines and catecholamine-synthesizing enzymes in renovascular hypertension in the rat. MARGARET A. PETTY and J. L. REID	101s
Hypertension and brain catecholamine distribution in the Hebrew University Sabra H and N rats. N. ZAMIR, Y. GUTMAN and D. BEN-ISHAY	105s
Enhanced hypothalamic noradrenaline biosynthesis in Goldblatt I renovascular hypertension. V. DEQUATTRO, I. EIDE, M. R. MYERS, K. EIDE, R. KOLLOCH and H. WHIGHAM	109s
III. Renin	
Nomenclature of the renin-angiotensin system. <i>Report of the Nomenclature Committee of the International Society of Hypertension</i>	113s
Purification of human renal renin. EVE E. SLATER, R. C. COHN, V. J. DZAU and E. HABER	117s
Definitive evidence for renin in rat brain by affinity chromatographic separation from protease. T. INAGAMI, H. YOKOSAWA and S. HIROSE	121s
Is high-molecular-weight-renin binding of renin to the protease inhibitors and lipoproteins? K. POULSEN, A. H. NIELSEN, S. LYKKEGAARD, C. MALLING, J. KRØLL and J. JENSENIUS	125s
Renal release of active and inactive renin in essential and renovascular hypertension. F. H. M. DERKX, R. P. VERHOEVEN, G. J. WENTING, A. J. MAN IN 'T VELD and M. A. D. H. SCHALEKAMP	129s
An endogenous protease activating plasma inactive renin. B. J. LECKIE	133s
Activation of inactive plasma renin: evidence that both cryoactivation and acid-activation work by liberating a neutral serine protease from endogenous inhibitors. S. A. ATLAS, J. H. LARAGH and JEAN E. SEALEY	135s
Cryoactivation of plasma renin. A. HARA, M. MATSUNAGA, J. YAMAMOTO, K. MORIMOTO, H. NAGAI, K. KANATSU, C. H. PAK, K. OGINO and C. KAWAI	139s
Different secretion patterns of active and inactive renin in man. A. M. KAPPELGAARD, J. GIESE, H. IBSEN, M. DAMKJAER NIELSEN and A. RABØL	143s
Renin secretion by the human kidney. W. H. BIRKENHÄGER, P. W. DE LEEUW, H. E. FALKE and G. A. W. VAN SOEST	147s
Acid-activated renin responses to hydrochlorothiazide, propranolol and indomethacin. J. K. MCKENZIE and E. REISIN	151s
Different responses of active and inactive plasma renin to various stimuli. K. W. RUMPF, B. SCHÄCHTERLE, S. SCHMIDT, K. BECKER and F. SCHELER	155s
A renal carcinoma secreting inactive renin. BRENDA LECKIE, J. J. BROWN, R. FRASER, K. KYLE, A. F. LEVER, J. J. MORTON and J. I. S. ROBERTSON	159s

The effects of calcium and calcium-ionophores (X 537 A and A 23187) on renin release in the isolated perfused rat kidney. U. SCHWERTSCHLAG, E. HACKENTHAL, R. HACKENTHAL and G. H. ROHS	163s
Soluble pepstatins: a new approach to blockade <i>in vivo</i> of the renin-angiotensin system. G. EVIN, J. GARDES, C. KREFT, B. CASTRO, P. CORVOL and J. MENARD	167s
Alterations of adrenal and uterine angiotensin II receptors during variation of sodium intake and/or experimental hypertension. M. A. DEVYNCK, M. G. PERNOLLET, G. J. MACDONALD, P. G. MATTHEWS, R. S. RAISMAN and P. MEYER	171s
Steroidogenic and pressor activity of angiotensin analogues in the rat. P. A. KHAIRALLAH, M. C. KHOSLA, F. M. BUMPUS, J. F. TAIT and S. A. S. TAIT	175s
Differences in reflex control of arterial pressure and renin release during head-up tilting in the cat. A. STELLA, R. A. L. DAMPNEY, R. GOLIN and A. ZANCHETTI	179s
Tonin-angiotensin II system in hypertension. R. BOUCHER, R. GARCIA, J. GUTKOWSKA, S. DEMASSIEUX and J. GENEST	183s
IV. Prostaglandins	
Effects of prostaglandin E ₂ and prostaglandin F _{2α} upon urinary kallikrein excretion in rats. H. R. CROXATTO, R. ARRIAGADA, M. ROJAS, J. ROBLERO and R. ROSAS	187s
Renal prostaglandin production in the Japanese (Kyoto) spontaneously hypertensive rat. M. J. DUNN	191s
Implications of prostacyclin generation for modulation of vascular tone. G. J. DUSTING, S. MONCADA, K. M. MULLANE and J. R. VANE	195s
Endogenous prostaglandin synthesis inhibitor in the renal cortex. Effects on production of prostacyclin by renal blood vessels. N. A. TERRAGNO, A. TERRAGNO, J. A. EARLY, MARY A. ROBERTS and J. C. MCGIFF	199s
Effects of indomethacin alone and during diuretic or β-adrenoreceptor-blockade therapy on blood pressure and the renin system in essential hypertension. J. A. LOPEZ-OVEJERO, M. A. WEBER, J. I. M. DRAYER, J. E. SEALEY and J. H. LARAGH	203s
The role of prostaglandins in the pathogenesis of hypertension. C. M. MARKOV	207s
V. Experimental hypertension and animal studies	
Nomenclature of experimental renal hypertension. <i>Report of the Nomenclature Committee of the International Society of Hypertension</i>	211s
The natural history of hypertension in turkeys. A. PAGNAN, A. C. PESSINA, G. THIENE and C. DAL PALU	213s
An altered relation between arterial pressure and plasma angiotensin II concentration resulting from prolonged infusion of angiotensin II. B. L. BEAN, J. J. BROWN, J. CASALS-STENZEL, R. FRASER, A. F. LEVER, J. J. MORTON, B. PETCH, A. J. G. RIEGGER, J. I. S. ROBERTSON and M. TREE	217s
Changes in cardiac output during the development of renal hypertension in sodium-depleted dogs. J. O. DAVIS, G. A. STEPHENS, R. H. FREEMAN and J. M. DEFORREST	221s
Central nervous system pressor responses in rats susceptible and resistant to sodium chloride hypertension. T. IKEDA, L. TOBIAN, J. IWAI and PATRICIA GOOSSENS	225s
Intrarenal control of urine concentration by angiotensin II. J. L. IMBS, M. SCHMIDT and J. SCHWARTZ	229s

Neuronal and vascular reactivity in isolated perfused kidneys during the development of spontaneous hypertension. M. G. COLLIS and P. M. VANHOUTTE	233s
Effects of enkephalins on arterial blood pressure are reduced by propranolol. W. SIMON, K. SCHAZ, U. GANTEN, G. STOCK, K. H. SCHLÖR and D. GANTEN	237s
Redistribution of regional blood flow after administration of saralasin in salt-depleted dogs. C.-S. LIANG, H. R. BRUNNER and H. GAVRAS	243s
Role of vasopressin in blood pressure control of spontaneously hypertensive rats. J. MÖHRING, J. KINTZ and J. SCHOUN	247s
The role of vasopressin in blood pressure control and in experimental hypertension. P. T. PULLAN, C. I. JOHNSTON, W. P. ANDERSON and P. I. KORNER	251s
Antihypertensive activity of metyrosine in spontaneously hypertensive rats and its enhancement by carbidopa. A. SCRIBINE, C. T. LUDDEN, C. S. SWEET, C. C. PORTER, E. H. ULM, C. A. STONE, C. J. WATKINS, R. J. WURTMAN and B. L. CRONIN	255s
The interaction between prazosin and clonidine. P. A. VAN ZWIETEN, E. LAM and P. B. M. W. M. TIMMERMANS	259s
VI. Clinical aspects and treatment	
Antihypertensive therapy in patients above age 60 years (Fourth Interim Report of the European Working Party on High Blood Pressure in Elderly: EWPHE). A. AMERY, P. BERTHAUX, W. BIRKENHÄGER, A. BOEL, P. BRIKKO, C. BULPITT, D. CLEMENT, F. DE PADUA, M. DERUYTTERE, A. DE SCHAEPPDRYVER, C. DOLLERY, R. FAGARD, F. FORETTE, J. FORTE, J. F. HENRY, J. HELLEMANS, A. KOISTINEN, U. LAASER, P. LUND-JOHANSEN, J. MACFARLANE, P. MIGUEL, A. MUTSERS, A. NISSINEN, O. T. OHM, W. PELEMANS, A. I. SUCHETT-KAYE, J. TUOMILEHTO, J. WILLEMS and P. WILLEMSE	263s
Evidence for an unidentified, adrenocorticotrophic hormone-dependent mineralocorticoid maintaining hypertension in young women with hypoaldosteronism. W. H. L. HOEFNAGELS, J. I. M. DRAYER, J. A. HOFMAN, A. G. H. SMALS, TH. J. BENRAAD and P. W. C. KLOPPENBORG	271s
Pharmacokinetics of intravenous and oral pindolol in hypertensive patients with chronic renal failure. M. E. SAFAR, N. PH. CHAU, J. A. LEVENSON, A. CH. SIMON and Y. A. WEISS	275s
Effects of labetalol on systemic and pulmonary haemodynamics at rest and during exercise in hypertensive patients. R. FAGARD, A. AMERY, T. REYBROUCK, P. LUNEN and L. BILLIET	279s
Labetalol in hypertensive patients with angina pectoris: beneficial effects of combined α and β -adrenoreceptor blockade. W. F. LUBBE and D. A. WHITE	283s
Effect of selective and non-selective β -adrenoreceptor blockade on calf blood flow in hypertensive patients. D. L. CLEMENT	287s
Haemodynamic effects of a calcium antagonistic agent (nifedipine) in hypertension: therapeutic implications. C. BARTORELLI, F. MAGRINI, P. MORUZZI, M. T. OLIVARI, A. POLESE, C. FIORENTINI and M. GUAZZI	291s
Long-term treatment of hypertension in man by an orally active angiotensin-converting enzyme inhibitor. H. R. BRUNNER, H. GAVRAS, G. A. TURINI, B. WAEBER, P. CHAPPUIS and D. N. MCKINSTRY	293s

Maximal discrimination of renovascular from essential hypertension by the saralasin test. M. H. MAXWELL, P. VARADY, E. T. ZAWADA, J.-F. BURKHALTER, U. WAKS and L. MARKS	297s
Sodium and renin in the hypertension of early renal disease. S. F. WONG, M. I. MITCHELL, V. ROBSON and R. WILKINSON	301s
Treatment of mild hypertension. T. MORGAN, W. ADAM, A. GILLIES and S. CARNEY	305s
Relationship between the hypotensive and renin-stimulating actions of diuretic therapy in hypertensive patients. G. LEONETTI, L. TERZOLI, CARLA SALA, C. BIANCHINI, LAURA SERNESI and A. ZANCHETTI	307s
Raised serum lipid concentrations during diuretic treatment of hypertension: a study of predictive indexes. R. P. AMES and P. HILL	311s
Benzothiadiazine diuretics and death from myocardial infarction in hypertension. J. V. JONES, F. G. DUNN, R. FIFE, A. R. LORIMER and R. G. KELLETT	315s
Renin-angiotensin system in mild essential hypertension. The functional significance of angiotensin II in untreated and thiazide-treated hypertensive patients. H. IBSEN, A. LETH, H. HOLLNAGEL, A. M. KAPPELGAARD, M. DAMKJAER NIELSEN and J. GIESE	319s
β -Adrenoreceptor-blocking agents and lipid metabolism. J. D. F. ENGLAND, A. S. P. HUA and J. SHAW	323s
Increased ratio between serum β - and α -lipoproteins during diuretic therapy: an adverse effect? Z. GLÜCK, G. BAUMGARTNER, P. WEIDMANN, E. PEHEIM, C. BACHMANN, R. MORDASINI, J. FLAMMER and G. KEUSCH	325s
Sympathetic and parasympathetic components of reflex cardiostimulation during vasodilator treatment of hypertension. A. J. MAN IN 'T VELD, G. J. WENTING, R. P. VERHOEVEN and M. A. D. H. SCHALEKAMP	329s
Relation between prognosis and the blood pressure before and during treatment of hypertensive patients. D. G. BEEVERS, J. JOHNSTON, B. L. DEVINE, F. G. DUNN, H. LARKIN and D. M. TITTERINGTON	333s
Effects of prazosin on blood pressure and plasma renin activity in man. J. ROSENTHAL, H. JAEGER and I. ARLART	337s
Side-effects of antihypertensive treatment: a placebo-controlled study. G. E. BAUER, J. BAKER, S. N. HUNYOR and P. MARSHALL	341s
The role of nurse practitioners in hypertension care. K. SOGHKIAN	345s
Blood pressure control: the effect of facilitated access to treatment. M. H. ALDERMAN and KATHRYN F. MILLER	349s
Results of a national therapeutic trial conducted in 10 000 hypertensive patients by 2000 general practitioners. A. JOUVE, L. GOLDET and M. MATHIEU	353s
The hypertension register of the North Karelia Project. A. NISSINEN, J. TUOMILEHTO and P. PUSKA	355s
Improvement in foetal growth with treatment of maternal hypertension in pregnancy. E. D. M. GALLERY, D. M. SAUNDERS, S. N. HUNYOR and A. Z. GYÖRY	359s
The role of intrarenal vasoactive substances in the pathogenesis of essential hypertension. K. ABE, M. YASUJIMA, N. IROKAWA, M. SEINO, S. CHIBA, Y. SAKURAI, M. SATO, Y. IMAI, K. SAITO, T. ITO, T. HARUYAMA, Y. OTSUKA and K. YOSHINAGA	363s

Familial hypertension and hormonal profile, renal haemodynamics and body fluids of young normotensive subjects. G. BIANCHI, G. B. PICOTTI, G. BRACCHI, D. CUSI, M. GATTI, G. P. LUPI, P. FERRARI, C. BARLASSINA, G. COLOMBO and D. GORI	367s
Relationship of blood pressure to sodium excretion in a population survey. F. O. SIMPSON, H. J. WAAL-MANNING, P. BOLLI, E. L. PHELAN and G. F. S. SPEARS	373s
Biochemical correlates of the increase in blood pressure with age. C. E. GRIM, M. H. WEINBERGER, D. P. HENRY, F. C. LUFT and N. S. FINEBERG	377s
The effect of mental arithmetic on blood pressure variability and baroreflex sensitivity in man. P. SLEIGHT, P. FOX, R. LOPEZ and D. E. BROOKS	381s
Are racial differences in essential hypertension due to different pathogenetic mechanisms? P. S. SEVER, W. S. PEART, T. W. MEADE, I. B. DAVIES, D. GORDON and R. D. G. TUNBRIDGE	383s
Muscle-nerve sympathetic activity in man. Relationship to blood pressure in resting normo- and hyper-tensive subjects. G. SUNDLÖF and B. G. WALLIN	387s
Blood pressure circadian rhythm in essential hypertension. M. W. MILLAR CRAIG, S. MANN, V. BALASUBRAMANIAN and E. B. RAFTERY	391s
Arousal and circadian rhythm of blood pressure. J. S. FLORAS, J. V. JONES, J. A. JOHNSTON, D. E. BROOKS, M. O. HASSAN and P. SLEIGHT	395s
Pseudohypertension in the elderly. J. D. SPENCE, W. J. SIBBALD and R. D. CAPE	399s
VII. Dinner speeches (13 June 1978)	
Addresses on the occasion of the Official Dinner at the Fifth Meeting of the International Society of Hypertension	403s
VIII. End of Meeting	
<i>CLOSING ADDRESS</i> Au revoir et à bientôt. J. I. S. ROBERTSON	409s
Concluding remarks. ALBERTO ZANCHETTI	413s
Author Index	415s

The members of the Council of the International Society of Hypertension wish to thank the following for their help in editing these proceedings:

Dr James Conway
 Dr Frank Goodwin
 Dr Robert Fraser
 Professor John Reid
 Dr Maarten Schalekamp
 Professor John Swales

Owing to the special nature of this Supplement to *Clinical Science and Molecular Medicine* the use of S.I. units has not been adhered to throughout its contents.