

**PUBLISHED BY  
THE MEDICAL RESEARCH SOCIETY AND THE BIOCHEMICAL SOCIETY**

**Printed in Great Britain by Spottiswoode Ballantyne Ltd.  
Colchester and London**

# CLINICAL SCIENCE

## Guidance for Authors

### CONTENTS

	<i>page</i>
1. Policy of the Journal	
1.1. Scope . . . . .	i
1.2. The Editorial Board . . . . .	i
1.3. The editorial process . . . . .	i
1.4. Ethics of investigations on human subjects . . . . .	ii
1.5. Originality of papers . . . . .	ii
2. Submission of Manuscripts: General Information and Format	
2.1. General . . . . .	ii
2.2. Full papers . . . . .	ii
2.3. Short Communications . . . . .	iii
2.4. Correspondence . . . . .	iii
2.5. Arrangements for large amounts of information . . . . .	iii
2.6. Proof corrections . . . . .	iii
2.7. Offprints. . . . .	iii
2.8. Availability on MEDLINE . . . . .	iii
3. Miscellaneous Notes	
3.1. Abbreviations . . . . .	iv
3.2. Anatomical nomenclature . . . . .	iv
3.3. Animals, plants and micro-organisms . . . . .	iv
3.4. Buffers and salts . . . . .	iv
3.5. Doses . . . . .	iv
3.6. Enzymes . . . . .	iv
3.7. Evaluation of measurement procedures . . . . .	iv
3.8. Figures and Tables . . . . .	iv
3.9. Footnotes . . . . .	v
3.10. Isotope measurements . . . . .	v
3.11. Radionuclide applications in man . . . . .	v
3.12. Methods . . . . .	v
3.13. Nomenclature of disease . . . . .	v
3.14. Powers in Tables and Figures . . . . .	v
3.15. References . . . . .	v
3.16. Solutions . . . . .	vi
3.17. Spectrophotometric data . . . . .	vi
3.18. Spelling . . . . .	vi
3.19. Statistics . . . . .	vi
3.20. Trade names . . . . .	vi
3.21. Computer modelling . . . . .	vi
4. Units: The SI System . . . . .	vii
5. Abbreviations, Conventions etc. . . . .	vii

### 1. POLICY OF THE JOURNAL

#### 1.1. *Scope*

*Clinical Science* publishes papers in the field of clinical investigation, provided they are of a suitable standard and contribute to the advancement of knowledge in this field. The term 'clinical investigation' is used in its broad sense to include studies in animals and the whole range of biochemical, physiological, immunological and other approaches that may have relevance to disease in man. Studies which are confined to normal subjects, or animals, or are purely methodological in nature may be acceptable. The material presented should permit conclusions to be drawn and should not be only of a preliminary nature. The journal publishes four types of manuscript, namely invited Editorial Reviews, Full Papers, Short Communications and Correspondence. In addition, *Clinical Science* publishes abstracts of the proceedings of the Medical Research Society and also that Society's Annual Guest Lecture.

#### 1.2. *The Editorial Board*

The Board comprises Editors for the Medical Research Society and the Biochemical Society and a Chairman and Deputy Chairman who are drawn alternately from the two Societies. Members of the Board retire after a maximum of 5 years; the Chairman serves in his capacity for 2 years. The membership of the Board is designed to cover as wide a range of interests as possible.

The main function of the Board is to decide on the acceptability of submitted papers, but it also deals with general matters of editorial policy. Financial policy is dealt with separately by the Committee of Management.

#### 1.3. *The editorial process*

A submitted paper is first read by the Chairman of the Editorial Board who then sends it to an Editor. The latter considers the paper in detail and sends it to one or more referees (who remain anonymous) from outside the membership of the Board. The Editor returns it with his recommendation to the Chairman who then writes formally to

the authors. The ultimate responsibility of acceptance for publication lies with the Chairman. If the Chairman is for any reason unavailable, the Deputy Chairman assumes this function.

#### 1.4. *Ethics of investigations on human subjects*

Authors must state in the text of their paper the manner in which they have complied, where necessary, with the recommendations on human investigations published in the Medical Research Council report of 1962/63 [*British Medical Journal* (1964) ii, 178–180]. Consent must be obtained from each patient or subject after full explanation of the purpose, nature and risks of all procedures used and the fact that such consent has been given should be recorded in the paper. Papers should also state that the Ethical Committee of the Institution in which the work was performed has given approval to the protocol. The Editorial Board will not accept papers the ethical aspects of which are, in the Board's opinion, open to doubt.

#### 1.5. *Originality of papers*

Submission of a paper to the Editorial Board is taken to imply that it reports unpublished work, that it is not under consideration for publication elsewhere and that, if accepted for publication by *Clinical Science*, it will not be published elsewhere in the same form, either in English or in any other language, without the consent of the Editorial Board. This does not usually apply to previous publication of oral communications in brief abstract form. In such cases authors should enclose copies of the abstracts. When a paper has been accepted for publication the author, or in the case of multiple authorship the author with whom correspondence has taken place, will be asked to sign a statement vesting the copyright in the Editorial Board. Requests for consent for reproduction of material published in *Clinical Science* should be addressed to the Chairman of the Editorial Board.

## 2. SUBMISSION OF MANUSCRIPTS: GENERAL INFORMATION AND FORMAT

### 2.1. *General*

Papers submitted for publication should be sent to the Chairman of the Editorial Board (Dr D. J. Galton, Department of Medicine, St Bartholomew's Hospital, West Smithfield, London EC1M 6BQ).

The submission should contain three copies (of which two may be photocopies) of the typescript,

Tables, Figures etc. The authors should retain one copy of the paper. The Editorial Board does not accept responsibility for damage or loss of papers submitted, although great care is taken to ensure safety and confidentiality of the typescript during the editorial process. In the case of multiple authorship, the covering letter should indicate that the approval of all co-authors has been obtained.

Papers should be presented so that they are intelligible to the non-specialist reader of the journal. This is particularly important in highly specialized fields and a very brief résumé of the current state of knowledge is usually helpful. Certain types of material, e.g. mathematical formulations requiring more than trivial derivations, should be given in a separate Appendix.

Where the reader is referred to previous works by the same author(s) for important details relevant to the present work, it often speeds up assessment if reprints are enclosed with the typescript. This is of particular importance in relation to methodology.

The dates of receipt and acceptance of the paper will be published. If the paper has to be returned to the authors for revision and is not resubmitted within 1 month, the date of receipt will be revised accordingly. For Short Communications the published date will always be that of receipt of the final version. It is emphasized that badly presented or unduly long papers will be returned for revision and delays in publication will be inevitable. Similar delays will be incurred if the typescript is not prepared strictly in accordance with the instructions detailed below.

### 2.2. *Full papers*

The authors should refer to a current issue of *Clinical Science* to make themselves familiar with the general layout. Concise presentation is very important for rising costs are a severe constraint on space. **The length of manuscript and the number of Figures and Tables must be kept to a minimum.** Extensive Tables of data can be deposited with the Royal Society of Medicine (see 2.5). *Guidance for Authors* is usually published in the January issue of the journal, and revised periodically.

Typescripts should be, in general, arranged as follows:

(a) *Title page.* Title: this should be as informative as possible, since titles of papers are being increasingly used in indexing and coding for information storage and retrieval. The title should indicate the species in which the observations reported have been made. The numbering of parts in a series of papers is not permitted.

List of authors' names (degrees and appointments are not required).

Laboratory or Institute of origin.

**Key words:** for indexing the subject of the paper; they should, if possible, be selected from the current issues of 'Medical Subject Headings' (MeSH), produced by the *Index Medicus*.

**Short title:** for use as a running heading in the printed text; it should not exceed forty-five characters and spaces.

**Author for correspondence:** the name and address of the author to whom queries and requests for reprints should be sent.

(b) *Summary.* This should be a brief statement arranged in **numbered paragraphs** of what was done, what was found and what was concluded and should rarely exceed 250 words. Contributors from non-English speaking countries are invited to include a translation of the summary in their own language. Abbreviations should be avoided as far as possible and must be defined. Statistical and methodological details including exact doses should also be avoided unless they are essential to the understanding of the summary.

(c) *Introduction.* This should contain a clear statement of the reason for doing the work, but should not include either the findings or the conclusions.

(d) *Methods.* The aim should be to give sufficient information in the text or by reference to permit the work to be repeated without the need to communicate with the author.

(e) *Results.* This section should not include material appropriate to the Discussion section.

(f) *Discussion.* This should not contain results and should be pertinent to the data presented.

(g) *Acknowledgments.* These should be as brief as possible.

(h) *References.* See p. v for the correct format.

(i) *Figures and Tables.* See p. iv.

### 2.3. Short Communications

The Short Communication should describe completed work, and should not be merely a preliminary communication. The format of Short Communications should be similar to that of Full Papers, but should not exceed 1200 words of text. **One Figure or Table** is allowed, but if neither is included the text may be expanded to 1400 words. The passage of Short Communications through the editorial process can frequently be expedited and contributors are encouraged to take advantage of these facilities when rapid publication is of importance and the material can be presented concisely.

The paper should appear in print within 3 months of acceptance. When submitting Short Communications, authors should make it quite clear that the work is intended to be treated as a Short Communication.

### 2.4. Correspondence

Letters containing critical assessments of material published in *Clinical Science*, including Editorial Reviews, will be considered for the Correspondence section of the journal. Such letters should be sent to the Chairman of the Editorial Board within 6 months of the appearance of the article concerned. They will be sent to the authors for comment and both the letter and any reply by the author will be published together. Further correspondence arising therefrom will also be considered for publication. Consideration will also be given to publication of letters on ethical matters.

### 2.5. Arrangements for large amounts of information

It is impracticable to publish very large sets of individual values or very large numbers of diagrams, and under these circumstances a summary of the information only should be included in the paper. The information from which the summary was derived should be submitted with the typescript and, if the latter is accepted, the Editors may ask for a copy of the full information and diagrams to be deposited with the Librarian, the Royal Society of Medicine, 1 Wimpole Street, London W1M 8AE, who will issue copies on request. Experience has shown that such requests are frequently received.

### 2.6. Proof corrections

These are expensive and corrections of other than printers' errors may have to be charged to the author.

### 2.7. Offprints

Fifty offprints are supplied free and additional copies may be obtained at terms, based upon the cost of production, that will be given with the proofs. All offprints should be ordered when the proofs are returned.

### 2.8. Availability on MEDLINE

Summaries of papers in *Clinical Science* are available on-line on teleprinters participating in the MEDLINE system run by the National Library of Medicine, National Institutes of Health, Bethesda, Maryland, U.S.A.

### 3. MISCELLANEOUS NOTES

#### 3.1. Abbreviations

Abbreviations should be avoided; if used they must be defined at the first mention; new abbreviations should be coined only for unwieldy names which occur frequently. Abbreviations should not appear in the title nor, if possible, in the Summary. A list of accepted abbreviations is on p. vi. Numbers, not initials, should be used for patients and subjects.

#### 3.2. Anatomical nomenclature

This should follow the recommendations of the International Anatomical Nomenclature Committee (1966) *Nomina Anatomica*, 3rd edn, Excerpta Medica Foundation, Amsterdam.

#### 3.3. Animals, plants and micro-organisms

The full binomial specific names should be given at first mention for all experimental animals other than common laboratory animals. The strain and, if possible, the source of laboratory animals should be stated. Thereafter in the text, single letter abbreviations may be given for the genus; if two genera with the same initial letter are studied, abbreviations such as *Staph.* and *Strep.* should be used.

#### 3.4. Buffers and salts

The acidic and basic components should be given, together with the pH. Alternatively, a reference to the composition of the buffer should be given. Further details are provided in the *Biochemical Journal* (1978) **169**, 9.

When describing solutions containing organic anions and their parent acids, the salt designator (e.g. lactate, urate, oxalate) should be used in preference to the name of the acid (lactic, uric, oxalic) unless it is certain that virtually all of the acid is in the undissociated form.

The composition of incubation media should be described, or a reference to the composition should be given.

#### 3.5. Doses

Doses of drugs should be expressed in mass terms, e.g. milligrams (mg) or grams (g), and also (in parentheses) in molar terms, e.g. mmol, mol, where this appears to be relevant. Molecular weights of many drugs may be found in *The Merck Index*, 8th edn, Merck and Co. Inc., N.J., U.S.A.

#### 3.6. Enzymes

Nomenclature should follow that given in *Enzyme Nomenclature* (1978), Academic Press,

London and New York, and Enzyme Commission (EC) number should be quoted at the first mention. Where an enzyme has a commonly used informal name, this may be employed after the first formal identification. A unit of enzyme activity should preferably be expressed as that amount of material which will catalyse transformation of 1  $\mu$ mol of the substrate/min under defined conditions, including temperature and pH. Alternatively, or when the natural substrate has not been fully defined, activity should be expressed in terms of units of activity relative to that of a recognized reference preparation, assayed under identical conditions. Activities of enzymes should normally be expressed as units/ml or units/mg of protein.

#### 3.7. Evaluation of measurement procedures

When a new measuring procedure has been used, or when an established procedure has been applied in a novel fashion, an estimate of the precision of the procedure should be given. This should, as far as possible, indicate what sources of variation have been included in this estimate, e.g. variation of immediate replication, variation within different times of day, or from day to day etc.

If the precision of measurement varies in proportion to the magnitude of the values obtained, it can best be expressed as the coefficient of variation; otherwise it should be expressed by an estimate of the (constant) standard error of a single observation, or by estimates at several points within the range of observed values.

When recovery experiments are described the approximate ratio of the amount added to the amount already present and the stage of the procedure at which the addition was made should be stated.

#### 3.8. Figures and Tables

These are expensive to print and their number should be kept to a minimum. Their appropriate position in the paper should be indicated in the margin of the text. References to Figures and Tables should be in Arabic numerals, e.g. Fig. 3, and they should be numbered in order of appearance. In general, the same data should not be presented in both a Figure and a Table.

Figures, with captions attached, should be supplied as original drawings or matt photographs together with photocopies. All Figures should have their number and the authors' names written in pencil on the back; the top of the Figure should be indicated with a pencilled arrow. A horizontal or square layout is preferred to a vertical one. Acceptable symbols for experimental points are ●,

▲, ■, ○, △, □. The symbols × or + must be avoided. The same symbols must not be used for two curves where the points might be confused. For scatter diagrams, solid symbols are preferred. When a particular variable appears in more than one Figure, the same symbol should be used for it throughout, if possible.

Curves should not be drawn beyond the experimental points, nor should axes extend appreciably beyond the data. Only essential information that cannot readily be included in the legend should be written within the Figure.

Figures for half-tone reproduction should be submitted as glossy prints. They are particularly expensive to print and their use should be avoided as far as possible.

Tables should be typed separately from the text. They should have an underlined title followed by any legend.

Captions for the Figures, and titles and legends for the Tables, should make them readily understandable without reference to the text. Adequate statistical information, including that on regression lines, should be included in Figure captions where appropriate.

### 3.9. Footnotes

These should be avoided as far as possible but where they are used in Tables they should be identified by the symbols • † ‡ § || ¶, in that order.

### 3.10. Isotope measurements

The information given should include (a) conditions of radioactivity counting, e.g. infinitely thick, infinitely thin; (b) the nature of the phosphor used in liquid-scintillation counting; (c) details of corrections made to the observed count rate, e.g. for 'quenching' or 'cross-over'; (d) standard deviation of the results or a statement of the minimum total counts above background collected and the background value.

In general the specific radioactivity of the starting materials should be given, preferably in terms of radioactivity per unit weight or, for stable isotopes, as atoms % excess.

Pending the general introduction of SI units radioactivity should continue to be expressed in terms of the curie (Ci) followed by the corresponding figure in terms of the becquerel (Bq: disintegrations/s), in parentheses, and suitably rounded.

### 3.11. Radionuclide applications in man

If new or modified radionuclide applications in man are described, an estimate of the maximal

possible radiation dose to the body and critical organs should be given.

For the time being this can continue to be expressed in rems, but with the corresponding figure in sieverts (Sv) given in parentheses after it.

### 3.12. Methods

In describing certain techniques, namely centrifugation (when the conditions are critical), chromatography and electrophoresis, authors should follow the recommendations published by the Biochemical Society (currently, *Biochemical Journal* (1978) 169, 1-21).

### 3.13. Nomenclature of disease

This should follow the *International Classification of Disease* (8th revision, World Health Organization, Geneva, 1969) as far as possible.

### 3.14. Powers in Tables and Figures

Care is needed where powers are used in Table headings and in Figures to avoid numbers with an inconvenient number of digits. For example: (i) an entry '2' under the heading  $10^3k$  means that the value of  $k$  is 0.002; an entry '2' under the heading  $10^{-3}k$  means that the value of  $k$  is 2000. (ii) A concentration 0.00015 mol/l may be expressed as 0.15 under the heading 'concn. (mmol/l)' or as 150 under the heading 'concn. ( $\mu$ mol/l)' or as 15 under the heading ' $10^3 \times$  concn. (mol/l)', but not as 15 under the heading 'concn. (mol/l  $\times 10^{-3}$ )'.

### 3.15. References

These should be in alphabetical order of first authors. The full title of the paper, the journal and the first and last page numbers should be given, e.g.

CLARK, T.J.H., FREEDMAN, S., CAMPBELL, E.J.M. & WINN B.R. (1969) The ventilatory capacity of patients with chronic airways obstruction. *Clinical Science*, 36, 307-316.

When the quotation is from a book, the following format should be used, giving the relevant page or chapter number:

MOLLISON, P.L. (1967) *Blood Transfusion in Clinical Medicine*, 4th edn, p. 50. Blackwell Scientific Publications, Oxford.

REID, L. (1968) In: *The Lung*, p. 87. Ed. Liebow, A.A. & Smith, D.E. Williams and Wilkins, Baltimore.

References in the text should follow the style: Clark, Freedman, Campbell & Winn (1969) on the first quotation and, if there are more than two authors, 'Clark *et al.* (1969)' or '(Clark *et al.*, 1969)' in subsequent quotations.

References to 'personal communications' and 'unpublished work' should appear in the text only and not in the list of references. The name and

initials of the source of information should be given. When the reference is to material that has been accepted for publication but has not yet been published, this should be indicated in the list of references by 'In press' together with the name of the relevant journal and, if possible, the expected date of publication. If such a citation is of major relevance to the manuscript submitted for publication authors are advised that the editorial process might be expedited by the inclusion of a copy of such work. In the case of quotations from personal communications the authors should state in the covering letter that permission for quotation has been obtained.

### 3.16. Solutions

Concentration of solutions should be described where possible in molar terms (mol/l and subunits thereof), stating the molecular particle weight if necessary. Values should not be expressed in terms of normality or equivalents. Mass concentration should be expressed as g/l or subunits thereof, for example mg/l or  $\mu\text{g/l}$ . For solutions of salts, molar concentration is always preferred to avoid ambiguity as to whether anhydrous or hydrated compounds are used. Concentrations of aqueous solutions should be given as mol/l or mol/kg (g/l or g/kg if not expressed in molar terms) rather than % (w/v) or % (w/w). It should always be made clear whether concentrations of components in a reaction mixture are final concentrations or the concentrations in solutions added.

### 3.17. Spectrophotometric data

The term 'absorbance' [ $\log(I_0/I)$ ] should be used rather than 'optical density' or 'extinction'. The solvent, if other than water, should be specified. Symbols used are:  $A$ , absorbance;  $a$ , specific absorption coefficient ( $\text{litre g}^{-1} \text{cm}^{-1}$ ) (alternatively use  $A_{1\text{cm}}^{1\%}$ );  $\epsilon$ , molar absorption coefficient (the absorbance of a molar solution in a 1 cm light-path) ( $\text{litre mol}^{-1} \text{cm}^{-1}$ , not  $\text{cm}^2 \text{mol}^{-1}$ ).

### 3.18. Spelling

*Clinical Science* uses as standards for spelling the *Concise* or *Shorter Oxford Dictionary of Current English* (Clarendon Press, Oxford) and *Butterworth's Medical Dictionary* (Butterworths, London).

### 3.19. Statistics

Papers are frequently returned for revision (and their publication consequently delayed) because the authors use inappropriate statistical methods. Two

common errors are the use of means, standard deviations and standard errors in the description and interpretation of grossly non-normally distributed data and the application of  $t$ -tests for the significance of difference between means in similar circumstances, or when the variances of the two groups are non-homogeneous. In some circumstances it may be more appropriate to provide a 'scattergram' than a statistical summary.

A reference should be given for all methods used to assess the probability of a result being due to chance. The format for expressing mean values and standard deviations or standard errors of the mean is, for example: mean cardiac output 10.4 l/min (SD 1.2;  $n = 11$ ). Degrees of freedom should be indicated where appropriate. Levels of significance are expressed in the form  $P < 0.01$ .

### 3.20. Trade names

The name and address of the supplier of special apparatus and of biochemicals should be given. In the case of drugs, approved names should always be given with trade names and manufacturers in parentheses.

### 3.21. Computer modelling

Papers concerned primarily with computer modelling techniques are acceptable provided that use of such techniques leads to a clear choice between two or more alternative hypotheses, or to the formulation of a new hypothesis amenable to experimental challenge or verification, or provides some new insight into the behaviour of a particular physiological system. Extensive technical details of hardware and software should not be given.

## 4. UNITS: THE SI SYSTEM

The recommended *Système International* (SI) units [see *Quantities, Units and Symbols*, 2nd edn (1975) The Royal Society, London] are used by *Clinical Science*. All papers submitted should use these units except for blood pressure values, which should be expressed in mmHg, or gas tensions, where values at the author's discretion may be given as mmHg (with kPa in parentheses) or as kPa (with mmHg in parentheses) in the text and either as mmHg or as kPa in Figures, which (if practicable) should have scales in both units. Airways pressure should be expressed in kPa. Where molecular weight is known, the amount of a chemical or drug should be expressed in mol or in an appropriate subunit, e.g. mmol. Energy should be expressed in joules (J).

The basic SI units and their symbols are as follows:

Physical quantity	Name	Symbol
length	metre	m
mass	kilogram	kg
time	second	s
electric current	ampere	A
thermodynamic temperature	kelvin	K
luminous intensity	candela	cd
amounts of substance	mole	mol

The following are examples of derived SI units:

Physical quantity	Name	Symbol	Definition
energy	joule	J	$\text{kg m}^2 \text{s}^{-2}$
force	newton	N	$\text{kg m s}^{-2} = \text{J m}^{-1}$
power	watt	W	$\text{kg m}^2 \text{s}^{-3} = \text{J s}^{-1}$
pressure	pascal	Pa	$\text{kg m}^{-1} \text{s}^{-2} = \text{N m}^{-2}$
electric charge	coulomb	C	A s
electric potential difference	volt	V	$\text{kg m}^2 \text{s}^{-2} \text{A}^{-1} = \text{J A}^{-1} \text{s}^{-1}$
electric resistance	ohm	$\Omega$	$\text{kg m}^2 \text{s}^{-3} \text{A}^{-2} = \text{V A}^{-1}$
electric conductance	siemens	S	$\text{kg}^{-1} \text{m}^{-2} \text{s}^3 \text{A}^2 = \Omega^{-1}$
electric capacitance	farad	F	$\text{A}^2 \text{s}^3 \text{kg}^{-1} \text{m}^{-2} = \text{A s V}^{-1}$
frequency	hertz	Hz	$\text{s}^{-1}$
volume	litre	l	$10^{-3} \text{ m}^3$

The word 'litre' has been accepted as a special name for cubic decimetre (1 litre = 1 dm<sup>3</sup>).

Both the basic and derived SI units, including the symbols of derived units that have special names, may be preceded by prefixes to indicate multiples and submultiples. The prefixes should be as follows:

Multiple	Prefix	Symbol	Multiple	Prefix	Symbol
10 <sup>6</sup>	mega	M	10 <sup>-3</sup>	milli	m
10 <sup>3</sup>	kilo	k	10 <sup>-6</sup>	micro	$\mu$
10 <sup>2</sup>	hecto	h*	10 <sup>-9</sup>	nano	n
10	deka	da	10 <sup>-12</sup>	pico	p
10 <sup>-1</sup>	deci	d*	10 <sup>-15</sup>	femto	f
10 <sup>-2</sup>	centi	c*			

\* To be avoided where possible (except for cm).

Compound prefixes should not be used, e.g. 10<sup>-9</sup> m should be represented by 1 nm, not 1  $\mu\text{m}$ .

Notes:

(i) Full stops are not used after symbols.

(ii) Minutes (min), hours (h), days and years will continue to be used in addition to the SI unit of time [the second (s)].

(iii) The solidus may be used in a unit as long as it does not have to be employed more than once, e.g. mmol/l is acceptable, but ml/min/kg is not, and should be replaced by  $\text{ml min}^{-1} \text{kg}^{-1}$ .

## 5. ABBREVIATIONS, CONVENTIONS, DEFINITIONS, SYMBOLS AND SPECIAL COMMENTS

As well as standard symbols and abbreviations that have been accepted by international bodies, and which can be used without definition, this list shows selected abbreviations in the form of groups of capital letters (e.g. ALA, ECF, MCHC) which when used must be defined in the text as indicated on p. iv. The standard abbreviations for amino acids are only for use in Figures and Tables or for peptide sequences.

absorbance	A
acceleration due to gravity	g
adenosine 3':5'-cyclic monophosphate	cyclic AMP
adenosine 5'-phosphate	AMP
adenosine 5'-pyrophosphate	ADP
adenosine 5'-triphosphate	ATP
adenosine triphosphatase	ATPase
adrenocorticotrophic hormone	ACTH
adrenoreceptor (see also blocking agents)	
alanine	Ala
alternating current	a.c.
alveolar minute ventilation	$\dot{V}_A$
alveolar to arterial oxygen tension difference	$(P_{A,O_2} - P_{a,O_2})$
ampere	A
aminolaevulinic acid	ALA
angiotensin	ANG; reference amino acid abbreviations are used as prefix within brackets: e.g. [Sar <sup>1</sup> ,Val <sup>2</sup> ,Ala <sup>8</sup> ]ANG
Ångstrom (Å)	not used; express in nm (1 Ångstrom = 10 <sup>-1</sup> nm)
antidiuretic hormone	ADH (when referring to the physiological secretion)
arginine	Arg
arteriovenous	a-v: permitted in Figures and Tables
asparagine	Asn
aspartic acid	Asp
atmosphere (unit of pressure)	not used; express in kPa (1 atmosphere = 101.325 kPa)
atomic weight	at. wt.
becquerel	Bq (1 d.p.s.)
blocking agents	e.g. $\beta$ -adrenoreceptor antagonists preferred
blood pressure	express in mmHg
blood urea nitrogen	not used; recalculate as urea, express in mmol/l
blood volume	BV
body temperature and pressure, saturated	BTPS



British Pharmacopoeia	write in full and give edition	electromotive force	e.m.f.
calculated	calc. (in Tables only)	electron spin resonance	e.s.r.
'Calorie' (= 1000 cal)	<i>not used</i> ; recalculate as kilojoules (1 'Calorie' = 4.184 kJ)	electronvolt	eV (for radiation energies)
carbon dioxide output (in respiratory physiology)	$\dot{V}_{\text{CO}_2}$ ; express in ml STP/min	equation	eqn.
cardiac frequency	$f_c$ ; in beats/min	equivalents (amount of a chemical)	<i>not used</i> ; recalculate in molar terms
cardiac output	express in l/min	erythrocyte count	express as $10^{12}$ cells/l
centimetre	cm	erythrocyte sedimentation rate	ESR
clearance of x	$C_x$	ethanol, ethanolic	not ethyl alcohol or alcoholic
coenzyme A and its acyl derivatives	CoA and acyl-CoA	ethylenediaminetetra-acetate exchangeable	EDTA $\text{Na}_a, \text{K}_c$ etc., for total exchangeable sodium, potassium etc.
compare	cf.	Experiment (with reference numeral)	Expt.; plural, Expts.
complement fractions	C1–C9	expired minute ventilation	$\dot{V}_E$
compliance (respiratory physiology)	C; express in $1 \text{ kPa}^{-1}$	extinction	<i>use</i> absorbance
concentrated	conc.	extracellular fluid	ECF
concentration	concn.; may be denoted [ ]; e.g. plasma $[\text{HCO}_3^-]$	extracellular fluid volume	ECFV
conductance (respiratory physiology)	G; express in $1 \text{ s}^{-1} \text{ kPa}^{-1}$	extraction ratio of x (renal)	$E_x$
correlation coefficient	r; may be used without definition	Figure (with reference numeral)	Fig.; plural, Figs.
counts/min, counts/s	c.p.m., c.p.s.	filtered load of x (renal)	$F_x$
cubic centimetres	<i>use</i> ml	follicle-stimulating hormone	FSH
curie	Ci ( $1 \text{ Ci} = 3.7 \times 10^{10}$ d.p.s.)	forced expiratory volume in 1.0 s	FEV <sub>1.0</sub>
cycle/s	Hz	fractional concentration in dry gas	F
cysteine	Cys	fractional disappearance rate	k (as in $A = A_0 e^{-kt}$ )
dates	e.g. 11 August 1970	frequency of respiration	$f_R$ ; in breaths/min
dead-space minute ventilation	$\dot{V}_D$	functional residual capacity	FRC
dead-space volume	$V_D$	gas-liquid chromatography	g.l.c.
degrees, Celsius or centigrade	$^\circ\text{C}$	gas transfer factor	T; in $\text{mmol min}^{-1} \text{ kPa}^{-1}$
deoxy (prefix)	<i>not</i> deoxy	glomerular filtration rate	GFR
deoxycorticosterone	DOC	glutamic acid	Glu
deoxycorticosterone acetate	DOCA	glutamine	Gln
deoxyribonucleic acid	DNA	glutathione	GSH (reduced); GSSG (oxidized)
dialysate	diffusate preferred; 'dialysate' should be clearly defined	glycine	Gly
diethylaminoethylcellulose	DEAE-cellulose	gram(me)	g
differential of x with respect to time	$\dot{x}$ (= dx/dt)	gravitational field, unit of ( $9.81 \text{ m s}^{-2}$ )	g
1,25-dihydroxycholecalciferol	1,25-(OH) <sub>2</sub> D <sub>3</sub>	growth hormone	GH; if human, HGH
dilute	dil.	haematocrit	<i>not allowed</i> ; <i>use</i> packed cell volume (PCV)
2,3-diphosphoglycerate	2,3-DPG	haemoglobin	Hb; express in g/dl
direct current	d.c.	half-life	$t_{1/2}$
disintegrations/min	d.p.m.	hertz ( $\text{s}^{-1}$ )	Hz
disintegrations/s	d.p.s.	histidine	His
dissociation constant		hour	h
acidic	$K_a$	human chorionic gonadotropin	HCG
basic	$K_b$	human placental lactogen	HPL
apparent	e.g. $K'_a$	hydrocortisone	<i>use</i> cortisol
minus log of	pK	hydrogen ion activity minus log of	aH; express in nmol/l pH
doses	avoid Latin designations such as b.d. and t.i.d.	25-hydroxycholecalciferol	25-(OH)D <sub>3</sub>
dyne	<i>not used</i> ; express in newtons ( $1 \text{ dyne} = 10^{-5} \text{ N}$ )	hydroxyproline	Hyp
elastance	E; express in $\text{Pa m}^{-3}$	immunoglobulins	IgA, IgD, IgE, IgG, IgM
electrocardiogram	ECG		
electroencephalogram	EEG		

injection routes:	use abbreviations only in Figures	millimetre of mercury	mmHg; for blood pressure and, at authors' discretion, for gas tensions: see p. vi (1 mmHg = 0.133 kPa)
intra-arterial	i.a.		
intramuscular	i.m.		
intraperitoneal	i.p.		
intravenous	i.v.	millimolar (concentration)	mmol/l; <i>not</i> mM
subcutaneous	s.c.	millimole	mmol
international unit	i.u. (definition and reference should be given for uncommon or ambiguous applications, e.g. enzymes)	minimum	min.
		minute (60 s)	min
		molal	mol/kg
		molar (concentration)	mol/l; <i>not</i> M
		molar absorption coefficient	$\epsilon$ (the absorbance of a molar solution in a 1 cm light-path)
intracellular fluid	ICF		mol
intracellular fluid volume	ICFV	mole	mol. wt.
ionic strength	<i>I</i>	molecular weight	NAD if oxidation state not indicated
isoleucine	Ile	nicotinamide-adenine dinucleotide	NAD <sup>+</sup> if oxidized
isotonic	<i>not used</i> ; specify composition of fluid, e.g. NaCl, 150 mmol/l		NADH if reduced
			NADP if oxidation state not indicated
isotopically labelled compounds	e.g. [U- <sup>14</sup> C]glucose, [1- <sup>14</sup> C]glucose, sodium [1- <sup>14</sup> C]-acetate; use <sup>131</sup> I-labelled albumin, <i>not</i> [ <sup>131</sup> I]albumin	nicotinamide-adenine dinucleotide phosphate	NADP <sup>+</sup> if oxidized
			NADPH if reduced
	for simple molecules: <sup>14</sup> CO <sub>2</sub> , <sup>3</sup> H <sub>2</sub> O	normal	should not be used to denote the concentration or osmolarity of a solution
joule	J	normal temperature and pressure	<i>use</i> standard temperature and pressure (STP)
kilogram(me)	kg		
kilopond	<i>not used</i> ; 1 kilopond = 9.8067 N	nuclear magnetic resonance number (in enumerations)	n.m.r.
lactate dehydrogenase	LDH	observed	no. (in Tables only)
leucine	Leu	ohm	obs. (in Tables only)
leucocyte count	express as 10 <sup>9</sup> cells/l	ornithine	$\Omega$
lipoproteins (serum)		ortho-	Orn
high density	HDL	orthophosphate (inorganic)	<i>o-</i>
low density	LDL	osmolality	<i>P</i> <sub>1</sub>
very low density	VLDL	oxygen uptake per minute (in respiratory physiology)	express in mol (or mmol)/kg
litre	1 (write in full if confusion with the numeral 1 is possible)	packed cell volume	$\dot{V}$ O <sub>2</sub> ; express in ml STP/min
logarithm (base 10)	log	page, pages	PCV
logarithm (base e)	ln	para-	p., pp.
luteinizing hormone	LH	para-aminohippurate	<i>p-</i>
lysine	Lys	partial pressure	PAH
maximum	max.		<i>P</i> ; express in either kPa or mmHg (see p. vi)
mean corpuscular haemoglobin	MCH; express in pg	e.g. alveolar, of O <sub>2</sub>	<i>PA</i> , O <sub>2</sub>
mean corpuscular haemoglobin concentration	MCHC; express in g/dl	arterial, of CO <sub>2</sub>	<i>Pa</i> , CO <sub>2</sub>
mean corpuscular volume	MCV; express in fl (1 $\mu$ m <sup>3</sup> = 1 fl)	capillary, of O <sub>2</sub>	<i>PC</i> , O <sub>2</sub>
		mixed venous, of CO <sub>2</sub>	<i>P</i> $\dot{V}$ , CO <sub>2</sub>
median lethal dose	LD <sub>50</sub>	pascal	Pa
meta-	<i>m-</i>	per	/
melting point	m.p.	per cent	%
methanol, methanolic	<i>not</i> methyl alcohol	petroleum ether	<i>not used</i> ; <i>use</i> light petroleum and give boiling range
methionine	Met		
metre	m	phenylalanine	Phe
Michaelis constant	<i>K</i> <sub>m</sub>	plasma renin activity	express as pmol of angiotensin I h <sup>-1</sup> ml <sup>-1</sup>
micromole	$\mu$ mol		
micron (10 <sup>-6</sup> m)	$\mu$ m; <i>not</i> $\mu$	plasma volume	PV
milliequivalent	<i>not used</i> ; give amount in mmol	poise	1 poise = 10 <sup>-1</sup> N s m <sup>-2</sup>
millilitre	ml		

potential difference	p.d.	specific conductance of	sGaw; express in
power output	W (1 W = 0.1635	airways	$s^{-1} \text{ kPa}^{-1}$
	kpm/min)		
precipitate	ppt.	standard deviation	SD } may be used SEM } without definition
pressure	P; express in kPa (except for blood pressures and gas tensions: see p. 6); 1 kPa = 7.5 mm Hg	standard error of the mean	
		standard temperature and pressure	STP
probability of an event being due to chance alone	P	steroid nomenclature	see <i>Biochemical Journal</i> (1969) 113, 5–28; (1972) 127, 613–617
proline	Pro	sulphydryl	use thiol or SH
protein-bound iodine (plasma)	PBI	sum	$\Sigma$
pulmonary capillary blood flow	$\dot{Q}_c$	Svedberg unit	S
pyrophosphate (inorganic)	PPi	temperature (absolute)	T
rad (radiation dose; $10^{-5}$ J absorbed/g of material)	not abbreviated	(empirical)	t
red blood cell	use erythrocyte; express counts as $10^{12}$ cells/l	temperature, thermodynamic	$^{\circ}\text{K}$
		thin-layer chromatography	t.l.c.
red cell mass	RCM	threonine	Thr
relative band speed (partition chromatography)	$R_F$	thyrotrophic hormone	TSH
rem	100 ergs/g $\times$ quality factor	thyrotrophin-releasing hor- mone	TRH
renin	see plasma renin activity	tidal volume	$V_T$
residual volume	RV	time (symbol)	t
resistance (rheological)	R; express in $\text{kPa l}^{-1} \text{ s}$	time of day	e.g. 18.15 hours
respiratory exchange ratio (pulmonary)	R	torr	not used; use kPa (1 torr = 0.133 kPa)
respiratory quotient (metabolic)	RQ	total lung capacity	TLC
revolutions	rev.	tryptophan	Trp
rev./min	not r.p.m.; use g if possible (see p. viii)	tubular maximal reabsorptive capacity for x	$T_{m,x}$
ribonucleic acid	RNA	tyrosine	Tyr
röntgen	R	ultraviolet	u.v.
saturation	S, e.g. $S_a, O_2$ for arterial oxygen saturation (see partial pressure for other analogous abbreviations)	urinary concentration of x	$U_x$
		valency	e.g. $\text{Fe}^{2+}$ , not $\text{Fe}^{++}$
second (time)	s	valine	Val
serine	Ser	variance ratio	F
sievert	Sv (1 J/kg $\times$ quality factor)	vascular resistance	express in $\text{kPa l}^{-1} \text{ s}$ (with value in $\text{dyne cm s}^{-5}$ in parentheses); primary values of dif- ferential vascular pres- sure (mmHg) and flow (l/min) should always also be given in Tables or text as appropriate
solvent systems	e.g. butanol/acetic acid/ water (4:1:1, by vol.), butanol/ acetic acid (4:1, v/v)	velocity	v; express as $\text{m s}^{-1}$
species	sp., plural spp.	venous admixture	$\dot{Q}_{va}$
specific activity	sp. act. Confusion must be avoided between e.g. specific radioactivity and the specific activity of an enzyme	veronal	used only for buffer mix- tures; otherwise use 5,5'-diethylbarbituric acid
		viscosity, dynamic	$\eta$
		viscosity, kinematic	$\nu$
		vital capacity	VC
		volt	V
		volume of blood (in cardio- respiratory physiology)	$\dot{Q}$ ; use $\dot{Q}$ for blood flow rate
		watt	W
		wavelength	$\lambda$
		weight	wt.
		white blood cell	use leucocyte; express counts as $10^9$ cells/l

## Volume 58

### AUTHOR INDEX

- ADAMS, J.F. 169-171  
ADAMS, L. 83-91  
ADIGUN, S.A. 549-552  
AISENBREY, G.A. 493-500  
ALBERTI, K.G.M.M. 153-155,  
507-515  
AL-UBAIDI, F. 45-51  
AMIN, S. 101-103  
ANDERSON, R.J. 493-500  
ASHTON, B.A. 435-438  
ATKINS, D. 201-210  
AULD, C.D. 501-506
- BACON, S. 301-309  
BAKHLE, Y.S. 45-51  
BARBIERI, C. 135-138  
BARNES, P.J. 457-461  
BARNES, S. 485-492  
BARTLETT, K. 111-114  
BAUM, H. 403-409  
BEASTALL, G.H. 105-106  
BELLAMY, D. 403-409  
BENNETT, T. 193-200  
BERGSTRÖM, J. 553-555  
BERL, T. 493-500  
BERTHELOT, A. 365-371  
BESSENT, R.G. 169-171  
BETTER, I.S. 493-500  
BINDER, C. 507-515  
BING, R.F. 1-6, 15-20  
BOARDMAN, A.K. 357-364  
BOLTON, C.H. 419-421  
BOOBIS, A.R. 311-316  
BOTHWELL, T.H. 93-100  
BRASH, H.M. 357-364  
BURGESS, D.W. 263-270  
BURSTON, D. 221-225
- CALDARA, R. 135-138  
CALDER, I. 379-384  
CAMPBELL, W.B. 415-450  
CASALS-STENZEL, J. 445-450  
CHABERT, P. 227-233  
CHARLTON, R.W. 93-100  
CLARK, R.J.H. 249-253  
CLAUSEN, P.J. 279-286  
CLOUGH, D.P. 549-552  
COLE, P.V. 83-91
- COLLIER, V.U. 327-335  
CONWAY, J. 549-552  
COONEY, G.J. 337-340  
CRAGG, S.J. 259-262  
CRAIG, E. 327-340  
GRILLY, R.G. 341-342  
CURTARELLI, G. 135-138
- DASHER, C.A. 485-492  
DAVIE, M. 235-242  
DAVIES, D.S. 311-316  
DAWSON, A.G. 337-340  
DE HAAN, J.G. 321-325  
DESAL, R. 403-409  
DE SALAMANCA, R.E. 477-484  
DICKENSON, C.J. 83-91  
DOLLERY, C.T. 457-461  
DUBIN, M. 545-548
- EISER, N.M. 537-544  
ELDER, G.H. 477-484  
ELIA, M. 301-309  
ENGELKING, L.R. 485-492  
ERLINGER, S. 545-548  
EVANS, W.H. 439-444
- FATTI, L.P. 93-100  
FAVRE, H. 385-391  
FERRARI, C. 135-138  
FITZGERALD, G.A. 423-425  
FOREST, C. 255-257  
FOSTER, F.J. 507-515  
FÜRST, P. 553-555
- GAILLARD, R.C. 227-233  
GAIRARD, A. 365-371  
GALTON, D.J. 59-63  
GAMMON, A. 431-433  
GANAPATHY, V. 431-433  
GOLDEN, M.H.N. 517-522  
GOMPERTZ, D. 111-114  
GORCHEIN, A. 469-476  
GRANDCHAMP, A. 139-144  
GREAVES, M. 201-210  
GREENWOOD, P.V. 127-133  
GUGGENHEIM, S.J. 493-500  
GUPTA, V.J. 427-430  
GUZ, A. 537-544
- HAMILTON, C.A. 37-43, 423-425  
HAMPTON, J.R. 193-200  
HANDELMAN, W.A. 493-500  
HANNAN, W.J. 357-364  
HART, D.M. 255-257  
HART, S. 379-384  
HARTOG, M. 419-421  
HARTLING, O.J. 259-286  
HATTON, R. 549-552  
HAWKER, L.M. 243-248  
HAWKER, R.J. 243-248  
HELLIER, M.D. 431-433  
HELLSTRÖM, K. 533-555  
HENDERSON, A.R. 157-160  
HIGENBOTTAM, T. 249-253  
HINDS, C.J. 83-91  
HINKS, L. 507-515  
HIRSCHOWITZ, B.I. 485-492  
HOFFBRAND, A.V. 101-103  
HORSBURGH, T. 111-114  
HORSMAN, A. 341-342  
HOSKING, D.J. 193-200  
HUGHES, J.M.B. 110-125  
HUME, R. 105-106  
HUNT, N.H. 463-467  
HUTCHISON, D.C.S. 403-409
- IBBOTSON, D.J. 201-210  
IDEURA, K. 21-27  
IKEMOTO, F. 451-456  
ILIC, V. 301-309  
INGRAM, D. 83-91
- JACKSON, A.A. 517-522  
JACKSON, L. 419-421  
JAMES, W.P.T. 183-191  
JEWELL, D.P. 295-300  
JONES, D.H. 37-43, 311-316,  
423-425  
JONES, M.M. 341-342  
JÖRNING, G.G.A. 321-325  
JUNG, R.T. 183-191
- KAPPAGODA, C.T. 127-133  
KARLINER, J.S. 457-461  
KARRAN, S. 507-515  
KAWAMURA, M. 451-456

- KAY, J. 83-91  
 KIRSCHENBAUM, M.A. 393-401  
 KOBAYASHI, Y. 173-175  
 KRAPEZ, J.R. 83-91  
 LAMBERT, P.P. 65-75  
 LAMMENS-VERSLUPE, M. 65-75  
 LASZLO, G. 263-270  
 LAURBERG, P. 317-320  
 LAWSON, D.E.M. 235-242  
 LEE, M.R. 77-82  
 LEVENSON, J.A. 349-356  
 LIARD, J.-F. 271-277  
 LIGHT, I.M. 501-506  
 LINAS, S.L. 493-500  
 LINDHEIMER, M.D. 139-144  
 LINDSAY, R. 255-257  
 LITTLER, W.A. 115-117  
 LONDON, G.M. 349-356  
 LOUIS, F. 385-391  
 LYNCH, S.R. 93-100  
 MACDONALD, C.M.L.A. 169-171  
 MACPHERSON, J.N. 177-181  
 MANZER, A. 145-152  
 MARKER, J.D. 7-13  
 MARKS, E.S. 1-6, 15-20  
 MARTIN, T.J. 201-210  
 MARTIN, T.R.P. 53-57  
 MATHAN, V.I. 431-433  
 MATTHEWS, D.M. 221-225  
 MAURY, P. 165-168  
 MAWER, E.B. 523-535  
 MCRAE, K.D. 537-544  
 MEE, A.S. 295-300  
 MILES, T.S. 7-13  
 MILLER, J.N. 263-270  
 MILLER, M.J.S. 29-35  
 MILLS, J. 537-544  
 MITCH, W.E. 327-335  
 MITO, Y. 21-27  
 MÖLLER, P. 533-555  
 MORTON, J.J. 445-450  
 MOULDS, R.F.W. 373-378  
 MUIR, A.L. 357-364  
 MURRAY, S. 311-316  
 NAFTEL, D. 485-492  
 NATTRASS, M. 153-155  
 NEALON, D.A. 157-160  
 NOER, I. 279-286  
 NORDIN, B.E.C. 341-342  
 NORMAN, J.N. 501-506  
 OATES, N.S. 77-82  
 OKAHATA, S. 173-175  
 OLMOS, A. 477-484  
 ØRSKOV, H. 507-515  
 PACIOREK, J. 161-164  
 PALO, J. 165-168  
 PEMBREY, R. 463-467  
 PERKINS, C.M. 77-82  
 PETERS, T.J. 211-220  
 RADHAKRISHNAN, A.N. 431-433  
 RANICAR, A. 101-103  
 RECKLESS, J.P.D. 59-63  
 REDDY, S.G. 427-430  
 REEVE, J. 287-293  
 REID, J.L. 37-43, 311-316, 423-425  
 REINHARZ, A. 139-144  
 RITTINGHAUSEN, R.E. 373-378  
 RIONDEL, A.M. 227-233  
 ROBERTS, C.J.C. 419-421  
 ROSS, B. 379-384  
 ROSSALL, R.E. 127-133  
 ROWLANDS, D.B. 115-117  
 SAFAR, M.E. 349-356  
 SAMSON, G. 321-325  
 SAPRU, R.P. 357-364  
 SCARPELLO, J.H.B. 53-57  
 SCHRIER, R.W. 493-500  
 SCROOP, G.C. 7-13, 29-35  
 SELDEN, C. 211-220  
 SEMPLE, P.D'A. 105-106  
 SEYMOUR, C.A. 211-220  
 SHEPPARD, D.M. 477-484  
 SHETTY, P.S. 183-191  
 SHIIGAI, T. 21-27  
 SHINOHARA, S. 21-27  
 SHORT, M.D. 101-103  
 SIMON, A.CH. 349-356  
 SIZER, K. 153-155  
 SMITH, B. 463-467  
 SMITH, R. 301-309, 435-438  
 SMYTHE, P. 507-515  
 SNASHALL, P.D. 537-544  
 SPENCER, N. 161-164  
 SPENNEY, J.G. 485-492  
 SPINKS, T. 101-103  
 STALLARD, T.J. 37-43, 115-117  
 STANBURY, S.W. 523-535  
 SVENDSEN, T.L. 279-286  
 SWALES, J.D. 1-6, 15-20  
 TAKEUCHI, J. 21-27  
 TALBOT, S. 507-515  
 TANGE, J. 379-384  
 TAVES, D. 145-152  
 TAYLOR, E. 221-225  
 THURSTON, H. 1-6, 15-20  
 TOMITA, K. 21-27  
 TOMIYAMA, O. 21-27  
 TORRANCE, J.D. 93-100  
 TOTHILL, P. 177-181  
 TRAP-JENSEN, J. 279-286  
 TREE, M. 445-450  
 TURNELL, D. 507-515  
 USUL, T. 173-175  
 VAN GOOL, J. 321-325  
 VALLOTTON, M.B. 139-144, 227-233  
 VANHOLDER, R. 65-75  
 VANRENTERGHEN, Y. 65-75  
 WAGSTAFF, M. 259-262  
 WALSER, M. 327-335  
 WARD, J.D. 53-57  
 WATERHOUSE, C. 145-152  
 WATSON, R.D.S. 37-43, 115-117  
 WATSON, W.S. 105-106, 169-171  
 WHITE, N.J. 411-413  
 WILCKEN, D.E.L. 427-430  
 WILKINSON, A.R. 243-248  
 WILLIAMS, J. 83-91  
 WILLIAMSON, D.H. 301-309  
 WINSBOROUGH, M. 263-270  
 WOOTON, R. 287-293  
 WORWOOD, M. 259-262  
 YAMAMOTO, K. 451-456  
 ZAWADA, E.T. 393-401  
 ZIMMER, J.A. 415-418  
 ZUYDERHOUDT, F.M.J. 321-325

# Volume 58

## SUBJECT INDEX

First and last page numbers of papers to which entries refer are given.  
Page numbers marked with an asterisk refer to Editorial Reviews.

- Absorption**  
calcium 287-293  
competitive 221-225  
dipeptides 221-225  
iron 93-100  
kinetics 221-225
- Acetylcholine, baroreceptor reflex** 7-13
- N'*-Acetyl- $\beta$ -D-glucosaminidase, Crohn's disease** 295-300
- Acid-base balance**  
cardiorespiratory arrest 127-133  
respiratory pattern 343-348\*
- Active transport** *see* Transport
- Acute intermittent porphyria, mauve factor** 469-476
- Adenosine 3':5'-cyclic monophosphate, excretion in cancer** 463-467
- Adrenaline, release by insulin** 415-418
- $\alpha$ -Adrenergic agonist** *see* Clonidine
- Adrenergic function, central** 135-138
- Adrenocorticotrophic hormone**  
aldosterone regulation 227-233  
spironolactone 227-233
- $\alpha$ -Adrenoreceptors, identified by [<sup>3</sup>H]prazosin in lung** 457-461
- $\beta$ -Adrenoreceptors, binding of [<sup>3</sup>H]dihydroalprenolol** 457-461
- Aging, phosphagens in skeletal muscle** 553-555
- Airway resistance** 249-253
- Airways disease, chronic obstructive** 105-106
- Alanine**  
diabetes 301-309  
hepatic cirrhosis 301-309  
hip replacement 301-309  
muscular dystrophy 301-309  
phenformin 153-155  
protein-sparing infusions 507-515
- Aldosterone, spironolactone** 227-233
- Alkaline phosphatase**  
menopause 341-342  
Paget's disease 435-438
- Amino acids**  
infusion in postoperative patients 507-515  
sulphur-containing 427-430
- $\beta$ -Aminoisobutyric acid** 427-430
- $\alpha$ -Amino-nitrogen pool** 517-522
- Anaemia**  
Fanconi's 173-175  
iron-deficiency 93-100  
pernicious 101-103
- Anaemia** *see also* Vitamin B<sub>12</sub>
- Analgesic nephropathy** 379-384
- Angiotensin, effect of captopril** 445-450
- Angiotensin II**  
antagonists on cardiovascular response 549-552  
baroreceptor reflex 7-13  
removal from circulation 29-35  
renin-angiotensin 15-20  
saralasin 15-20  
spironolactone 227-233
- [Sar<sup>1</sup>, Ala<sup>8</sup>]Angiotensin II, effect on cardiovascular response** 549-552
- Antidiuretic hormone**  
diabetes insipidus 139-144  
kidney 139-144
- Antipyrine clearance** 419-421
- Arachidonic acid** 45-51
- Arginine vasopressin** 139-144
- Arterial baroreflexes** *see* Baroreceptor reflex
- Arterial hypertension** *see* Hypertension
- Arterial pressure**  
dobutamine 271-277  
physical activity 115-117
- Arterial pressure** *see also* Hypertension
- Artery**  
isolated, muscle 373-378  
pulse-wave velocity 53-57
- Aspartylglucosamine** 165-168
- Aspartylglycosaminuria, storage material** 165-168
- Atropine, systole** 357-364
- Baroreceptor reflex**  
cardiopulmonary 193-200  
carotid sinus 7-13  
sensitivity in renal failure 21-27
- Bile acid, synthesis rate** 485-492

- Bile duct, ligation and antidiuretic hormone 493–500
- Bile secretion, effect of phalloidin 545–548
- Biotin, relation with carboxylases 111–114
- Blood flow  
  diabetes 53–57  
  exercise 279–286
- Blood platelets,<sup>111</sup> In labelling 243–248
- Blood pressure  
  exercise 37–43  
  hypotensive therapy 115–117  
  reduction induced by lower-body negative pressure 549–522
- Blood pressure *see also* Hypertension
- Bone  
  calcium absorption 287–293  
  osteoporosis 341–342  
  Paget's disease 435–438
- Bone resorption  
  fluoride 145–152  
  renal and breast tumors 201–210
- Bradykinin, potentiation by captopril 1–6
- Brain, amine turnover 311–316
- Breast cancer, bone resorption 201–210
- Breathing pattern 343–348\*
- Bronchi, histamine receptors 537–544
- Bronchomotor tone 249–253
- Calciferol (vitamins D<sub>2</sub> plus D<sub>3</sub>) 523–535
- Calcitonin in Paget's disease 435–438
- Calcium  
  absorption 287–293  
  parathyroid hormone 365–371
- Cancer, cyclic nucleotide excretion in 463–467
- Captopril  
  blood pressure and angiotensin 445–450  
  vasodepressor action 1–6
- Carbon dioxide, estimation of cardiac output 263–270
- Carboxylases, leucocyte 111–114
- Cardiac arrest 127–133
- Cardiac blood pool scanning 357–364
- Cardiac output  
  dobutamine 271–277  
  estimation 263–270  
  indirect Fick method 263–270
- Cardiopulmonary baroreflexes 193–200
- Carotid sinus 7–13
- Catalase, iron overload 211–219
- Catechol-*O*-methyltransferase, erythrocyte 423–425
- Central adrenergic function 135–138
- Central circulating blood volume 549–552
- Cholecalciferol, metabolism 523–535
- Cholesterol  
  glutethimide 419–421  
  phalloidin on bile secretion 545–548
- Chloroid plexus, lignocaine transport 107–109
- Chronic renal failure  
  baroreflex sensitivity 21–27  
  creatinine metabolism 327–335
- Clonidine, hypertension 135–138
- Computer, model of respiratory system 83–91
- Cold storage, renin conversion 451–456
- Converting-enzyme inhibitor  
  angiotensin 549–552  
  captopril 1–6, 445–450  
  SQ 14 225 15–20
- Corticosterone, effect of spironolactone 227–233
- Cortisol secretion 227–233
- Creatine–creatinine metabolism 327–335
- Creatine kinase, immunoglobulin complex 157–160
- Creatinine metabolism 327–335
- Crohn's disease 295–300
- Cyanocobalamin (vitamin B<sub>12</sub>) 101–103
- Cyclic AMP  
  adipose tissue 59–63  
  breast cancer 201–210  
  insulin 59–63  
  obese diabetic patients 59–63
- Cysteine–homocysteine, mixed disulphide 427–430
- Cytosol, renal cortical homogenate 451–456
- Deamination, amino acid catabolism 517–522
- Deconvolution analysis 287–293
- Deoxycorticosterone acetate, hypertension 365–371
- Diabetes mellitus  
  alanine 301–309  
  cardiac R–R interval 193–200  
  insulin 59–63  
  pulse-wave velocity 53–57
- Digital artery, isolated 373–378
- 1,25-Dihydroxycholecalciferol 523–535
- 24,25-Dihydroxycholecalciferol 523–535
- 25,26-Dihydroxycholecalciferol 523–535
- Dipeptide, tropical sprue 431–433
- Dobutamine  
  cardiogenic hypertension 271–277  
  systole 357–364
- L-Dopa, hypertension 135–138
- Dopamine, mineralocorticoids 77–82
- Doppler ultrasound 53–57
- Dose–response curve, histamine 537–544
- Drugs, hepatic plasma-membrane modifications 439–444\*

- Ejection fraction 357–364
- Enzyme induction with glutethimide 419–421
- Erythrocyte  
 carbonic anhydrase I 161–164  
 magnesium 255–257  
 menopause 255–257  
 uroporphyrinogen decarboxylase 477–484
- Exercise  
 dynamic 279–286  
 heart rate 37–43  
 noradrenaline 37–43
- Extracellular volume expansion 385–392
- Fanconi's anaemia, erythrocyte superoxide dismutase activity 173–175
- Femoral artery, removal of angiotensin II and noradrenaline 29–35
- Ferritin  
 anaemia 93–100  
 plasma 259–262  
 serum 321–325
- Fick, indirect method *see* Cardiac output
- Fluoride, bone stores 145–152
- Fractionation, analytical subcellular 211–219
- Free radicals, scavenging enzymes 211–219
- Geriatrics, orthostatic hypotension 411–413
- Glomerular sieving 65–75
- Glucagon  
 natriuresis 393–401  
 protein-sparing infusions 507–515
- D-Glucaric acid 419–421
- Gluconeogenesis, phenformin 153–155
- Glucose, effect of insulin 415–418, 507–517
- Glucuronide, HMPG conjugation 311–316
- Glutathione, iron overload 211–219
- Glutathione peroxidase, iron overload 211–219
- Glutathione reductase, secondary iron-overload 211–219
- Glutethimide, enzyme induction 419–421
- Glycerol metabolism, indomethacin 337–340
- [<sup>15</sup>N]Glycine, metabolism 517–522
- Growth hormone, secretion in hypertension 135–138
- Guanosine 3':5'-monophosphate, excretion in cancer 463–467
- H<sub>1</sub>-receptor antagonist, chlorpheniramine 537–544
- H<sub>2</sub>-receptor antagonist, cimetidine 537–544
- Haemochromatosis, primary iron damage 211–219
- Haemodialysis, sulphur-amino acids 427–430
- Haemodynamics in chronic bile-duct ligation 493–500
- Haemopyrrole lactam, schizophrenia and porphyria 469–476
- Heart  
 ferritin 259–262  
 rate 37–43, 411–413  
 rate during cooling 501–506  
 surgery 83–91  
 systole 357–364
- Hepatitis, plasma membrane fractions 439–444\*
- Hepato-biliary diseases, plasma-membrane modifications 439–444\*
- Hepatitis, D-galactosamine-HCl 321–325
- Hering-Breuer reflex 343–348\*
- Hip replacement, alanine load 301–309
- Histamine, receptors in bronchi 537–544
- Homocysteine, haemodialysis 427–430
- Hormone receptors, plasma-membrane modifications in disease 439–444\*
- α<sub>2</sub>HS-glycoprotein, Paget's disease 435–438
- 25-Hydroxycholecalciferol 523–535
- 4-Hydroxy-3-methoxyphenylethylene glycol, urinary conjugates 311–316
- Hydroxyproline excretion 341–342
- Hypercalcaemia, prostaglandin E<sub>2</sub> 201–210
- Hypercapnia, breathing pattern 343–348\*
- Hypertension  
 baroreflex sensitivity 21–27  
 calcium 365–371  
 cardiac haemodynamics 349–356  
 cardiogenic 271–277  
 clonidine 135–138  
 L-dopa 135–138  
 mineralocorticoids 365–371  
 renal, Goldblatt two-kidney one-clip 1–6, 15–20  
 renal failure 21–27
- Hypotension  
 orthostatic 411–413  
 therapy 115–117
- Hypothermia, cooling responses 501–506
- Hypoxia  
 breathing pattern 343–348\*  
 testosterone depression 105–106
- Immunoglobulin G complex 157–160
- Indium-labelled blood platelets 243–248
- Indomethacin  
 glycerol metabolism 337–340  
 renin release 415–418
- Insulin  
 glucose in postoperative patients 507–515  
 potassium 415–418



- Insulin—continued*  
 renin release 415–418  
 resistance 59–63  
 Intestinal transport, dipeptides 221–225  
 Iodothyronine, release 317–320  
 Iron  
 anaemia 173–175  
 deficiency 93–100  
 ferritin 93–100  
 overload 211–219  
 storage in hepatitis 321–325  
 Isoelectric focusing, ferritins 259–262  
 Isoenzymes, creatine kinase-1 157–160  
 Isoprenaline, systole 357–364
- Jaundice, obstructive, antidiuretic hormone 493–500
- Ketone bodies, postoperative patients 507–515  
 Kidney  
 antidiuretic hormone clearance 139–144  
 bile-acid excretion 489–492  
 cancer 201–210  
 diabetes 139–144  
 dopamine 77–82  
 drug handling 379–384  
 glomerular sieving 65–75  
 micropuncture 139–144  
 mineralocorticoid 77–82  
 natriuretic factor 385–392  
 nephropathy 65–75  
 paracetamol 379–384  
 prostaglandins 201–210  
 vasopressin 139–144  
 Kidney disease  
 cancer 201–210  
 chronic renal failure 21–27  
 glomerulonephritis, experimental 65–75  
 renal failure 327–335, 337–340, 427–430  
 Kidney tubules, glycerol metabolism 337–340
- Lactate, phenformin 153–155  
 Leucocyte  
 biotin 111–114  
 carboxylases 111–114  
 emphysema 403–409  
 tobacco smoke 403–409  
 Lignocaine, transport 107–109  
 Lipolysis, adenylyl cyclase–cyclic AMP system 59–63  
 Lipoproteins, enzyme induction 419–421  
 Liver  
 alanine load 301–309  
 chronic bile-duct ligation 493–500  
 damage in iron overload 211–219  
 induced hepatitis 321–325  
 plasma-membrane modifications 439–444\*  
 Liver disease, bile acids in 485–492  
 Lung  
 adrenoreceptors 457–461  
 vasoactive hormones 45–51  
 volume 249–253  
 Lymphocytes, aspartylglycosaminuria 165–168  
 Lysosomes  
 leucocyte 403–409  
 storage disease 165–168
- Magnesium, menopause 255–257  
 Mauve factor 469–476  
 Menopause  
 alkaline phosphatase 341–342  
 hydroxyproline excretion 341–342  
 magnesium 255–257  
 Menstrual cycle, erythrocyte carbonic anhydrase I 161–164  
 Metabolic acidosis, hypothermia 501–506  
 Methionine, haemodialysis 427–430  
 $\beta$ -Methylcrotonyl-CoA carboxylase 111–114  
 3-Methylhistidine, excretion postoperatively 507–515  
 Microfilaments, biliary function 545–548  
 Mineralocorticoid, effect on urinary dopamine 77–82  
 Monoamines, inhibition in anaesthesia 45–51  
 Monocytes, Crohn's disease 295–300  
 Motor nerve, conduction velocity 21–27  
 Muscle, skeletal  
 metabolism 279–286  
 muscular dystrophy 301–309  
 Muscle, visceral, arterial 373–378
- Natriuresis  
 glucagon-induced 393–401  
 sodium balance 385–392  
 Natriuretic factor, sodium balance 385–392  
 Nephropathy, urea-induced 65–75  
 Neuraminidase, serum ferritin 259–262  
 Neurotransmitter, adrenergic, release 373–378  
 Nitrogen, postoperative metabolite excretion 507–515  
 Nitrous oxide, cardiac output measurement 263–270  
 Noradrenaline  
 baroreceptor reflex 7–13  
 exercise 37–43  
 insulin 415–418  
 renal and femoral circulations 29–35

- Occupancy principle, metabolism of vitamin B<sub>12</sub> 169–171
- Oestrogen, therapy 255–257
- Oral contraceptives, erythrocyte carbonic anhydrase I 161–164
- Orthostatic hypotension, heart rate 411–413
- Osteomalacia, u.v. irradiation 235–242
- Osteoporosis, postmenopausal 341–342
- Oxygen utilization, in hypothermia 501–506
- Paget's disease 435–438
- Paper chromatography, ANG II extracts 445–50
- Paracetamol, renal metabolism 379–384
- Parathyroid hormone  
induced hypertension 365–371  
serum fluoride 145–152
- Peptides, intestinal absorption 221–225
- Phaeochromocytoma  
brain amine turnover 311–316  
haemodynamics 349–356
- Phagocytosis, tobacco smoke 403–409
- Phalloidin, effect on biliary lipid secretion 545–548
- Phenformin, gluconeogenesis 153–155
- Phosphagens, energy-rich, aging 553–555
- Plasma membrane, in liver disease 439–444\*
- Plasma-renin activity, spironolactone 227–233
- Platelets, <sup>111</sup>In labelling 243–248
- Porphyria cutanea tarda 477–484
- Porphyrinogens, in porphyria cutanea tarda 477–484
- Potassium, insulin 415–418
- Progesterone, erythrocyte carbonic anhydrase I 161–164
- Prolactin, hypertension 135–138
- Propionyl-CoA carboxylase 111–114
- Propranolol, cardiogenic hypertension 271–277
- Prostaglandin  
bone resorption in cancer 201–210  
glucagon-induced natriuresis 393–401  
precursor 45–51
- Prostaglandin E<sub>2</sub>  
inactivation 45–51  
renin release 415–418
- Prostaglandin F<sub>2α</sub>  
baroreceptor reflex 7–13  
renin release 415–418
- Proteinuria, urea-induced 65–75
- Pulmonary emphysema 403–409
- Pulse-wave velocity in diabetes 53–57
- Radioligand binding, lung adrenoreceptors 457–461
- Rebreathing, cardiac output during 263–270
- Renal artery, removal of angiotensin II and noradrenaline 29–35
- Renin  
conversion on cold storage 451–456  
release mediated by prostaglandins 415–418
- Renin-angiotensin system 1–6
- Renin-binding substance 451–456
- Respiration, artificial, computer model 83–91
- Respiratory pattern 343–348\*
- R-R interval, diabetes mellitus 193–200
- Saralasin ([Sar<sup>1</sup>, Ala<sup>8</sup>]angiotensin II), antagonism 15–20
- Schizophrenia, mauve factor in 469–476
- Shivering, hypothermia 501–506
- Sialic acid, residues in isoferitins 259–262
- Skeletal muscle, aging on phosphagens 553–555
- Skin, u.v. irradiation 235–242
- Sleep, arterial pressure 115–117
- Smooth muscle, isolated artery 373–378
- Sodium  
dopamine production 77–82  
excretion 385–392  
glucagon 393–401
- Somatostatin, iodothyronine release 317–320
- Spironolactone, aldosterone regulation 227–233
- Starvation, alanine excretion 301–309
- Strontium (<sup>85</sup>Sr), absorption 287–293
- Sulphate, HMPG conjugation 311–316
- Superoxide dismutase  
Fanconi's anaemia 173–175  
iron overload 211–219
- Surgery, protein-sparing infusions on metabolism 507–515
- Sympathetic nervous system  
catechol-O-methyltransferase 423–425  
exercise 37–43
- Testosterone, respiratory failure 105–106
- Thrombocyte  
aggregation 243–248  
<sup>111</sup>In labelling 243–248
- Thyrocaltitonin, serum fluoride 145–152
- Thyroid gland, idothyronine release 317–320
- Tobacco smoke, leucocyte phagocytosis 403–409
- Toxins, hepatic plasma-membrane modifications 439–444\*
- Transamination, amino acid catabolism 517–522
- Transport  
active, lignocaine 107–109  
intestinal 221–225
- Triglycerides, enzyme induction 419–421
- Tropical sprue, dipeptide absorption 431–433

- Ulcerative colitis, enzyme activity 295–300  
 Ultraviolet irradiation, plasma 25-hydroxyvitamin D 235–242  
 Uraemic neuropathy, chronic renal failure 21–27  
 Uroporphyrinogen decarboxylase 477–484
- Vascular disease, premature development 427–430  
 Vasoconstriction, subatmospheric pressure 193–200  
 Vasopressin  
   kidney degradation 139–144  
   radioimmunoassay 139–144
- Vegans, vitamin B<sub>12</sub> clearance 101–103  
 Ventricular volume curves 357–364  
 Vitamin B<sub>12</sub>  
   clearance 101–103  
   pernicious anaemia 169–171  
 Vitamin D  
   deficiency 523–535  
   u.v. irradiation 235–242  
 Volume–pressure hysteresis 249–253
- Water, renal excretion 493–500  
 Whole-body counting  
   calcium absorption 287–293  
   vitamin B<sub>12</sub> clearance 101–103

## CORRECTION

Volume 57

page 412, Table 2: values on the top line should be deleted.