

CONTENTS

Vol. 80, No. 1

January 1991

Guidance for authors	i-ix
EDITORIAL REVIEW	
Glucocorticoid-suppressible hyperaldosteronism: a paradigm of arrested adrenal zonation? by A. GANGULY	1-7
Cyclosporin A and the humoral response to blood transfusion in the rat: definition of antigens which suppress alloantibody formation by D. J. PROPPER, M. C. JONES, K. N. STEWART, G. R. D. CATTO and D. A. POWER	9-15
Effect of plasma from patients with essential hypertension on vascular resistance in the isolated perfused rat kidney by J. BACHMANN, H. SCHLÜTER, W. STORKEBAUM, H. WITZEL, F. WESSELS and W. ZIDEK	17-23
Dose-response relationships for the effects of insulin on glucose and fat metabolism in injured patients and control subjects by A. A. HENDERSON, K. N. FRAYN, C. S. B. GALASKO and R. A. LITTLE	25-32
Changes in electrocardiographic patterns at different stages of Chagas' heart disease in rats by R. B. BESTETTI, L. Z. PINTO, E. G. SOARES, G. MUCCILLO and J. S. M. OLIVEIRA	33-37
Cardiovascular reflex responses in Bangladeshi and European subjects by M. A. RAHMAN, I. FARQUHAR and T. BENNETT	39-45
Effects of dichloroacetate and bicarbonate on haemodynamic parameters in healthy volunteers by B. LUDVIK, G. PEER, A. BERZLANOVICH, S. STIFTER and H. GRAF	47-51
Reduced plasma noradrenaline concentrations in simple-obese and diabetic obese patients by A. V. ASTRUP, N. J. CHRISTENSEN and L. BREUM	53-58
Mechanism of reserpine-induced acute gastric mucosal injury in the rat: role of endogenous 5-hydroxytryptamine by A. S. SALIM	59-64
Differentiation between the intensity of breathlessness and the distress it evokes in normal subjects during exercise by R. C. WILSON and P. W. JONES	65-70
Abnormal renal glucose handling in X-linked hypophosphataemic mice by R. C. MÜHLBAUER and H. FLEISCH	71-76
Limits of brain tolerance to daily increments in serum sodium in chronically hyponatraemic rats treated with hypertonic saline or urea: advantages of urea by A. SOUPART, A. STENUIT, O. PERIER and G. DECAUX	77-84
CORRESPONDENCE SECTION	
The ambiguity of changes in the rate constants of fluxes by I. M. GLYNN	85-86

Vol. 80, No. 2

February 1991

Lymphocytotoxins in sera from highly sensitized multiparous dialysis patients: antibody class, relationship with the HLA and with paternal antigens by D. J. PROPPER, W. A. LEHENY, S. J. URBANIAK, G. R. D. CATTO and A. M. MACLEOD	87-93
Na ⁺ /H ⁺ antiport and buffering capacity in human polymorphonuclear and mononuclear leucocytes by V. FRIGHI, L. L. NG, A. LEWIS and H. DHAR	95-99
Platelet thromboxane A ₂ receptors in type I diabetes by P. A. MODESTI, R. ABBATE, G. F. GENNINI, A. COLELLA and G. G. NERI SERNERI	101-105

Effect of theophylline and dipyridamole on the respiratory response to isocapnic hypoxia in normal human subjects by S. T. PARSONS, T. L. GRIFFITHS, J. M. L. CHRISTIE and S. T. HOLGATE	107-112
Serial changes in pulmonary haemodynamics during human pregnancy: a non-invasive study using Doppler echocardiography by S. C. ROBSON, S. HUNTER, R. J. BOYS and W. DUNLOP	113-117
Functional properties <i>in vitro</i> of systemic small arteries from rabbits fed a cholesterol-rich diet for 12 weeks by U. SIMONSEN, E. EHNRROOTH, L. U. GERDES, O. FAERGEMANN, J. BUCH, F. ANDREASEN and M. J. MULVANY	119-129
Differential effects of atrial natriuretic peptide and dopamine on urinary protein excretion in chronic glomerulonephritis by Y. HIRATA, M. ISHII, K. FUKUI, H. HAYAKAWA, E. SUZUKI, T. SUGIMOTO, K. KIMURA, H. MATSUOKA and T. SUGIMOTO	131-136
Abnormal erythrocyte choline transport in patients with chronic renal failure by F. C. FERVENZA, D. MEREDITH, J. C. ELLORY and B. M. HENDRY	137-141
Glomerular binding and contractile response to angiotensin II in rats with chronic experimental cirrhosis of the liver by L. M. VILLAMEDIANA, M. VELO, A. OLIVERA, L. HERNANDO, C. CARAMELO and J. M. LÓPEZ-NOVOA	143-147
Oral carbidopa has no effect on the renal response to angiotensin II in normal man by D. W. EADINGTON, C. P. SWAINSON and M. R. LEE	149-154
Indocyanine Green elimination in patients with liver disease and in normal subjects by E. BURNS, D. R. TRIGER, G. T. TUCKER and N. D. S. BAX	155-160
Tubular reabsorption of pepsinogen isozymogens in man studied by the inhibition of tubular protein reabsorption with dibasic amino acids by M. A. G. J. TEN DAM, A. ZWIERS, J. B. A. CRUSIUS, G. PALS, G. J. VAN KAMP, S. G. M. MEUWISSEN, A. J. M. DONKER and R. W. TEN KATE	161-166
Reassessment of the single intravenous injection method with inulin for measurement of the glomerular filtration rate in man by L. F. PRESCOTT, S. FREESTONE and J. A. N. McAUSLANE	167-176
The contribution of the large intestine to blood acetate in man by W. SCHEPPACH, E. W. POMARE, M. ELIA and J. H. CUMMINGS	177-182

Vol. 80, No. 3

March 1991

EDITORIAL REVIEW

Local control of human peripheral vascular tone: implications for drug therapy by N. BENJAMIN and P. VALLANCE	183-190
Orotidine accumulation in human erythrocytes during allopurinol therapy: association with high urinary oxypurinol-7-riboside concentrations in renal failure and in the Lesch-Nyhan syndrome by H. A. SIMMONDS, S. REITER, P. M. DAVIES and J. S. CAMERON	191-197
Fasting plasma glucose levels and endogenous androgens in non-diabetic post-menopausal women by K.-T. KHAW and E. BARRETT-CONNOR	199-203
Alterations of platelet membrane microviscosity in essential hypertension by K.-H. LE QUAN SANG, T. MONTENAY-GARESTIER and M.-A. DEVYNCK	205-211
Hepatic phosphofructokinase-1 activity and fructose 2,6-bisphosphate levels in patients with abdominal sepsis by J. ARNOLD, M. J. HAMER and M. IRVING	213-217
Renal and cardiovascular effects of exogenous insulin in healthy volunteers by R. O. B. GANS, L. V. D. TOORN, H. J. G. BILO, J. J. P. NAUTA, R. J. HEINE and A. J. M. DONKER	219-225
Cardiac and whole-body [3 H]noradrenaline kinetics during adrenaline infusion in man by A. J. McCANCE and J. C. FORFAR	227-233

Secondary ischaemia in rabbit skin flaps: the roles played by thromboxane and free radicals <i>by K. R. KNIGHT, M. F. ANGEL, D. A. LEPORE, P. A. ABBEY, L. I. ARNOLD, K. A. GRAY, C. G. MELLOW and B. McC. O'BRIEN</i>	235-240
Plasma exudation into airways induced by inhaled platelet-activating factor: effect of peptidase inhibition <i>by J. O. LÖTVALL, W. ELWOOD, K. TOKUYAMA, P. J. BARNES and K. F. CHUNG</i>	241-247
Influence of neuropathy on the microvascular response to local heating in the human diabetic foot <i>by M. J. STEVENS, M. E. EDMONDS, S. L. E. DOUGLAS and P. J. WATKINS</i>	249-256
Neuronal re-uptake of noradrenaline by sympathetic nerves in humans <i>by G. EISENHOFER, M. D. ESLER, I. T. MEREDITH, C. FERRIER, G. LAMBERT and G. JENNINGS</i>	257-263
Inhibition of neutral endopeptidase (EC 3.4.24.11) leads to an atrial natriuretic factor-mediated natriuretic, diuretic and antihypertensive response in rodents <i>by N. B. SHEPPERSON, P. L. BARCLAY, J. A. BENNETT and G. M. R. SAMUELS</i>	265-269
Diurnal blood pressure variation in quadriplegic chronic spinal cord injury patients <i>by H. KRUM, W. J. LOUIS, D. J. BROWN, G. P. JACKMAN and L. G. HOWES</i>	271-276

Supplement 24: Medical Research Society Communications	1P-38P
--	--------

Vol. 80, No. 4

April 1991

EDITORIAL REVIEW

Stable isotopes in clinical research: safety reaffirmed <i>by P. J. H. JONES and S. T. LEATHERDALE</i>	277-280
--	---------

RAPID COMMUNICATION

Achlorhydria-induced hypergastrinaemia: the role of bacteria <i>by J. CALAM, R. A. GOODLAD, C. Y. LEE, B. RATCLIFFE, M. E. COATES, G. W. H. STAMP and N. A. WRIGHT</i>	281-284
--	---------

Transcription, storage and release of atrial natriuretic factor in the failing human heart <i>by T. A. FISCHER, M. HAASS, R. DIETZ, R. C. WILLENBROCK, W. SAGGAU, R. E. LANG and W. KÜBLER</i>	285-291
--	---------

How important are suppression of aldosterone and stimulation of atrial natriuretic peptide secretion in the natriuretic response to an acute sodium load in man? <i>by D. R. J. SINGER, D. G. SHIRLEY, N. D. MARKANDU, M. A. MILLER, M. G. BUCKLEY, A. L. SUGDEN, G. A. SAGNELLA and G. A. MACGREGOR</i>	293-299
--	---------

A study of thyroglobulin and peroxidase activity in the thyroid tissue of patients with non-endemic non-toxic nodular goitre <i>by T. MORIES, J. M. MIRALLES, A. REGLERO, S. FELIPE, J. J. CORRALES and L. C. GARCIA</i>	301-307
--	---------

Long-term reproducibility of Borg scale estimates of breathlessness during exercise <i>by R. C. WILSON and P. W. JONES</i>	309-312
--	---------

Triacylglycerol in the human erythrocyte: quantification and fatty acyl turnover in normal subjects and chronic alcoholics <i>by B. LERIQUE, M. GASTALDI and J. BOYER</i>	313-318
---	---------

Total body calcium in patients with inflammatory bowel disease: a longitudinal study <i>by S. J. S. RYDE, D. CLEMENTS, W. D. EVANS, R. MOTLEY, W. D. MORGAN, C. EVANS, J. RHODES and J. E. COMPSTON</i>	319-324
---	---------

Adrenoceptors on blood cells from patients with primary Raynaud's phenomenon <i>by S. J. GRAAFSMA, H. WOLLERSHEIM, H. T. DROSTE, M. A. G. J. TEN DAM, L. J. H. VAN TITS, J. REYENGA, J. F. RODRIGUES DE MIRANDA and T. THIEN</i>	325-331
--	---------

Autonomic mechanisms underlying intraocular pressure changes during insulin-induced hypoglycaemia in normal human subjects: effects of pharmacological blockade <i>by D. A. HEPBURN, B. M. FISHER, I. THOMSON, T. BARRIE and B. M. FRIER</i>	333-338
--	---------

Renal and extra-renal levels of renin mRNA in experimental hypertension <i>by N. J. SAMANI, W. J. BRAMMAR and J. D. SWALES</i>	339-344
--	---------

Measurement of whole-body protein turnover in insulin-dependent (type 1) diabetic patients during insulin withdrawal and infusion: comparison of [¹³ C]leucine and [² H ₅]phenylalanine methodologies by P. J. PACY, G. N. THOMPSON and D. HALLIDAY	345-352
Extent of pulmonary emphysema in man and its relation to the loss of elastic recoil by M. GUGGER, G. GOULD, M. F. SUDLOW, P. K. WRAITH and W. MACNEE	353-358
Basal fuel homoeostasis in symptomatic human immunodeficiency virus infection by M. J. T. HOMMES, J. A. ROMIJN, E. ENDERT, J. K. M. EEFTINCK SCHATTENKERK and H. P. SAUERWEIN	359-365
Effects of contractile activity on muscle damage in the dystrophin-deficient <i>mdx</i> mouse by A. MCARDLE, R. H. T. EDWARDS and M. J. JACKSON	367-371
Doxepin therapy for postprandial symptomatic hypoglycaemic patients: neurochemical, hormonal and metabolic disturbances by F. LECHIN, B. VAN DER DIJS, A. LECHIN, M. LECHIN, E. COLL-GARCIA, H. JARA, A. CABRERA, V. JIMÉNEZ, F. GÓMEZ, D. TOVAR, I. RADA and L. AROCHA	373-384
Differential stimulation by oxygen-free-radical-altered immunoglobulin G of the production of superoxide and hydrogen peroxide by human polymorphonuclear leucocytes by H. A. KLEINVELD, W. SLUITER, A. M. C. BOONMAN, A. J. G. SWAAK, C. E. HACK and J. F. KOSTER	385-391
Urinary excretion of nitrogenous and non-nitrogenous compounds in the chronic ethanol-fed rat by V. R. PREEDY, B. HAMMOND, R. A. ILES, S. E. C. DAVIES, J. D. GANDY, R. A. CHALMERS and T. J. PETERS	393-400
CORRESPONDENCE SECTION	
The kidney and essential hypertension by I. H. MILLS	401-402
ANNOUNCEMENT	
Enhancement of the pulmonary vasoconstriction reaction to alveolar hypoxia in systemic high blood pressure by M. D. GUAZZI, M. BERTI, E. DORIA, C. FIORENTINI, C. GALLI, M. PEPI and G. TAMBORINI (Clin. Sci. 1989; 76 , 589-94)	403

Vol. 80, No. 5

May 1991

EDITORIAL REVIEW

Role of proto-oncogenes in the control of myocardial cell growth and function by M. D. GAMMAGE and J. A. FRANKLYN	405-411
Role of the wrist cuff in forearm plethysmography by J. LENDERS, G.-J. JANSEN, P. SMITS and T. THIEN	413-417
Hypothalamic regulatory peptides in obese and lean Zucker rats by G. WILLIAMS, H. M. CARDOSO, Y. C. LEE, J. M. BALL, M. A. GHATEI, M. J. STOCK and S. R. BLOOM	419-426
Influence of the plasma protein concentration on renal function by A. D. CUMMING and A. LINTON	427-433
Renal sensitivity to endothelium-derived-relaxing-factor-mediated vasodilatation in the spontaneously hypertensive rat by G. A. BURTON, J. HAYLOR and A. DE JONGE	435-441
Effects of treatment with nasal continuous positive airway pressure on atrial natriuretic peptide and arginine vasopressin release during sleep in patients with obstructive sleep apnoea by J. KRIEGER, M. FOLLENIUS, E. SFORZA, G. BRANDENBERGER and J. D. PETER	443-449
Clarification of the identity of the major M2 autoantigen in primary biliary cirrhosis by S. P. M. FUSSEY, S. M. WEST, J. G. LINDSAY, C. I. RAGAN, O. F. W. JAMES, M. F. BASSENDINE and S. J. YEAMAN	451-455
Skeletal muscle degradation and nitrogen wasting in rats with chronic metabolic acidosis by B. WILLIAMS, E. LAYWARD and J. WALLS	457-462
Effect of destruction of the vascular endothelium upon pressure/flow relations and endothelium-dependent vasodilatation in resistance beds of spontaneously hypertensive rats by M. D. RANDALL, G. R. THOMAS and C. R. HILEY	463-469

Amino acid metabolism in human subcutaneous adipose tissue <i>in vivo</i> by K. N. FRAYN, K. KHAN, S. W. COPPACK and M. ELIA	471-474
Aldosterone, atrial natriuretic factor and sodium intake as determinants of the natriuretic response to head-out water immersion in healthy subjects by L. C. WARNER, G. A. MORALI, J. A. MILLER, A. G. LOGAN, K. L. SKORECKI and L. M. BLENDIS	475-480
Role of prostaglandins in the natriuresis of head-out water immersion in humans by T. J. RABELINK, H. A. KOOMANS and E. J. DORHOUT MEES	481-488
Plasma profiles and removal rates of inorganic sulphate, and their influence on serum ionized calcium, in patients on maintenance haemodialysis by M. MARANGELLA, M. PETRARULO, D. COSEDUO, C. VITALE and F. LINARI	489-495
Enhanced urinary excretion of leukotriene E ₄ by patients with multiple trauma with or without adult respiratory distress syndrome by J. FAULER, D. TSIKAS, M. HOLCH, A. SEEKAMP, M. L. NERLICH, J. STURM and J. C. FRÖLICH	497-504
Ranitidine suppresses aluminium absorption in man by R. S. C. RODGER, G. S. MURALIKRISHNA, D. J. HALLS, J. B. HENDERSON, J. A. H. FORREST, A. I. MACDOUGALL and G. S. FELL	505-508
Evidence for altered Na ⁺ /H ⁺ antiport activity in cultured skeletal muscle cells and vascular smooth muscle cells from the spontaneously hypertensive rat by J. E. DAVIES, L. L. NG, M. AMEEN, P. D. SYME and J. K. ARONSON	509-516
Deglycosylation of α_1 -proteinase inhibitor is impaired in the faeces of patients with active inflammatory bowel disease (Crohn's disease) by C. MIZON, J. EL YAMANI, J.-F. COLOMBEL, P. MAES, M. BALDUYCK, A. LAINE, A. CORTOT, A. TARTAR and J. MIZON	517-523
Effects of acute insulin-induced hypoglycaemia on haemostasis, fibrinolysis and haemorheology in insulin-dependent diabetic patients and control subjects by B. M. FISHER, J. D. QUIN, A. RUMLEY, S. E. LENNIE, M. SMALL, A. C. MACCUISH and G. D. O. LOWE	525-531

Vol. 80, No. 6

June 1991

EDITORIAL REVIEW

Working hypotheses for the investigation of clinical hypertension by M. E. SAFAR	533-538
Intracellular free magnesium in human lymphocytes and the response to lectins by L. L. NG, J. E. DAVIES and M. C. GARRIDO	539-547
A cross-sectional study of platelet cyclic AMP in healthy and hypertensive pregnant women by E. H. HORN, J. COOPER, S. HEPTINSTALL and P. C. RUBIN	549-558
Glutathione depletion during experimental damage to rat skeletal muscle and its relevance to Duchenne muscular dystrophy by M. J. JACKSON, M. H. BROOKE, K. KAISER and R. H. T. EDWARDS	559-564
Hypotension induced by intravascular administration of nerve growth factor in the rat by Q. YAN, S. L. SETTLE and M. R. WILKINS	565-569
Energy expenditure and substrate metabolism measured by 24 h whole-body calorimetry in patients receiving cyclic and continuous total parenteral nutrition by E. PULLICINO, G. R. GOLDBERG and M. ELIA	571-582
Increased symptoms of hypoglycaemia in the standing position in insulin-dependent diabetes mellitus by I. B. HIRSCH, S. R. HELLER and P. E. CRYER	583-586
Measurement of tumour protein synthesis <i>in vivo</i> in human colorectal and breast cancer and its variability in separate biopsies from the same tumour by S. D. HEYS, K. G. M. PARK, M. A. McNURLAN, A. G. CALDER, V. BUCHAN, K. BLESSING, O. EREMIN and P. J. GARLICK	587-593
Noradrenaline release in skeletal muscle and in adipose tissue studied by microdialysis by B. GRØNLUND, A. ASTRUP, P. BIE and N. J. CHRISTENSEN	595-598

Na ⁺ ,K ⁺ -ATPase activity and hormones in single nephron segments from nephrotic rats by B. VOGT and H. FAVRE	599-604
Early loss of neurogenic inflammation in the human diabetic foot by D. WALMSLEY and P. G. WILES	605-610
Increased blood antioxidant systems of runners in response to training load by J. D. ROBERTSON, R. J. MAUGHAN, G. G. DUTHIE and P. C. MORRICE	611-618
Twenty-four hour intragastric acidity and plasma gastrin concentration profiles in female and male subjects by E. J. PREWETT, J. T. L. SMITH, C. U. NWOKOLO, A. M. SAWYERR and R. E. POUNDER	619-624
Effect of α -ketoglutarate infusions on organ balances of glutamine and glutamate in anaesthetized dogs in the catabolic state by E. ROTH, J. KARNER, A. ROTH-MERTEN, S. WINKLER, L. VALENTINI and K. SCHAUFP	625-631
Resting energy expenditure in chronic cardiac failure by M. RILEY, J. S. ELBORN, W. R. MCKANE, N. BELL, C. F. STANFORD and D. P. NICHOLLS	633-639