

# CONTENTS

Vol. 81, No. 1

July 1991

---

## EDITORIAL REVIEW

- Physiological disturbances in hypoglycaemia: effect on subjective awareness *by* S. R. HELLER and I. A. MACDONALD 1-9
- 
- Cigarette smoking and urinary excretion of markers for platelet/vessel wall interaction in healthy women *by* C. RÅNGEMARK and Å. WENNMALM 11-15
- Haemodynamic responses to psychosocial stress during the menstrual cycle *by* K. MANHEM, C. JERN, M. PILHALL, G. SHANKS and S. JERN 17-22
- Plasma levels of an endogenous Na<sup>+</sup>-K<sup>+</sup> pump inhibitor in relation to haemodynamic data in cardiopathic patients *by* P. DELVA, M.-A. DEVYNCK, M. DEGAN, M.-G. PERNOLLET, M. CARRAROLI, C. CAPRA, A. STEELE and A. LECHI 23-29
- Enhancement of ischaemic rabbit skin flap survival with the antioxidant and free-radical scavenger *N*-acetylcysteine *by* K. R. KNIGHT, K. MACPHADYEN, D. A. LEPORE, N. KUWATA, P. A. EADIE and B. MCC. O'BRIEN 31-36
- Glutamine metabolism in the lungs of glucocorticoid-treated rats *by* M. S. M. ARDAWI 37-42
- Posturally induced microvascular constriction in patients with different stages of leg ischaemia: effect of local skin heating *by* D. TH. UBBINK, M. J. H. M. JACOBS, G. J. TANGELDER, D. W. SLAAF and R. S. RENEMAN 43-49
- Circulatory adaptation to orthostatic stress in healthy 10-14-year-old children investigated in a general practice *by* J. H. A. DAMBRINK, B. P. M. IMHOLZ, J. M. KAREMAKER and W. WIELING 51-58
- Effect of a single test dose of lithium carbonate on sodium and potassium excretion in man *by* D. G. SHIRLEY, D. R. J. SINGER, G. A. SAGNELLA, M. G. BUCKLEY, M. A. MILLER, N. D. MARKANDU and G. A. MACGREGOR 59-63
- Intracellular pH in rat resistance arteries during the development of experimental hypertension *by* A. S. IZZARD, D. H. MACIVER, E. J. CRAGOE and A. M. HEAGERTY 65-72
- Comparison of the electrical properties of arterial smooth muscle in normotensive rats and rats with deoxycorticosterone acetate-salt-induced hypertension: possible involvement of (Na<sup>+</sup>-K<sup>+</sup>-Cl<sup>-</sup>) co-transport *by* J. P. L. DAVIS, A. R. CHIPPERFIELD and A. A. HARPER 73-78
- Oral sodium regulates extrahepatic metabolism of vasoactive intestinal peptide *by* C. M. HAWLEY, K. A. DUGGAN, G. J. MACDONALD and S. SHELLY 79-83
- Increased plasma cholecystokinin levels and small gall bladders in adult patients with cystic fibrosis *by* E. H. J. VAN HAREN, W. P. M. HOPMAN, J. B. M. J. JANSEN, G. ROSENBUSCH, C. B. H. W. LAMERS and C. L. A. VAN HERWAARDEN 85-89
- Responses of glucose and glucoregulatory hormones to exercise in thyrotoxic and myxoedematous patients before and after 3 months of treatment *by* L. SESTOFT, N. J. CHRISTENSEN and B. SALTIN 91-99
- Effect of acute administration of gliclazide on the glucose sensitivity of pancreatic B-cells in healthy subjects *by* T. F. VENEMAN, T. W. VAN HAEFTEN and E. A. VAN DER VEEN 101-106
- Effects of dietary Ca<sup>2+</sup> on erythrocyte Na<sup>+</sup>-transport systems in spontaneously hypertensive rats *by* K. FUJITO, M. YOKOMATSU, N. ISHIGURO, H. NUMAHATA, Y. TOMINO and H. KOIDE 107-112

- Hepatic computed tomography for monitoring the iron status of haemodialysis patients with haemosiderosis treated with recombinant human erythropoietin *by* S. DE MARCHI and E. CECCHIN 113-121
- Effect of insulin on intracellular pH and phosphate metabolism in human skeletal muscle *in vivo* *by* D. J. TAYLOR, S. W. COPPACK, T. A. D. CADOUX-HUDSON, G. J. KEMP, G. K. RADD, K. N. FRAYN and L. L. NG 123-128

Vol. 81, No. 2

August 1991

**EDITORIAL REVIEW**

- Mechanisms of vasodilatation induced by potassium-channel activators *by* S. KAJIOKA, M. NAKASHIMA, K. KITAMURA and H. KURIYAMA 129-139
- Bicarbonate reabsorption and electrophysiology of proximal tubules in uninephrectomized rats *by* D. M. Z. LIMONGI, A. C. CASSOLA, V. WORONIK and G. MALNIC 141-146
- Haemolytic effects of exercise *by* L. M. WEIGHT, M. J. BYRNE and P. JACOBS 147-152
- Renal haemodynamics of cyclosporin A nephrotoxicity in children with juvenile dermatomyositis *by* A. M. PETERS, J. Z. HECKMATT, N. HASSON, B. L. HENDERSON, D. EL-MELEIGY, M. L. ROSE and V. DUBOWITZ 153-159
- Albumin metabolism in fasted subjects during late pregnancy *by* O. S. OLUFEMI, P. G. WHITTAKER, D. HALLIDAY and T. LIND 161-168
- Fasting and post-prandial splanchnic blood flow is reduced by a somatostatin analogue (octreotide) in man *by* A. M. COOPER, G. D. BRAATVEDT, M. I. QAMAR, H. BROWN, D. M. THOMAS, M. HALLIWELL, A. E. READ and R. J. M. CORRALL 169-175
- Serum and tissue  $\alpha$ -L-fucosidase activity in the pre-clinical and clinical stages of hepatocellular carcinoma *by* W. L. HUTCHINSON, P. J. JOHNSON, M.-Q. DU and R. WILLIAMS 177-182
- Mast cell tryptase and histamine concentrations in bronchoalveolar lavage fluid from patients with interstitial lung disease *by* A. F. WALLS, A. R. BENNETT, R. C. GODFREY, S. T. HOLGATE and M. K. CHURCH 183-188
- Ketone infusion lowers hormonal responses to hypoglycaemia: evidence for acute cerebral utilization of a non-glucose fuel *by* S. A. AMIEL, H. R. ARCHIBALD, G. CHUSNEY, A. J. K. WILLIAMS and E. A. M. GALE 189-194
- A defect in insulin release in women at risk of future non-insulin-dependent diabetes *by* A. DORNHORST, S. G. M. EDWARDS, J. S. D. NICHOLLS, V. ANYAOKU, D. McLAREN, K. E. HESLOP, R. S. ELKELES, R. W. BEARD and D. G. JOHNSTON 195-199
- Atrial natriuretic peptide-induced relaxation of pre-constricted isolated rat perfused lungs: a comparison in control and hypoxia-adapted animals *by* A. G. STEWART, J. S. THOMSON, T. K. ROGERS and A. H. MORICE 201-308
- Evidence for two distinct and functionally important sites of enhanced thromboxane production after bilateral ureteral obstruction in the rat *by* K. P. G. HARRIS, H. YANAGISAWA, G. F. SCHREINER and S. KLAHR 209-213
- Effect of glutamine-enriched total parenteral nutrition on septic rats *by* M. S. M. ARDAWI 215-222
- Vascular responsiveness and cation exchange in insulin-dependent diabetes *by* A. HALKIN, N. BENJAMIN, H. S. DOKTOR, S. D. TODD, G. VIBERTI and J. M. RITTER 223-232
- Metalloproteinases in degenerative aortic disease *by* N. VINE and J. T. POWELL 233-239
- Spectrum of orthostatic disorders: classification based on an analysis of the short-term circulatory response upon standing *by* W. WIELING, A. D. J. TEN HARKEL and J. J. VAN LIESHOUT 241-248
- Muscle composition in relation to age and sex *by* A. M. FORSBERG, E. NILSSON, J. WERNEMAN, J. BERGSTRÖM and E. HULTMAN 249-256

|   |         |
|---|---------|
| Haemostatic responses and vasopressin release during colonoscopy in man <i>by</i> K. K. HAMPTON, P. J. GRANT, J. PRIMROSE, H. G. DEAN, J. A. DAVIES and C. R. M. PRENTICE   | 257-260 |
| Angiotensin II augments sympathetically mediated arteriolar constriction in man <i>by</i> P. H. SEIDELIN, J. G. COLLIER, A. D. STRUTHERS and D. J. WEBB   | 261-266 |
| Elevated endothelial-cell-stimulating angiogenic factor activity in rodent glycolytic skeletal muscles <i>by</i> R. G. COOPER, C. M. TAYLOR, J. J. CHOO and J. B. WEISS   | 267-270 |
| Influence of nifedipine on cyclosporin A nephrotoxicity after unilateral nephrectomy in the spontaneously hypertensive rat <i>by</i> P. G. McNALLY, F. BAKER, N. MISTRY, J. WALLS and J. FEEHALLY                                   | 271-279 |
| Effect of insulin-induced hypoglycaemia on antral, pyloric and duodenal motility in fasting subjects <i>by</i> R. FRASER, J. FULLER, M. HOROWITZ and J. DENT  | 281-285 |
| <b>CORRESPONDENCE SECTION</b>   |         |
| Myoblast transplantation produced dystrophin-positive muscle fibres in a 16-year-old patient with Duchenne muscular dystrophy <i>by</i> J. HUARD, J.-P. BOUCHARD, R. ROY, C. LABRECQUE, G. DANSEREAU, B. LEMIEUX and J. P. TREMBLAY | 287-288 |

Vol. 81, No. 3

September 1991

**EDITORIAL REVIEW**

|  |         |
|--|---------|
| Aluminium: gastrointestinal absorption and renal excretion <i>by</i> C. LOTE and H. SAUNDERS   | 289-295 |
| Calcium and phosphate metabolism in acute falciparum malaria <i>by</i> T. M. E. DAVIS, S. PUKRITTAYAKAMEE, J. S. WOODHEAD, P. HOLLOWAY, B. CHAVISUTH and N. J. WHITE   | 297-304 |
| Plasma and tissue kallikrein-kinin systems during acute administration of frusemide in normotensive and hypertensive humans <i>by</i> K. P. ÖHMAN and B. E. KARLBERG   | 305-311 |
| Effect of age on hypothalamic prostaglandin E <sub>2</sub> production and fever in response to tumour necrosis factor (cachectin) and endotoxin in rats <i>by</i> D. C. BIBBY and R. F. GRIMBLE  | 313-317 |
| Role of plasma non-esterified fatty acids during and after exercise <i>by</i> M. WALKER, B. G. COOPER, C. ELLIOTT, J. W. REED, H. ORSKOV and K. G. M. M. ALBERTI   | 319-325 |
| Altered small-intestinal permeability associated with diarrhoea in human-immunodeficiency-virus-infected Caucasian and African subjects <i>by</i> M. S. KAPEMBA, S. C. FLEMING, N. SEWANKAMBO, D. SERWADDA, S. LUCAS, A. MOODY and G. E. GRIFFIN | 327-334 |
| Effects of diuretics and stroke development in Kyoto-Wistar stroke-prone spontaneously hypertensive rats <i>by</i> J. S. SMEDA and O. TKACHENKO  | 335-340 |
| Heparin and heparan sulphate are inhibitors of human leucocyte elastase <i>by</i> R. L. WALSH, T. J. DILLON, R. SCICCHITANO and G. McLENNAN  | 341-346 |
| Effects of hypothyroidism on glucose and glutamine metabolism by the gut of the rat <i>by</i> M. S. M. ARDAWI and S. M. JALALAH  | 347-355 |
| Time course of plasma and pulmonary lymph endothelin-like immunoreactivity during sustained endotoxaemia in chronically instrumented sheep <i>by</i> D. R. MOREL, J. F. PITTET, K. GUNNING, A. HEMSEN, J. S. LACROIX and J. M. LUNDBERG          | 357-365 |
| Additive antiproteinuric effect of angiotensin-converting enzyme inhibition and non-steroidal anti-inflammatory drug therapy: a clue to the mechanism of action <i>by</i> J. E. HEEG, P. E. DE JONG and D. DE ZEEUW                              | 367-372 |
| Non-diabetic microalbuminuria in clinical practice and its relationship to posture, exercise and blood pressure <i>by</i> J. N. W. WEST, P. GOSLING, S. B. DIMMITT and W. A. LITTLER   | 373-377 |

|   |         |
|---|---------|
| Effects of continuous infusion of atrial natriuretic peptide on the pulmonary hypertension induced by chronic hypoxia in rats <i>by</i> L. ZHAO, R. J. D. WINTER, T. KRAUSZ and J. M. B. HUGHES                         | 379-385 |
| Kidney renin gene expression after renin inhibition in the marmoset <i>by</i> Y. KITAMI, K. HIWADA, E. MURAKAMI, T. IWATA, S. MUNETA and T. KOKUBU  | 387-392 |
| Evidence for heterogeneity of glycosylation of human renin obtained by using lectins <i>by</i> M. HOSOI, S. KIM and K. YAMAMOTO   | 393-399 |
| Local blood volume changes in women with pelvic congestion measured by applied potential tomography <i>by</i> D. C. THOMAS, F. J. McARDLE, V. E. ROGERS, R. W. BEARD and B. H. BROWN                                    | 401-404 |
| Chloride influx in human leucocytes: a triple-isotope technique for the assessment of chloride transporters <i>by</i> M. HOGG, L. L. NG and J. E. DAVIES  | 405-412 |
| Plasma ascorbate levels and inhibition of the antioxidant activity of caeruloplasmin <i>by</i> J. M. C. GUTTERIDGE  | 413-417 |
| Basal metabolic rate, body composition and whole-body protein turnover in Indian men with differing nutritional status <i>by</i> M. J. SOARES, L. S. PIERS, P. S. SHETTY, S. ROBINSON, A. A. JACKSON and J. C. WATERLOW | 419-425 |
| Mediators of the direct effects of amino acids on the rat kidney <i>by</i> A. A. EL SAYED, J. HAYLOR and A. M. EL NAHAS   | 427-432 |
| Zinc improves the filterability of sickle erythrocytes at intermediate oxygen partial pressures <i>by</i> J. A. TAYLOR, J. ACHARYA, T. C. PEARSON and R. P. H. THOMPSON   | 433-438 |
| The pre-term guinea-pig: a model for the study of neonatal lung disease <i>by</i> F. J. KELLY, G. I. TOWN, G. J. PHILLIPS, S. T. HOLGATE, W. R. ROCHE and A. D. POSTLE  | 439-446 |
| <b>CORRESPONDENCE SECTION</b>   |         |
| Adrenoceptors on blood cells from patients with primary Raynaud's phenomenon <i>by</i> J. Y. JEREMY, J. GILL, M. A. BARRADAS and D. P. MIKHAILIDIS  | 447     |

Vol. 81, No. 4

October 1991

**EDITORIAL REVIEW**

|  |         |
|--|---------|
| Interrelation of hypokalaemia and potassium depletion and its implications: a re-evaluation based on studies of the skeletal muscle sodium, potassium-pump <i>by</i> A. NØRGAARD and K. KJELSDEN   | 449-455 |
| Feedback-mediated reduction in glomerular filtration during acetazolamide infusion in insulin-dependent diabetic patients <i>by</i> T. HANNEDOUCHE, M. LAZARO, A. G. DELGADO, C. BOITARD, B. LACOUR and J.-P. GRÜNFELD                             | 457-464 |
| Effect of aluminium on urinary acidification in the rat: influence of parathyroid hormone <i>by</i> F. ZALADEK GIL, V. L. COSTA SILVA and M. F. CAVANAL  | 465-470 |
| Urinary excretion of digoxin-like immunoreactive factor and arginine-vasopressin in hyper- and hypo-thyroid rats <i>by</i> F. VARGAS, M. J. BAZ, J. DE D. LUNA, J. ANDRADE, E. JODAR and J. M. HARO  | 471-476 |
| Renal expression of intracellular adhesion molecule-1 in different forms of glomerulonephritis <i>by</i> K. LHOTTA, H. P. NEUMAYER, M. JOANNIDIS, D. GEISSLER and P. KÖNIG   | 477-481 |
| Serum calcium oxalate saturation in patients on maintenance haemodialysis for primary hyperoxaluria or oxalosis-unrelated renal diseases <i>by</i> M. MARANGELLA, M. PETRARULO, C. VITALE, P. G. DANIELE, S. SAMMARTANO, D. COSSEDDU and F. LINARI | 483-490 |
| Effect of angiotensin-converting enzyme inhibitors on glomerular eicosanoid production in normotensive and spontaneously hypertensive rats <i>by</i> P. HARDING, C. STONIER and G. M. ABER   | 491-497 |

|   |         |
|---|---------|
| Stimulating effects of atenolol on vasodepressor prostaglandin generation in spontaneously hypertensive rats <i>by</i> N. HIRAWA, Y. UEHARA, A. NUMABE, S. TAKADA, H. MATSUOKA, T. IKEDA, T. SUGIMOTO, S. YAGI and M. ISHII | 499-507 |
| Plasma atrial natriuretic peptide concentration and platelet atrial natriuretic peptide binding site density in ageing and hypertension <i>by</i> J. DUGGAN, S. KILFEATHER, S. L. LIGHTMAN, E. O'BRIEN and K. O'MALLEY      | 509-514 |
| Changes in blood pressure during the normal menstrual cycle <i>by</i> F. P. DUNNE, D. G. BARRY, J. B. FERRISS, G. GREALY and D. MURPHY  | 515-518 |
| Splanchnic haemodynamic changes during acute hypoglycaemia in man <i>by</i> D. G. BRAATVEDT, P. G. NEWRICK, M. HALLIWELL, P. N. T. WELLS, A. E. READ and R. J. M. CORRALL   | 519-524 |
| Low-concentration ouabain does not inhibit noradrenaline-induced contraction of human resistance arteries <i>by</i> R. G. WOOLFSON, N. T. RICHARDS and L. POSTON  | 525-529 |
| Afferent baroreflex dysfunction and age-related orthostatic hypotension <i>by</i> A. L. TONKIN, L. M. H. WING, M. J. MORRIS and V. KAPOOR   | 531-538 |
| Effect of changes in inspiratory flow rate on cough responses to inhaled capsaicin <i>by</i> M. J. BARROS, S. L. ZAMMATIO and P. J. REES  | 539-542 |
| Stanozolol stimulates remodelling of trabecular bone and net formation of bone at the endocortical surface <i>by</i> M. N. C. BENÉTON, A. J. P. YATES, S. ROGERS, E. V. MCCLOSKEY and J. A. KANIS                           | 543-549 |
| Betaine-homocysteine methyltransferase: organ distribution in man, pig and rat and subcellular distribution in the rat <i>by</i> M. P. MCKEEVER, D. G. WEIR, A. MOLLOY and J. M. SOTT                                       | 551-556 |
| Measurement of protein synthesis in human skeletal muscle: further investigation of the flooding technique <i>by</i> M. A. McNURLAN, P. ESSEN, S. D. HEYS, V. BUCHAN, P. J. GARLICK and J. WERNERMAN                        | 557-564 |
| Separation of the impairment of haemostasis by aspirin from mucosal injury in the human stomach <i>by</i> C. J. HAWKEY, A. B. HAWTHORNE, N. HUDSON, A. T. COLE, Y. R. MAHIDA and T. K. DANESHMEND                           | 565-573 |
| <hr/>   |         |
| Supplement 25: Medical Research Society Communications  | 1p-34p  |

Vol. 81, No. 5

November 1991

**EDITORIAL REVIEW**

|   |         |
|---|---------|
| The vasovagal response <i>by</i> J. J. VAN LIESHOUT, W. WIELING, J. M. KAREMAKER and D. L. ECKBERG  | 575-586 |
| <hr/>   |         |
| Cardiovascular effects of growth hormone treatment in growth-hormone-deficient adults: stimulation of the renin-aldosterone system <i>by</i> R. C. CUNEO, F. SALOMON, P. WILMSHURST, C. BYRNE, C. M. WILES, R. HESP and P. H. SØNKSEN | 587-592 |
| Short-term reproducibility of a mental arithmetic stress test <i>by</i> S. JERN, M. PILHALL, C. JERN and S. G. CARLSSON   | 593-601 |
| Glutamine and alanine metabolism in lungs of septic rats <i>by</i> M. S. M. ARDAWI  | 603-609 |
| Whole-body and tissue protein synthesis during brief and prolonged fasting in the rat <i>by</i> Y. CHEREL, D. ATTAIX, D. ROSOŁOWSKA-HUSZCZ, R. BELKHOUE, J.-P. ROBIN, M. ARNAL and Y. LE MAHO   | 611-619 |
| Peripheral triacylglycerol extraction in the fasting and post-prandial states <i>by</i> J. L. POTTS, R. M. FISHER, S. M. HUMPHREYS, S. W. COPPACK, G. F. GIBBONS and K. N. FRAYN  | 621-626 |
| Hepatic energy status in hypotension of different aetiologies in dogs <i>by</i> T. YOKOYAMA, R. OKAMOTO, Y. YAMAMOTO, D. MANAKA, H. SASAKI, M. WASHIDA, T. KITAI, A. TANAKA, Y. YAMAOKA, K. KUMADA and K. OZAWA                       | 627-633 |

|  |         |
|--|---------|
| Effect of adrenaline infusion on fatty acid and glucose turnover in lean and obese human subjects in the post-absorptive and fed states <i>by</i> A. A. CONNACHER, W. M. BENNET, R. T. JUNG, D. M. BIER, C. C. T. SMITH, C. M. SCRIMGEOUR and M. J. RENNIE | 635-644 |
| ATP production in isolated muscle mitochondria from haemodialysis patients: effects of correction of anaemia with erythropoietin <i>by</i> P. BARÁNY, R. WIBOM, E. HULTMAN and J. BERGSTRÖM  | 645-653 |
| Intrathoracic airstream temperatures during acute expansions of thoracic blood volume <i>by</i> I. A. GILBERT, J. REGNARD, K. A. LENNER, J. A. NELSON and E. R. MCFADDEN, JR   | 655-661 |
| Abnormal expression of growth regulatory factors in Barrett's oesophagus <i>by</i> J. JANKOWSKI, R. MCMENEMIN, D. HOPWOOD, J. PENSTON and K. G. WORMSLEY   | 663-668 |
| Sternomastoid muscle twitch maximum relaxation rate: prolonged slowing with fatigue and post-tetanic acceleration <i>by</i> V. H. F. MAK, F. CHAPMAN, C. JAMES and S. G. SPIRO   | 669-676 |
| Strenuous exercise: analogous to the acute-phase response? <i>by</i> L. M. WEIGHT, D. ALEXANDER and P. JACOBS  | 677-683 |
| Feedback inhibition of insulin secretion in type 2 diabetes <i>by</i> C. BAYNES, V. ANYAOKU, D. G. JOHNSTON and R. S. ELKELES  | 685-690 |
| Anti-aggregatory effects of physiological concentrations of adenosine in human whole blood as assessed by filrtragemetry <i>by</i> U. SÖDERBÄCK, A. SOLLEVI, N. H. WALLEN, P. T. LARSSON and P. HJEMDAHL   | 691-694 |
| Dilator actions of arginine in human peripheral vasculature <i>by</i> A. CALVER, J. COLLIER and P. VALLANCE  | 695-700 |
| <b>CORRESPONDENCE SECTION</b>  |         |
| Update on the determination of total body water by ethanol dilution: the importance of the concentration units used <i>by</i> A. W. JONES, R. G. HAHN and H. P. STALBERG   | 701-702 |

**EDITORIAL REVIEW**

|   |         |
|---|---------|
| Abnormalities of the coronary circulation associated with left ventricular hypertrophy <i>by</i> D. J. O'GORMAN and D. J. SHERIDAN  | 703-713 |
| Effect of different levels of briefly sustained ventricular pressure on arrhythmia in the isolated working rat heart <i>by</i> M. A. JAMES and J. V. JONES  | 715-721 |
| Serum creatine kinase MM isoforms in hypertrophic cardiomyopathy <i>by</i> M. HAMADA, T. OHTANI, M. SEKIYA, Y. FUJIWARA, T. SUMIMOTO, K. HIWADA, S. MORITA and H. TSUKADA   | 723-726 |
| Effects of L-arginine on systemic and renal haemodynamics in conscious dogs <i>by</i> M. MURAKAMI, H. SUZUKI, A. ICHIHARA, M. NAITOH, H. NAKAMOTO and T. SARUTA   | 727-732 |
| Arginine vasopressin attenuates phenylephrine-induced forearm vasoconstriction in men <i>by</i> S. HARADA, T. IMAIZUMI, M. MOMOHARA, H. MASAKI, S.-I. ANDO and A. TAKESHITA   | 733-737 |
| Anti-oxidants show an anti-hypertensive effect in diabetic and hypertensive subjects <i>by</i> A. CERIELLO, D. GIUGLIANO, A. QUATRARO and P. J. LEFEBVRE  | 739-742 |
| Na <sup>+</sup> /H <sup>+</sup> and HCO <sub>3</sub> <sup>-</sup> /Cl <sup>-</sup> exchange in the control of intracellular pH <i>in vivo</i> in the spontaneously hypertensive rat <i>by</i> P. D. SYME, J. K. ARONSON, C. H. THOMPSON, E. M. WILLIAMS, Y. GREEN and G. K. RADDA | 743-750 |
| Reduced oxygen consumption induced by vasopressin in dogs depends on systemic administration <i>by</i> J.-F. LIARD  | 751-758 |

|  |         |
|--|---------|
| Effect of varying alveolar oxygen partial pressure on diffusing capacity for nitric oxide and carbon monoxide, membrane diffusing capacity and lung capillary blood volume <i>by</i> C. D. R. BORLAND and Y. COX   | 759-765 |
| Variability in the measurement of nebulized aerosol deposition in man <i>by</i> S. H. L. THOMAS, M. J. O'DOHERTY, C. J. PAGE and T. O. NUNAN   | 767-775 |
| Oxidation-resistant variants of recombinant antileucoprotease are better inhibitors of human-neutrophil-elastase-induced emphysema in hamsters than natural recombinant antileucoprotease <i>by</i> A. RUDOLPHUS, R. HEINZEL-WIELAND, V. A. M. M. VINCENT, D. SAUNDERS, G. J. STEFFENS, J. H. DIJKMAN and J. A. KRAMPS | 777-784 |
| Effects of alcohol intake on plasma fatty acids assessed independently of diet and smoking habits <i>by</i> V. BURKE, K. D. CROFT, I. B. PUDDEY, K. L. COX, L. J. BEILIN and R. VANDONGEN  | 785-791 |
| Fat-cell heat production, adipose tissue fatty acids, lipoprotein lipase activity and plasma lipoproteins in adiposid dolorosa <i>by</i> B. FAGHER, M. MONTI, P. NILSSON-EHLE and B. ÅKESSON   | 793-798 |
| Metabolic balance studies of mineral supplementation in osteoporosis <i>by</i> T. STAMP, M. KATAKITY, A. J. GOLDSTEIN, M. V. JENKINS, C. R. KELSEY and G. A. ROSE  | 799-802 |
| Islet amyloid polypeptide: production by an osteoblast cell line and possible role as a paracrine regulator of osteoclast function in man <i>by</i> S. G. GILBEY, M. A. GHATEI, D. BRETHERTON-WATT, M. ZAIDI, P. M. JONES, T. PERERA, J. BEACHAM, S. GIRGIS and S. R. BLOOM  | 803-808 |
| Amiloride-sensitive lithium reabsorption during doxazosin-induced blood pressure reduction in rats <i>by</i> J. S. PETERSEN, M. SHALMI, M. BAK, N. LOMHOLT and S. CHRISTENSEN  | 809-814 |
| Superoxide production by peripheral blood monocytes during sustained endotoxaemia in sheep <i>by</i> B. S. POLLA, J. CLERC, J.-F. PITTET and D. R. MOREL   | 815-822 |
| Observations on the chemical nature of lead in human blood serum <i>by</i> A. J. A. AL-MODHEFER, M. W. B. BRADBURY and T. J. B. SIMONS   | 823-829 |
| <b>CORRESPONDENCE SECTION</b>  |         |
| Problems with the single injection method for the measurement of the glomerular filtration rate in man <i>by</i> K. MORRIS, R. SKINNER, M. KEIR, J. PALMER, H. LAMBERT, A. PEARSON and M. COULTHARD  | 831-833 |