

# CONTENTS

Volume 83, part I

July 1992

## EDITORIAL REVIEW

- Blood pressure measurement: an epitaph for the mercury sphygmomanometer?  
by M. J. STEWART and P. L. PADFIELD 1-12

## PAPERS

- Hypertension in Dahl salt-sensitive rats: biochemical and immunohistochemical studies  
by J. BOUHNİK, J. P. RICHOUX, H. HUANG, F. SAVOIE, T. BAUSSANT, F. ALHENC-GELAS and  
P. CORVOL 13-22
- Influence of dietary protein on glomerular angiotensin II-receptor binding in normotensive  
and spontaneously hypertensive rats by D. L. VAUGHAN and G. I. RUSSELL 23-28
- Measurement of plasma volume in pregnancy by M. A. BROWN, D. A. MITAR and  
J. A. WHITWORTH 29-34
- Atrial natriuretic peptide inhibits fluid intake in hyperosmolar subjects by L. M. BURRELL,  
J. M. PALMER and P. H. BAYLIS 35-39
- Systemic and splanchnic haemodynamic effects of pentifylline in rats with portal hypertension  
by M. DAGENAIS, G. POMIER-LAYRARGUES, B. ROCHELEAU, L. GIROUX and P.-M. HUET 41-45
- Intrasplenic blood cell kinetics in man before and after brief maximal exercise by P. ALLSOP,  
A. M. PETERS, R. N. ARNOT, A. W. J. STUTTLE, M. DEENMAMODE, M. E. GWILLIAM,  
M. J. MYERS and G. M. HALL 47-54
- Measurement of pelvic blood flow changes in response to posture in normal subjects and in  
women with pelvic pain owing to congestion by using a thermal technique  
by D. C. THOMAS, R. W. STONES, C. M. FARQUHAR and R. W. BEARD 55-58
- Differential responses in superior mesenteric artery blood flow may explain the variant  
pressor responses to clonidine in two groups with sympathetic denervation  
by T. N. THOMAIDES, K. R. CHAUDHURI, S. MAULE and C. J. MATHIAS 59-64
- Sympathoadrenal contribution to plasma dopa (3,4-dihydroxyphenylalanine) in rats  
by E. GROSSMAN, A. HOFFMAN, I. ARMANDO, Z. ABASSI, I. J. KOPIN and D. S. GOLDSTEIN 65-74
- Increased urinary excretion of prostaglandin E<sub>2</sub> in patients with idiopathic hypercalciuria is a  
primary phenomenon by C. HENRÍQUEZ-LA ROCHE, B. RODRÍGUEZ-ÍTURBE and G. PARRA 75-80
- Physiological basis for an animal model of the renal Fanconi syndrome: use of  
succinylacetone in the rat by P. A. WYSS, S. B. BOYNTON, J. CHU, R. F. SPENCER and  
K. S. ROTH 81-87
- Comparative study of platelet angiotensin II binding and the angiotensin II sensitivity test as  
predictors of pregnancy-induced hypertension by P. N. BAKER, F. BROUGHTON PIPKIN and  
E. M. SYMONDS 89-95
- Diet as a source of phospholipid esterified 9,11-octadecadienoic acid in humans by  
M. BRITTON, C. FONG, D. WICKENS and J. YUDKIN 97-101
- Limits of adaptation to a diet low in protein in normal man: urea kinetics by M. DANIELSEN  
and A. A. JACKSON 103-108

- Comparisons between basal metabolic rate and diet-induced thermogenesis in different types of chronic obstructive pulmonary disease *by* J. H. GREEN and M. F. MUERS 109–116
- Cutaneous heat loss shortly after burn injury in children *by* C. CHILDS, H. B. STONER and R. A. LITTLE 117–126

### SUPPLEMENT 27

- Communications for the Spring Meeting of the Medical Research Society on 8 and 9 April 1992 at the University of Liverpool 1P–27P

## Volume 83, part 2

August 1992

### EDITORIAL REVIEW

- Platelet-activating factor in inflammation and pulmonary disorders *by* K. F. CHUNG 127–138

### RAPID COMMUNICATION

- Selective downregulation of rat renal clearance receptors for atrial natriuretic peptide by chronic high-salt intake: study on isolated membranes using <sup>125</sup>I-labelled c-atrial natriuretic peptide-(4–23) *by* H. MICHEL, A. BÄCKER and H. J. KRAMER 139–142

### PAPERS

- Effect of angiotensin-converting enzyme inhibition on plasma brain natriuretic peptide levels in patients with heart failure *by* C. C. LANG, J. G. MOTWANI, A. R. RAHMAN, W. J. COUTIE and A. D. STRUTHERS 143–147
- Disparities in circulatory adjustment to standing between young and elderly subjects explained by pulse contour analysis *by* W. WIELING, D. P. VEERMAN, J. H. A. DAMBRINK and B. P. M. IMHOLZ 149–155
- An automated computerized method using Finapres for measuring cardiovascular reflexes *by* P. M. NETTEN, J. M. M. BOOTS, S. J. H. BREDIE, J. A. C. J. DEN AREND, M. J. T. M. MOL, TH. THIEN, W. H. L. HOEFNAGELS and J. A. LUTTERMAN 157–163
- Effects of endothelin in portal hypertensive rats *by* P.-C. YU, J.-S. KUO, H.-C. LIN and M. C. M. YANG 165–170
- Glucocorticoids and blood pressure: a role for the cortisol/cortisone shuttle in the control of vascular tone in man *by* B. R. WALKER, A. A. CONNACHER, D. J. WEBB and C. R. W. EDWARDS 171–178
- Actions of cyclosporin A preparation and Cremophor-EL in rabbit mesenteric artery and thoracic aorta *in vitro* *by* E. YARIS, M. TUNCER and M. ILHAN 179–182
- Effect of L-alanine infusion on <sup>31</sup>P nuclear magnetic resonance spectra of normal human liver: towards biochemical pathology *in vivo* *by* P. C. DAGNELIE, D. K. MENON, I. J. COX, J. D. BELL, J. SARGENTONI, G. A. COUTTS, J. URENJAK and R. A. ILES 183–190
- Resting energy expenditure and the thermic effect of adrenaline in patients with liver cirrhosis *by* M. J. MÜLLER, O. WILLMANN, A. FENK, A. RIEGER, O. SELBERG, H. CANZLER, A. VON ZUR MÜHLEN and F. W. SCHMIDT 191–198
- Raised resting energy expenditure in Parkinson's disease and its relationship to muscle rigidity *by* H. S. MARKUS, M. COX and A. M. TOMKINS 199–204
- Neuropeptide Y as a plasma marker for pheochromocytoma, ganglioneuroblastoma and neuroblastoma *by* T. MOURI, M. SONE, K. TAKAHASHI, K. ITOI, K. TOTSUNE, Y. HAYASHI, S. HASEGAWA, M. OHNEDA, O. MURAKAMI, Y. MIURA, R. KATAKURA, S. TACHIBANA and M. MAEBASHI 205–211
- Absorption of non-haem iron in normal women measured by the incorporation of two stable isotopes into erythrocytes *by* J. F. R. BARRETT, P. G. WHITTAKER, J. G. WILLIAMS and T. LIND 213–219
- Expression of adhesion molecules on circulating leucocytes in patients with inflammatory bowel disease *by* S. M. GREENFIELD, A. HAMBLIN, N. A. PUNCHARD and R. P. H. THOMPSON 221–226
- Circulating histamine and eosinophil cationic protein levels in nocturnal asthma *by* M. F. FITZPATRICK, T. MACKAY, C. WALTERS, P.-C. TAI, M. K. CHURCH, S. T. HOLGATE and N. J. DOUGLAS 227–232

- Influence of circulating insulin-like growth factor-I compared with that of intrarenal insulin-like growth factor-I on proximal nephron receptor density in rats *by* M. K. HISE, Q. CORTEZA, D. K. KLASSEN and J. H. SADLER 233-239
- Aggregation of erythrocyte sodium/lithium countertransport activity in families of patients with immunoglobulin A nephropathy *by* A. FABBRI, R. BOERO, E. DEGLI ESPOSTI, C. GUARENA, A. LUCATELLO, A. STURANI, G. PICCOLI and M. FUSAROLI 241-245
- Atrial natriuretic peptide and urinary dopamine output in non-insulin-dependent diabetes mellitus *by* J. C. N. CHAN, J. A. J. H. CRITCHLEY, C. S. HO, M. G. NICHOLLS, C. S. COCKRAM and R. SWAMINATHAN 247-253

## Volume 83, part 3

September 1992

### EDITORIAL REVIEWS

- The fragile X syndrome *by* M. C. HIRST, S. J. L. KNIGHT, M. V. BELL, M. SUPER and K. E. DAVIES 255-264
- Insulin resistance: possible role in the aetiology and clinical course of hypertension *by* R. DONNELLY and J. M. C. CONNELL 265-275

### RAPID COMMUNICATION

- Pancreatic secretion of lysosomal enzymes stimulated by intraduodenal instillation of a liquid meal in rabbits *by* T. HIRANO, T. MANABE, A. K. SALUJA and M. L. STEER 277-280

### PAPERS

- Autoimmunity to glomerular antigens in Henoch-Schoenlein nephritis *by* D. J. O'DONOGHUE, F. JEWKES, R. J. POSTLETHWAITE and F. W. BALLARDIE 281-287
- A new method to measure renal tubular degradation of small filtered proteins in man using radiolabelled aprotinin (Trasylol) *by* R. RUSTOM, S. GRIME, P. MALTBY, H. R. STOCKDALE, M. CRITCHLEY and J. M. BONE 289-294
- Effects of lysine infusion on the renal metabolism of aprotinin (Trasylol) in man *by* R. RUSTOM, P. MALTBY, J. S. GRIME, H. R. STOCKDALE, M. CRITCHLEY and J. M. BONE 295-299
- Altered prostaglandin synthesis and impaired sodium conservation in the kidneys of old rats *by* M. RATHAUS, Z. GREENFELD, E. PODJARNY, M. BREZIS, J. GREEN and J. BERNHEIM 301-306
- Indomethacin and sodium retention in the rat: role of inhibition of prostaglandin E<sub>2</sub> synthesis *by* P. SCHERZER, H. WALD, D. RUBINGER and M. M. POPOVTZER 307-311
- Platelets from patients on haemodialysis show impaired responses to nitric oxide *by* M. P. GORDGE and G. H. NEILD 313-318
- Sodium-lithium countertransport and platelet cytosolic free calcium concentration in relation to peripheral insulin sensitivity in postmenopausal women *by* I. MATTIASSON, K. BERNTORP and F. LINDGÄRDE 319-324
- Basal metabolic rate in adults with growth hormone deficiency and in patients with acromegaly: relationship with lean body mass, plasma insulin level and leucocyte sodium pump activity *by* F. SALOMON, R. C. CUNEO, R. HESP, J. F. MORRIS, L. POSTON and P. H. SÖNKSEN 325-330
- Effects of 5-hydroxytryptamine and 5-hydroxytryptamine receptor agonists on ion transport across mammalian airway epithelia *by* A. GRAHAM, E. W. F. W. ALTON and D. M. GEDDES 331-336
- Role of kinins in pain and hyperalgesia: psychophysical studies in a patient with kininogen deficiency *by* S. N. RAJA, J. N. CAMPBELL, R. A. MEYER and R. W. COLMAN 337-341
- Plasma, platelet and erythrocyte glutathione peroxidases as risk factors in ischaemic heart disease *by* M. PORTER, D. J. PEARSON, V. J. SUAREZ-MENDEZ and A. D. BLANN 343-345
- Technique for the primary culture of human breast cancer cells and measurement of their prostaglandin secretion *by* J. WATSON and S. Y. CHUAH 347-352
- Reversal of extrahepatic membrane cholesterol deposition in patients with chronic liver diseases *by* S-adenosyl-L-methionine *by* S. RAFIQUE, M. GUARDASCIONE, E. OSMAN, A. K. BURROUGHS and J. S. OWEN 353-356

Pathophysiology of unilateral high-grade carotid artery stenosis: evaluation of intracranial haemodynamics by analysis of velocity waveforms from the middle cerebral artery by H. FÜRST, W. H. HARTL, I. JANSEN, B. FINK, A. PIEPGRAS, L. LAUTERJUNG and F. W. SCHILDBERG	357-366
Elevation of creatine in resting and exercised muscle of normal subjects by creatine supplementation by R. C. HARRIS, K. SÖDERLUND and E. HULTMAN	367-374
Nyctohemeral changes in bone turnover assessed by serum bone Gla-protein concentration and urinary deoxypyridinoline excretion: effects of growth and ageing by R. EASTWELL, P. S. SIMMONS, A. COLWELL, A. M. A. ASSIRI, M. F. BURRITT, R. G. G. RUSSELL and B. L. RIGGS	375-382

## Volume 83, part 4

October 1992

### EDITORIAL REVIEW

Exercise as a bronchodilator by S. FREEDMAN	383-389
--	---------

### PAPERS

Analysis of factors limiting maximal exercise performance in cystic fibrosis by L. C. LANDS, G. J. F. HEIGENHAUSER and N. L. JONES	391-397
Responses of airway rapidly adapting receptors to bradykinin before and after administration of enalapril in rabbits by M. HARGREAVES, K. RAVI, M. P. J. SENARATNE and C. T. KAPPAGODA	399-407
Decreased faecal exoglycosidase activities identify a subset of patients with active Crohn's disease by J. EL YAMANI, C. MIZON, C. CAPON, J.-F. COLOMBEL, B. FOURNET, A. CORTOT and J. MIZON	409-415
Effects of spermine on water absorption, polyethylene glycol 4000 permeability and collagenase activity in the rat descending colon <i>in vivo</i> by M. V. MENDIZABAL and R. J. NAFTALIN	417-423
Contribution of soluble aluminium species to absorption of aluminium from the rat gut <i>in situ</i> by N. A. PARTRIDGE, F. E. REGNIER, W. M. REED, J. L. WHITE and S. L. HEM	425-430
Effect of citrate on plasma aluminium concentration and aluminium excretion in the rat by C. J. LOTE, H. C. SAUNDERS, J. A. WOOD and A. J. SPENCER	431-435
Plasma concentrations and comparisons of brain natriuretic peptide and atrial natriuretic peptide in normal subjects, cardiac transplant recipients and patients with dialysis-independent or dialysis-dependent chronic renal failure by M. G. BUCKLEY, D. SETHI, N. D. MARKANDU, G. A. SAGNELLA, D. R. J. SINGER and G. A. MACGREGOR	437-444
Determinants of intra-individual variation in kidney function in normoalbuminuric insulin-dependent diabetic patients: importance of atrial natriuretic peptide and glycaemic control by M. MAU PEDERSEN, J. S. CHRISTIANSEN, E. B. PEDERSEN and C. E. MOGENSEN	445-451
Study of the actions of human recombinant erythropoietin on rat renal haemodynamics by C. HUANG, G. DAVIS and E. J. JOHNS	453-459
2,3-Dinor metabolites of thromboxane A <sub>2</sub> and prostacyclin in urine from healthy human subjects: diurnal variation and relation to 24 h excretion by Å. WENNMALM, G. BENTHIN, E. F. GRANSTRÖM, L. PERSSON and S. WINELL	461-465
Vasopressin and angiotensin II in the conscious dog: synergistic effects on renal excretory parameters? by P. EIKEN, C. EMMELUTH, H. J. SCHÜTTEN and P. BIE	467-475
Generation of angiotensin II from human plasma by tissue kallikrein by N. KRIVOVY, H. SCHLÜTER, M. KARAS and W. ZIDEK	477-482
Relative effects of fat-, carbohydrate- and protein-containing liquid diets on cardiac output in healthy adult subjects by S. K. HAWLEY and K. S. CHANNER	483-487
Ageing and the response of plasma insulin, glucose and C-peptide concentrations to intravenous glucose in postmenopausal women by A. J. PROUDLER, C. V. FELTON and J. C. STEVENSON	489-494
Platelet-activating factor causes hypoketonaemia in starved rats by A. HIRAIDE, R. D. EVANS and D. H. WILLIAMSON	495-501

- Spontaneous release of interleukin-1 and interleukin-6 by peripheral blood mononuclear cells after oophorectomy *by* G. PIOLI, G. BASINI, M. PEDRAZZONI, G. MUSETTI, V. ULIETTI, D. BRESCIANI, P. VILLA, A. BACCHI, D. HUGHES, G. RUSSELL and M. PASSERI 503-507

## CORRESPONDENCE

- Effects of anti-hypertensive agents on albumin excretion in type II diabetic patients *by* L. O. SIMPSON 509
- Effects of anti-hypertensive agents on albumin excretion in type II diabetic patients *by* S. KUMAR and A. J. M. BOULTON 509-510
- Effects of anti-hypertensive agents on albumin excretion in type II diabetic patients: authors' reply *by* M. STORNELLO, E. V. VALVO and L. SCAPELLATO 510

## Volume 83, part 5

## November 1992

## EDITORIAL REVIEWS

- Inflammatory injury in myocardial ischaemia *by* A. J. B. BRADY, F. M. WILLIAMS and T. J. WILLIAMS 511-518
- Atrial and brain natriuretic peptides: a dual natriuretic peptide system potentially involved in circulatory homeostasis *by* C. C. LANG, A.-M. J. CHOY and A. D. STRUTHERS 519-527

## PAPERS

- Elevated levels of brain natriuretic peptide in acute hypoxaemic chronic obstructive pulmonary disease *by* C. C. LANG, W. J. COUTIE, A. D. STRUTHERS, D. P. DHILLON, J. H. WINTER and B. J. LIPWORTH 529-533
- Carotid arterial haemodynamics after mild degrees of lower-body negative pressure in man *by* P. J. LACOLLEY, B. M. PANNIER, M. A. SLAMA, J. L. CUCHE, A. P. G. HOEKS, S. LAURENT, G. M. LONDON and M. E. SAFAR 535-540
- Effect of acute plasma volume expansion on peripheral arteriolar tone in healthy subjects *by* A. CALVER, J. COLLIER, D. GREEN and P. VALLANCE 541-547
- Effects of the angiotensin II receptor antagonist Losartan (DuP 753/MK 954) on arterial blood pressure, heart rate, plasma concentrations of angiotensin II and renin and the pressor response to infused angiotensin II in the salt-deplete dog *by* R. J. MACFADYEN, M. TREE, A. F. LEVER and J. L. REID 549-556
- Angiotensin II regulates the metabolism but not the secretion of vasoactive intestinal peptide in the rabbit *by* R. E. DAVIS, G. J. MACDONALD and K. A. DUGGAN 557-560
- Renal divalent cation excretion in secondary hypertension *by* M. BARBAGALLO, L. M. RESNICK, R. E. SOSA, M. L. CORBETT and J. H. LARAGH 561-565
- Effects of acute NaCl, KCl and KHCO<sub>3</sub> loads on renal electrolyte excretion in humans *by* M. VAN BUREN, T. J. RABELINK, H. J. M. VAN RIJN and H. A. KOOMANS 567-574
- Long-term effects of a somatostatin analogue on renal haemodynamics and hypertrophy in diabetic rats *by* M. MUNTZEL, T. HANNEDOUCHE, R. NIESOR, L.-H. NÖEL, J.-C. SOUBERBIELLE, B. LACOUR and T. DRÜEKE 575-581
- Metabolic clearance rate of arginine vasopressin in severe chronic renal failure *by* N. B. ARGENT, R. WILKINSON and P. H. BAYLIS 583-587
- Weight loss normalizes the inhibitory effect of N<sup>6</sup>-(phenylisopropyl)adenosine on lipolysis in fat cells of massively obese human subjects *by* J. J. OHISALO, J. M. KAARTINEN, S. RANTA, P. MUSTAJOKI, S. P. HRENIUK, K. F. LANOUE and L. F. MARTIN 589-592
- Serum sialic acid concentration in patients with hypertriglyceridaemia showing the Frederickson's IIB phenotype *by* M. CROOK and P. TUTT 593-595
- Twenty-four hour C-peptide and insulin secretion rates and diurnal profiles of glucose, lipids and intermediary metabolites in cirrhosis *by* Y. T. KRUSZYNSKA, J. MUNRO, P. D. HOME and N. MCINTYRE 597-605
- Post-operative changes in hepatic, intestinal, splenic and muscle fluxes of amino acids and ammonia in pigs *by* N. E. P. DEUTZ, P. L. M. REIJVEN, G. ATHANASAS and P. B. SOETERS 607-614
- Salbutamol, a  $\beta_2$ -adrenoceptor agonist, increases skeletal muscle strength in young men *by* L. MARTINEAU, M. A. HORAN, N. J. ROTHWELL and R. A. LITTLE 615-621

Sulphation of colonic and rectal mucin in inflammatory bowel disease: reduced sulphation of rectal mucus in ulcerative colitis <i>by</i> A. H. RAOUF, H. H. TSAI, N. PARKER, J. HOFFMAN, R. J. WALKER and J. M. RHODES	623–626
Colonic absorption of human calcitonin in man <i>by</i> K. H. ANTONIN, V. SAANO, P. BIECK, J. HASTEWELL, R. FOX, P. LOWE and M. MACKAY	627–631
Paradoxical effects of mild hypoxia and moderate altitude on human visual perception <i>by</i> T. E. SCHLAEPFER, P. BÄRTSCH and H. U. FISCH	633–636
<b>CORRESPONDENCE</b>	
Oxidation state of glutathione in the erythrocyte <i>by</i> M. GARNER, J. REGLINSKI, W. E. SMITH and J. MCMURRAY	637

## Volume 83, part 6

December 1992

### EDITORIAL REVIEW

Resolution of acute inflammation and the role of apoptosis in the tissue fate of granulocytes <i>by</i> C. HASLETT	639–648
--	---------

### GLAXO/MRS YOUNG INVESTIGATOR PRIZE

Macrophage recognition of senescent neutrophils <i>by</i> J. SAVILL	649–655
---	---------

### PAPERS

$\alpha$ -Tocopherol, lipids and lipoproteins in knee-joint synovial fluid and serum from patients with inflammatory joint disease <i>by</i> K. FAIRBURN, M. GROOTVELD, R. J. WARD, C. ABIUKA, M. KUS, R. B. WILLIAMS, P. G. WINYARD and D. R. BLAKE	657–664
Whole-body and site-specific bone remodelling in patients with previous femoral fractures: relationships between reduced physical activity, reduced bone mass and increased bone resorption <i>by</i> J. S. WAND, T. SMITH, J. R. GREEN, R. HESP, J. N. BRADBEER and J. REEVE	665–675
Evidence for the indirect utilization of glucose for the synthesis of hepatic glycogen in man <i>by</i> R. F. G. J. KING, M. MADAN, D. ALEXANDER, A. BOYD, K. IBRAHIM, M. J. MCMAHON and D. JOHNSTON	677–682
Glucose-6-phosphatase in normal adult human intestinal mucosa <i>by</i> J. PEARS, R. T. JUNG, J. JANKOWSKI, I. D. WADDELL and A. BURCHELL	683–687
Impaired fatty-meal-stimulated gallbladder contractility in patients with Crohn's disease <i>by</i> F. E. MURRAY, M. MCNICHOLAS, W. STACK and D. P. O'DONOGHUE	689–693
Relationship between hepatic lipid peroxidation and fibrogenesis in carbon tetrachloride-treated rats: effect of zinc administration <i>by</i> J. CAMPS, T. BARGALLO, A. GIMENEZ, S. ALIE, J. CABALLERIA, A. PARES, J. JOVEN, L. MASANA and J. RODES	695–700
Glucocorticoid ameliorates altered gene expression of extracellular matrix components in kidneys of New Zealand Black/White F <sub>1</sub> mice <i>by</i> T. NAKAMURA, I. EBIHARA, Y. TOMINO and H. KOIDE	701–709
Effects of parathyroid hormone and calcium and their interrelationship on urinary acidification in the rat <i>by</i> F. ZALADEK GIL, V. L. COSTA SILVA, M. F. CAVANAL and G. MALNIC	711–715
Aortic compliance in young patients with heterozygous familial hypercholesterolaemia <i>by</i> E. D. LEHMANN, G. F. WATTS, B. FATEMI-LANGROUDI and R. G. GOSLING	717–721
Effect of chronic hypoxia on rat pulmonary resistance vessels: vasodilatation by atrial natriuretic peptide <i>by</i> T. K. ROGERS, A. G. STEWART and A. H. MORICE	723–729

- Effect of aseptic abscesses in protein-deficient rats on the relationship between interleukin-6 and the acute-phase protein,  $\alpha_2$ -macroglobulin *by* G. JENNINGS, A. M. CRUICKSHANK, A. SHENKIN, D. G. WIGHT and M. ELIA 731–735

**CORRESPONDENCE**

- Platelet angiotensin II receptors in pregnancy *by* M. PAWLAK and G. MACDONALD 737

**AUTHOR INDEX****SUBJECT INDEX**