

RAPID COMMUNICATION

- The rat S_A gene shows genotype-dependent tissue-specific expression by M. A. KAISER, D. LODWICK and N. J. SAMANI 1-4

PAPERS

- Expression of tissue kallikrein in human kidney by A. D. FLEMING, T. WALSH, D. WOJTACHA, S. FLEMING, D. THOMSON and D. A. S. JENKINS 5-11
- The transplanted human kidney does not achieve functional reinnervation by J. M. HANSEN, U. ABILDGAARD, N. FOGH-ANDERSEN, I.-L. KANSTRUP, P. BRATHOLM, I. PLUM and S. STRANDGAARD 13-20
- Glyoxalase system in clinical diabetes mellitus and correlation with diabetic complications by A. C. MCELLELLAN, P. J. THORNALLEY, J. BENN and P. H. SONKSEN 21-29
- Impaired contraction and endothelium-dependent relaxation in isolated resistance vessels from patients with insulin-dependent diabetes mellitus by P. G. McNALLY, P. A. C. WATT, T. RIMMER, A. C. BURDEN, J. R. HEARNshaw and H. THURSTON 31-36
- Plasma endothelin levels and vascular effects of intravenous L-arginine infusion in subjects with uncomplicated insulin-dependent diabetes mellitus by R. A. SMULDERS, C. D. A. STEHOUSER, C. G. OLTHOF, G. J. VAN KAMP, T. TEERLINK, P. M. J. M. DE VRIES and A. J. M. DONKER 37-43
- Blood flow responses to intra-arterial acetylcholine in man: effects of basal flow and conduit vessel length by P. J. CHOWIENCZYK, J. R. COCKCROFT and J. M. RITTER 45-51
- L-Arginine reverses the impairment of nitric oxide-dependent collateral perfusion in dietary-induced hypercholesterolaemia in the rabbit by M. D. RANDALL, H. UJIE and T. M. GRIFFITH 53-59
- Serum levels, absorption efficiency, faecal elimination and synthesis of cholesterol during increasing doses of dietary sitostanol esters in hypercholesterolaemic subjects by H. T. VANHANEN, J. KAJANDER, H. LEHTOVIRTA and T. A. MIETTINEN 61-67
- Plasma adrenaline concentration is lower in post-obese than in never-obese women in the basal state, in response to sham-feeding and after food intake by H. BRYDE ANDERSEN, A. RABEN, A. ASTRUP and N. J. CHRISTENSEN 69-74
- Amino acid profile and aromatic amino acid concentration in total parenteral nutrition: effect on growth, protein metabolism and aromatic amino acid metabolism in the neonatal piglet by L. J. WYKES, J. D. HOUSE, R. O. BALL and P. B. PENCHARZ 75-84
- Platelet-activating factor mediates pancreatic function derangement in caerulein-induced pancreatitis in rats by R. ALONSO, A. MONTERO, M. ARÉVALO, L. J. GARCÍA, C. SANCHEZ-VICENTE, F. RODRÍGUEZ-NODAL, J. M. LÓPEZ-NOVOA and J. J. CALVO 85-90
- Comparison of stable isotopes and radioisotopes in the measurement of iron absorption in healthy women by J. F. R. BARRETT, P. G. WHITTAKER, J. D. FENWICK, J. G. WILLIAMS and T. LIND 91-95
- Detection of changes in intrathoracic fluid in man using electrical impedance tomography by J. M. CAMPBELL, N. D. HARRIS, F. ZHANG, A. H. MORICE and B. H. BROWN 97-101
- Signal variance electrocardiogram: a test for early detection of myocardial involvement in cystic fibrosis? by U. FREYSCHUSS, L. HJELTE, M. JOANNESSON, J. NOWAK and C. SYLVÉN 103-107
- Effects of the neutral endopeptidase inhibitor, SCH 42495, on the cardiovascular remodelling secondary to chronic hypoxia in rats by J. S. THOMPSON, W. SHEEDY and A. H. MORICE 103-114