

CONTENTS

Volume 89, part I

July 1995

Editorial	1
EDITORIAL REVIEW	
Pathophysiology of microvascular disease in non-insulin-dependent diabetes <i>by</i> A. J. JAAP and J. E. TOOKE	3–12
GLAXO/MRS YOUNG INVESTIGATOR MEDAL	
Functional organization of human nuclei <i>by</i> A. B. HASSAN	13–18
PAPERS	
High water intake combined with low sodium intake abolishes the antidiuretic effect of angiotensin II in conscious dogs <i>by</i> G. KACZMARCZYK, W. BOEMKE, D. ZAHREI-FARD and H. BRAUN	19–25
Renal handling of lithium and the effects of mannitol and arginine vasopressin in man <i>by</i> F. H. NOORMOHAMED and A. F. LANT	27–36
Effect of dietary salt restriction on renal sensitivity to vasopressin in man <i>by</i> M. SUTTERS, R. DUNCAN and W. S. PEART	37–43
Glomerular expression of smooth-muscle myosin heavy-chain isoforms in aminonucleoside nephrosis in rats <i>by</i> T. NAKAMURA, K. KIMURA, I. EBIHARA, T. TAKAHASHI, Y. TOMINO, M. AIKAWA, Y. YAZAKI, R. NAGAI and H. KOIDE	45–52
Ventricular expression and circulating levels of insulin-like growth factor I in heart transplant recipients <i>by</i> A. ATIONU, M. BURCH, D. SINGER, M. DE LEVAL, B. WHITEHEAD and N. CARTER	53–57
EMD 57033 enhances arrhythmias associated with increased wall-stress in the working rat heart <i>by</i> S. J. EVANS, A. J. LEVI, J. A. LEE and J. V. JONES	59–67
Type I collagen biosynthesis by skin fibroblasts from patients with idiopathic juvenile osteoporosis <i>by</i> A. E. POCOCK, M. J. O. FRANCIS and R. SMITH	69–73
Tissue inhibitor of metalloproteinase-1 and interstitial collagenase expression in autoimmune chronic active hepatitis and activated human hepatic lipocytes <i>by</i> J. P. IREDALE, S. GODDARD, G. MURPHY, R. C. BENYON and M. J. P. ARTHUR	75–81
Lipopolysaccharide induces upregulation of neutral endopeptidase 24.11 on human neutrophils: involvement of the CD14 receptor <i>by</i> C. FAGNY, A. MARCHANT, E. DE PREZ, M. GOLDMAN and M. DESCHODT-LANCKMAN	83–89
Longitudinal studies of platelet cyclic AMP during healthy pregnancy and pregnancies at risk of pre-eclampsia <i>by</i> E. H. HORN, J. A. COOPER, E. HARDY, S. HEPTINSTALL and P. C. RUBIN	91–99
Insensitivity of the Hering–Breüer reflex to spontaneous changes in metabolic rate in the infant <i>by</i> J. P. MORTOLA, C. SAIKI and G. FOX	101–105

CORRESPONDENCE

- Measurement of intestinal calcium absorption by using stable strontium *by* A. J. A. M. SIPS,
J. C. NETELENBOS, R. BARTO and W. J. F. VAN DER VIJGH 107

SUPPLEMENT 33

- Communications for the Joint Medical Research Society/European Society of Clinical
Investigation Meeting on 2-5 April 1995 at the University of Cambridge 1P-50P

Volume 89, part 2**August 1995****EDITORIAL REVIEW**

- Insulin resistance, hypertension and the insulin-responsive glucose transporter, GLUT4 *by*
C. LIVINGSTONE, A. F. DOMINICZAK, I. W. CAMPBELL and G. W. GOULD 109-116

RAPID COMMUNICATION

- Luminal epidermal growth factor is trophic to the small intestine of parenterally fed rats *by*
T. MARCHBANK, R. A. GOODLAD, C. Y. LEE and R. J. PLAYFORD 117-120

PAPERS

- Biliary excretion of chylomicron remnant cholesterol in the rat: responses to the expansion of
their plasma pool and promoting role of stimulated bile-acid synthesis *by* M. CARRELLA,
A. CSILLAGHY, R. DE MERCATO and A. D'ARIENZO 121-128
- Compartmental analysis of colonic transit reveals abnormalities in constipated patients with
normal transit *by* M. BOUCHOUCHA, G. DEVROEDE, P. RENARD, P. ARHAN, J.-P. BARBIER
and P.-H. CUGNENC 129-135
- Human gastrin and vasoactive intestinal polypeptide responses to endurance running in
relation to training status and fluid ingested *by* D. P. MACLAREN, N. M. RAINE,
A. M. O'CONNOR and K. D. BUCHANAN 137-143
- Regional sympathetic nervous activation after a large meal in humans *by* H. S. COX,
D. M. KAYE, J. M. THOMPSON, A. G. TURNER, G. L. JENNINGS, C. ITSIOPOULOS and
M. D. ESLER 145-154
- Sympathetic stimulations by exercise-stress testing and by dobutamine infusion induce similar
changes in heart rate variability in patients with chronic heart failure *by* M. PIEPOLI,
S. ADAMOPOULOS, L. BERNARDI, P. SLEIGHT and A. J. S. COATS 155-164
- Adverse effects of hypoxaemia on diastolic filling in humans *by* R. I. CARGILL, D. G. KIELY
and B. J. LIPWORTH 165-169
- Plasma-mediated neutrophil activation during acute myocardial infarction: role of
platelet-activating factor *by* T. SIMINIAK, R. M. EGDELL, D. J. O'GORMAN, J. F. DYE and
D. J. SHERIDAN 171-176
- Contribution of vascular nitric oxide to basal blood pressure in conscious spontaneously
hypertensive rats and normotensive Wistar Kyoto rats *by* N. MINAMI, Y. IMAI,
J.-i. HASHIMOTO and K. ABE 177-182
- Vascular and hormonal responses to arginine: provision of substrate for nitric oxide or
non-specific effect? *by* R. J. MACALLISTER, A. L. CALVER, J. COLLIER, C. M. B. EDWARDS,
B. HERREROS, S. S. NUSSEY and P. VALLANCE 183-190

- Non-invasive measurement of microvascular permeability to a small solute in man: validation of the technique *by* C. COUSINS, N. D. JONKER, L. M. BANKS, S. MOHAMMADTAGHI, M. J. MYERS and A. M. PETERS 191–200
- Intracranial pressure at high altitude and acute mountain sickness *by* A. D. WRIGHT, C. H. E. IMRAY, M. S. C. MORRISSEY, R. J. MARCHBANKS and A. R. BRADWELL 201–204

Volume 89, part 3

September 1995

EDITORIAL REVIEW

- Fibrin D-dimer: a useful clinical marker of thrombogenesis? *by* G. Y. H. LIP and G. D. O. LOWE 205–214

GLAXO/MRS YOUNG INVESTIGATOR PRIZE

- t(8;21) breakpoints are clustered between alternatively spliced exons of *MTG8* *by* J. E. TIGHE and F. CALABI 215–218

PAPERS

- Role of α -adrenoceptors in the maintenance of core temperature in humans *by* S. M. FRANK, N. EL-GAMAL, S. N. RAJA, P. K. WU and O. AFIFI 219–225
- Vasodilatory responses of isolated arteries of cirrhotic rats *by* S. S. LEE, J.-M. PAK, S. M. MEDLICOTT and A. BOMZON 227–232
- Cutaneous vasoconstrictor response induced by inspiratory gasp in relation to sex and age *by* Y.-T. LAU, C.-F. LIU and C. C. TSAI 233–237
- Contribution of age and intimal lesion morphology to coronary artery wall mechanics in coronary artery disease *by* W. E. M. KOK, R. J. G. PETERS, M. H. PRINS, J. J. PIEK, K. T. KOCH, G. K. DAVID and C. A. VISSER 239–246
- Aortic distensibility in patients with cerebrovascular disease *by* E. D. LEHMANN, K. D. HOPKINS, R. L. JONES, A. G. RUDD and R. G. GOSLING 247–253
- Effects of maternal diabetes on blood pressure and glucose tolerance in offspring of spontaneously hypertensive rats: relation to birth weight *by* M. IWASE, M. WADA, M. WAKISAKA, H. YOSHIZUMI, M. YOSHINARI and M. FUJISHIMA 255–260
- Circulating angiotensin-converting enzyme, von Willebrand factor antigen and thrombomodulin in exertional heat stroke *by* S.-D. SHIEH, J.-C. SHIANG, Y.-F. LIN, W.-Y. SHIAO and J.-Y. WANG 261–265
- Effects of endopeptidase 24.11 inhibition on plasma and tissue concentrations of vasoactive intestinal peptide *by* K. A. DUGGAN, D. M. JONES, V. Z. C. YE, R. E. DAVIS and G. J. MACDONALD 267–271
- Effect of hypoxia and β_2 -agonists on the activity of the renin-angiotensin system in normal subjects *by* E. A. MILLAR, R. M. ANGUS, J. E. NALLY, R. CLAYTON and N. C. THOMSON 273–276
- Effect of oral digoxin, topical ouabain and salbutamol on transepithelial nasal potential difference in patients with cystic fibrosis *by* D. G. PECKHAM, A. CONN, C. CHOTAI, S. LEWIS and A. J. KNOX 277–284
- Isogravitational heterogeneity of perfusion after unilateral lung transplantation *by* D. J. ROSS, S. K. KOERNER, J. ELASHOFF, A. D. WAXMAN and Z. MOHSENFAR 285–291
- Effect of the transmembrane gradient of magnesium and sodium on the regulation of cytosolic free magnesium concentration in human platelets *by* M. YOSHIMURA, T. OSHIMA, H. MATSUURA, M. WATANABE, Y. HIGASHI, N. ONO, H. HIRAGA, M. KAMBE and G. KAJIYAMA 293–298
- Effect of water-loading on the performance of polyethylene glycol as a marker of small intestinal permeability *by* T. H. IQBAL, M. A. COX, K. O. LEWIS and B. T. COOPER 299–303

Effect of water restriction during adaptation to a low-sodium diet in man <i>by</i> M. SUTTERS and W. S. PEART	305–310
Protein synthesis in isolated enterocytes from septic or endotoxaemic rats: regulation by glutamine <i>by</i> T. HIGASHIGUCHI, Y. NOGUCHI, T. MEYER, J. E. FISCHER and P.-O. HASSELGREN	311–319
β -Cell function in hypopituitary adults before and during growth hormone treatment <i>by</i> S. A. BESHYAH, S. V. GELDING, C. ANDRES, D. G. JOHNSTON and I. P. GRAY	321–328
Total antioxidant capacity and lipid peroxidation during liver transplantation <i>by</i> H. F. GALLEY, N. RICHARDSON, P. D. HOWDLE, B. E. WALKER and N. R. WEBSTER	329–332

Volume 89, part 4

October 1995

EDITORIAL REVIEW

Smoking and plasma lipoprotein metabolism <i>by</i> D. J. FREEMAN and C. J. PACKARD	333–342
---	---------

PAPERS

Lack of effect of vitamin E administration on basal nitric oxide function in male smokers and non-smokers <i>by</i> D. GREEN, G. O'DRISCOLL, B. BLANKSBY and R. TAYLOR	343–348
Postprandial sympatho-adrenal activity: its relation to metabolic and cardiovascular events and to changes in meal frequency <i>by</i> M. VAZ, A. TURNER, B. KINGWELL, J. CHIN, E. KOFF, H. COX, G. JENNINGS and M. ESLER	349–357
Antecedent hypoglycaemia in non-diabetic subjects reduces the adrenaline response for 6 days but does not affect the catecholamine response to other stimuli <i>by</i> A. M. ROBINSON, H. M. PARKIN, I. A. MACDONALD and R. B. TATTERSALL	359–366
Effect of the somatostatin analogue, octreotide, on exercise-induced hypotension in human subjects with chronic sympathetic failure <i>by</i> G. D. P. SMITH, M. ALAM, L. P. WATSON and C. J. MATHIAS	367–373
Cholecystokinin is a satiety hormone in humans at physiological post-prandial plasma concentrations <i>by</i> A. BALLINGER, L. McLOUGHLIN, S. MEDBAK and M. CLARK	375–381
Effect of dietary restriction on protein synthesis and wound healing after surgery in the rat <i>by</i> P. W. EMERY and P. SANDERSON	383–388
Whole-body protein turnover and hepatic protein synthesis are increased by vaccination in man <i>by</i> M. CAYOL, I. TAVERON, F. RAMBOURDIN, J. PRUGNAUD, P. GACHON, P. THIEBLOT, J. GRIZARD and C. OBLED	389–396
Expression and regulation of glycosyltransferases for <i>N</i> -glycosyl oligosaccharides in fresh human surgical and murine tissues and cultured cell lines <i>by</i> M. LI, V. ANDERSEN and P. LANCE	397–404
Influence of blood group and secretor status on carbohydrate structures in human gastric mucins: implications for peptic ulcer <i>by</i> R. L. SIDEBOTHAM, J. H. BARON, J. SCHRAGER, J. SPENCER, J. R. CLAMP and L. HOUGH	405–415
High-affinity interaction of long-chain fatty acids with serum albumin in nephrotic syndrome <i>by</i> B. LERIQUE, B. MOULIN, C. DELPERO, R. PURGUS, M. OLMER and J. BOYER	417–420
Effects of weight reduction on the regulation of lipolysis in adipocytes of women with upper-body obesity <i>by</i> S. REYNISDOTTIR, D. LANGIN, K. CARLSTRÖM, C. HOLM, S. RÖSSNER and P. ARNER	421–429
Interleukin-6 induces proteolysis by activating intracellular proteases (cathepsins B and L, proteasome) in C2C12 myotubes <i>by</i> C. EBISUI, T. TSUJINAKA, T. MORIMOTO, K. KAN, S. IJIMA, M. YANO, E. KOMINAMI, K. TANAKA and M. MONDEN	431–439
Effect of breathing, pressure and posture on palatoglossal and genioglossal tone <i>by</i> R. MATHUR, I. L. MORTIMORE, M. A. JAN and N. J. DOUGLAS	441–445
Effects of treadmill exercise and high-fat feeding on muscle degeneration in <i>mdx</i> mice at the time of weaning <i>by</i> A. MOKHTARIAN, J. P. LEFAUCHEUR, P. C. EVEN and A. SEBILLE	447–452

- Systemic treatment with epidermal growth factor induces anaemia in Goettingen minipigs
by C. O. JUHL, L. VINTER-JENSEN, O. MYHRE-JENSEN, L. S. JENSEN and E. Z. DAJANI 453-458

CORRESPONDENCE

- Endothelium-mediated vascular dysfunction in diabetes by E. N. WARDLE 459

Volume 89, part 5

November 1995

PAPERS

- Abnormal left ventricular diastolic function during cold pressor test in uncomplicated insulin-dependent diabetes mellitus by O. GÖTZSCHE, A. DARWISH, L. P. HANSEN and L. GÖTZSCHE 461-465
- Microvascular response to tissue injury and capillary ultrastructure in the foot skin of Type I diabetic patients by G. RAYMAN, R. A. MALIK, A. K. SHARMA and J. L. DAY 467-474
- Effect of acute and chronic caffeine use on the cerebrovascular, cardiovascular and hormonal responses to orthostasis in healthy volunteers by K. DEBRAH, R. HAIGH, R. SHERWIN, J. MURPHY and D. KERR 475-480
- Potent inhibitory effect of SR 49059, an orally active non-peptide vasopressin V1a receptor antagonist, on human arterial coronary bypass graft by J. J. LIU, J. R. CHEN, B. B. BUXTON, C. I. JOHNSTON and L. M. BURRELL 481-485
- Differences in transcription and translation of long and short G_sα, the stimulatory G-protein, in human atrium by M. S. MONTEITH, T. WANG and M. J. BROWN 487-495
- Effects of fish oil supplementation on atherosclerosis in different regions of the aorta of rabbits with diet-induced hypercholesterolaemia by M.-F. CHEN, H.-C. HSU and Y.-T. LEE 497-504
- Clinical remission is associated with restoration of normal high-density lipoprotein cholesterol levels in children with malignancies by S. DESSI, B. BATETTA, O. SPANO, F. SANNA, M. TONELLO, M. GIACCHINO, L. TESSITORE, P. COSTELLI, F. M. BACCINO, E. MADON and P. PANI 505-510
- Effects of different lipoproteins on the proliferative response of interleukin-2-activated T lymphocytes and large granular lymphocytes by J. B. DE SANCTIS, I. BLANCA and N. E. BIANCO 511-519
- Intracolonic release *in vivo* of interleukin-1β in chronic ulcerative colitis by F. CASELLAS, M. PAPO, F. GUARNER, M. ANTOLÍN, R. M. SEGURA, J. R. ARMENGOL and J.-R. MALAGELADA 521-526
- Atrial natriuretic factor and angiotensin II stimulate nitric oxide release from human proximal tubular cells by J. S. MCLAY, P. K. CHATTERJEE, S. K. MISTRY, R. P. WEERAKODY, A. G. JARDINE, N. G. MCKAY and G. M. HAWKSWORTH 527-531
- The urinary F1 activation peptide of human prothrombin is a potent inhibitor of calcium oxalate crystallization in undiluted human urine *in vitro* by R. L. RYALL, P. K. GROVER, A. M. F. STAPLETON, D. K. BARRELL, Y. TANG, R. L. MORITZ and R. J. SIMPSON 533-541
- Acute effects of central neuropeptide Y injection on glucose metabolism in fasted rats by J. P. H. WILDING, Y. T. KRUSZYNSKA, P. D. LAMBERT and S. R. BLOOM 543-548
- A flow cytometric method to measure shape change of human neutrophils by A. T. COLE, N. M. GARLICK, A. M. GALVIN, C. J. HAWKEY and R. A. ROBINS 549-554

CORRESPONDENCE

- Power spectral analysis of heart rate variability and baroreflex gain by A. MALLIANI, M. PAGANI and F. LOMBARDI 555-556
- Power spectral analysis of heart rate variability and baroreflex gain: author's reply by P. SLEIGHT, M. T. LA ROVERE, A. MORTARA, G. PINNA, R. MAESTRI, S. LEUZZI, B. BIANCHINI, L. TAVAZZI and L. BERNARDI 556

PAPERS

- On the quantification of heart rate changes in autonomic function tests: relations between measures in beats per minute, seconds and dimensionless ratios *by* TH. J. C. FAES, N. N. D. DE NEELING, R. KINGMA, B. J. TENVOORDE and J. M. KAREMAKER 557-564
- Calcitonin gene-related peptide as an endogenous vasodilator: immunoblockade studies *in vivo* with an anti-calcitonin gene-related peptide monoclonal antibody and its Fab' fragment *by* K. K. C. TAN, M. J. BROWN, R. J. HARGREAVES, S. L. SHEPHEARD, D. A. COOK and R. G. HILL 565-573
- Differential effects of a novel non-peptide endothelin receptor antagonist (bosentan) in rat liver and vasculature *by* P. A. PHILLIPS, J. RISVANIS, K. ALDRED, L. M. BURRELL and B. BARTHOLOMEUSZ 575-579
- Calf muscle mitochondrial and glycogenolytic ATP synthesis in patients with claudication due to peripheral vascular disease analysed using ³¹P magnetic resonance spectroscopy *by* G. J. KEMP, L. J. HANDS, G. RAMASWAMI, D. J. TAYLOR, A. NICOLAIDES, A. AMATO and G. K. RADDA 581-590
- Relationship between serum tryptophan and tryptophan metabolite levels after tryptophan ingestion in normal subjects and age-related cataract patients *by* R. J. W. TRUSCOTT and A. J. ELDERFIELD 591-599
- Septic patients in multiple organ failure can oxidize infused glucose, but non-oxidative disposal (storage) is impaired *by* C. J. GREEN, I. T. CAMPBELL, E. O'SULLIVAN, S. UNDERHILL, D. P. M. McLAREN, L. J. HIPKIN, I. A. MACDONALD and J. RUSSELL 601-609
- Insulin-like growth factor I is a major fibroblast mitogen produced by primary cultures of human airway epithelial cells *by* A. D. CAMBREY, O. J. KWON, A. J. GRAY, N. K. HARRISON, M. YACCOUB, P. J. BARNES, G. J. LAURENT and K. F. CHUNG 611-617
- Effect of ozone exposure on maximal airway narrowing in non-asthmatic and asthmatic subjects *by* T. J. N. HILTERMANN, J. STOLK, P. S. HIEMSTRA, P. H. B. FOKKENS, P. J. A. ROMBOUT, J. K. SONT, P. J. STERK and J. H. DIJKMAN 619-624
- The cost of breathing in stable chronic obstructive pulmonary disease *by* O. HUGLI, Y. SCHUTZ and J.-W. FITTING 625-632
- Intravenous magnesium sulphate relieves migraine attacks in patients with low serum ionized magnesium levels: a pilot study *by* A. MAUSKOP, B. T. ALTURA, R. Q. CRACCO and B. M. ALTURA 633-636
- Low selenium status in the elderly influences thyroid hormones *by* C. OLIVIERI, D. GIRELLI, M. AZZINI, A. M. STANZIAL, C. RUSSO, M. FERRONI and R. CORROCHER 637-642
- Metabolic acidosis does not contribute to chronic renal injury in the rat *by* D. THROSSELL, J. BROWN, K. P. G. HARRIS and J. WALLS 643-650
- Comparison of bio-impedance spectroscopy and multi-frequency bio-impedance analysis for the assessment of extracellular and total body water in surgical patients *by* W. J. HANNAN, S. J. COWEN, C. E. PLESTER, K. C. H. FEARON and A. DEBEAU 651-658

AUTHOR INDEX**SUBJECT INDEX**