

CONTENTS

Volume 93, part I

July 1997

| | |
|--|-------|
| Editorial | 1 |
| RAPID COMMUNICATION | |
| ¹³ C-Urea breath test for <i>Helicobacter pylori</i> : cut-off point determination by cluster analysis by F. MION, G. ROSNER, M. ROUSSEAU and Y. MINAIRE | 3-6 |
| PAPERS | |
| Clinical and haemodynamic sequelae of deep venous thrombosis: retrospective evaluation after 7-13 years by M. C. H. JANSSEN, J. H. HAENEN, W. N. J. C. VAN ASTEN, H. WOLLERSHEIM, F. M. J. HEIJSTRATEN, M. J. M. DE ROOIJ and TH. THIEN | 7-12 |
| Changes in pulmonary venous return during head-up tilting in man by M. GUAZZI, G. TAMBORINI and A. MALTAGLIATI | 13-20 |
| Repeatability of spectral components of short-term blood pressure and heart rate variability during acute sympathetic activation in healthy young male subjects by L. CLOAREC-BLANCHARD, C. FUNCK-BRENTANO, M. LIPSKI, P. JAILLON and I. MACQUIN-MAVIER | 21-28 |
| Catamenial variations in erythrocyte sodium-lithium countertransport and blood pressure by G. I. ADEBAYO, L. HEMERYCK, M. HALL, D. GASPARRO, M. SINNOTT and J. FEELY | 29-34 |
| Elevated plasma and urinary endothelin-1 levels in human salt-sensitive hypertension by C. FERRI, C. BELLINI, G. DESIDERI, C. MAZZOCCHI, L. DE SIATI and A. SANTUCCI | 35-41 |
| Inhibition of neutral endopeptidase, the degradative enzyme for natriuretic peptides, in rat kidney after oral SCH 42495 by L. M. BURRELL, N. FARINA, J. RISVANIS, D. WOOLLARD, D. CASELY and C. I. JOHNSTON | 43-50 |
| Reduction of placental nitric oxide synthase activity in pre-eclampsia by S. P. BRENNECKE, N. M. GUDE, J. L. DI IULIO and R. G. KING | 51-55 |
| Transport of L-arginine and the nitric oxide inhibitor N ^G -monomethyl-L-arginine in human erythrocytes in chronic renal failure by A. C. MENDES RIBEIRO, H. HANSEN, K. KIESSLING, N. B. ROBERTS, G. E. MANN and J. C. ELLORY | 57-64 |
| Protein degradation during renal passage in normal kidneys is inhibited in experimental albuminuria by T. M. OSICKA and W. D. COMPER | 65-72 |
| Determination of urea kinetics by isotope dilution with [¹³ C]urea and gas chromatography-isotope ratio mass spectrometry (GC-IRMS) analysis by W. D. KLOPPENBURG, B. G. WOLTERS, F. STELLAARD, H. ELZINGA, T. TEPPER, P. E. DE JONG and R. M. HUISMAN | 73-80 |
| Hepatic preservation with histidine-tryptophan-ketoglutarate solution in living-related and cadaveric liver transplantation by E. HATANO, T. KIUCHI, A. TANAKA, H. SHINOHARA, T. KITAI, S. SATOH, T. INOMOTO, H. EGAWA, S. UEMOTO, Y. INOMATA, H. LANG, K. J. OLDFAFER, B. RINGE, R. PICHLMAYR, K. TANAKA and Y. YAMAOKA | 81-88 |
| Compound heterozygote for both rare apolipoprotein LI(Gly ¹²⁷ →Asp, Arg ¹⁵⁸ →Cys) and E3(Cys ¹¹² →Arg, Arg ²⁵¹ →Gly) alleles in a multigeneration pedigree with hyperlipoproteinaemia by P. RICHARD, I. BEUCLER, M. PASCUAL DE ZULUETA, N. BITEAU, J.-L. DE GENNES and A. IRON | 89-95 |

Volume 93, part 2**August 1997****EDITORIAL REVIEW**

- Epithelial migration in the colon: filling in the gaps *by* A. J. WILSON and P. R. GIBSON 97–108

RAPID COMMUNICATION

- Fermentable dietary fibre, intestinal microflora and plasma hormones in the rat *by* M. A. GHATEI, B. RATCLIFFE, S. R. BLOOM and R. A. GOODLAD 109–112

PAPERS

- Plasma leptin, energy intake and hunger following total hip replacement surgery *by* R. J. STRATTON, O. DEWIT, E. CROWE, G. JENNINGS, R. N. VILLAR and M. ELIA 113–117
- Plasma immunoreactive leptin concentration in end-stage renal disease *by* J. K. HOWARD, G. M. LORD, E. J. CLUTTERBUCK, M. A. GHATEI, C. D. PUSEY and S. R. BLOOM 119–126
- Effects of physical training on metabolic control in elderly type 2 diabetes mellitus patients *by* P. C. LIGTENBERG, J. B. L. HOEKSTRA, E. BOL, M. L. ZONDERLAND and D. W. ERKELENS 127–135
- Site of insulin resistance after surgery: the contribution of hypocaloric nutrition and bed rest *by* J. NYGREN, A. THORELL, S. EFENDIC, K. S. NAIR and O. LJUNGOVIST 137–146
- Early protein restriction and obesity independently induce hypertension in 1-year-old rats *by* C. J. PETRY, S. E. OZANNE, C. L. WANG and C. N. HALES 147–152
- Change in blood pressure during altered sodium intake is not associated with calcitropic hormone level *by* R. OZONO, T. OSHIMA, H. MATSUURA, K. ISHIBASHI, M. WATANABE, M. YOSHIMURA, G. KAJIYAMA and M. KAMBE 153–157
- Dose-related effect of intravenous L-arginine on muscular blood flow of the calf in patients with peripheral vascular disease: a H₂¹⁵O positron emission tomography study *by* S. M. SCHELLONG, R. H. BÖGER, W. BURCHERT, S. M. BODE-BÖGER, A. GALLAND, J. C. FRÖHLICH, H. HUNDESHAGEN and K. ALEXANDER 159–165
- Timing of administration of dexamethasone or the nitric oxide synthase inhibitor, nitro-L-arginine methyl ester, is critical for effective treatment of ischaemia-reperfusion injury to rat skeletal muscle *by* B. ZHANG, K. R. KNIGHT, B. DOWSING, E. GUIDA, L. H. PHAN, M. J. HICKEY, W. A. MORRISON and A. G. STEWART 167–174
- Seasonal variations in cyclic GMP response on whole-body cooling in women with primary Raynaud's phenomenon *by* J. LEPPERT, Å. RINGQVIST, J. AHLNER, U. MYRDAL, M.-L. WALKER-ENGSTRÖM, Å. WENNMALM and I. RINGQVIST 175–179
- Cough frequency and cough-receptor sensitivity are increased in man at altitude *by* P. W. BARRY, N. P. MASON, M. RIORDAN and C. O'CALLAGHAN 181–186

CORRESPONDENCE

- CD11b expression on circulating neutrophils in pre-eclampsia *by* G. P. SACKS, K. STUDENA, I. L. SARGENT and C. W. G. REDMAN 187–188
- CD11b expression on circulating neutrophils in pre-eclampsia: author's reply *by* A. BARDEN, D. GRAHAM, L. J. BEILIN, R. BAKER, J. RITCHIE, C. A. MICHAEL and B. N. WALTERS 188–189

SUPPLEMENT 37

- Communications for the Spring Meeting of the Medical Research Society on 15 May 1997 at the Royal College of Physicians, London 1P–31P

Volume 93, part 3**September 1997****RAPID COMMUNICATION**

- A simple versatile method for measuring tail cuff systolic blood pressure in conscious rats *by* R. E. WIDDOP and X. C. LI 191–194

PAPERS

- Non-invasive measurement of cardiac output and ventricular ejection fractions in chronic cardiac failure: relationship to impaired exercise tolerance *by* I. C. STEELE, A. MOORE, A.-M. NUGENT, M. S. RILEY, N. P. S. CAMPBELL and D. P. NICHOLLS 195–203
- Variability of near-fainting responses in healthy 6–16-year-old subjects *by* C. C. E. DE JONG-DE VOS VAN STEENWIJK, W. WIELING, M. P. M. HARMS and K. H. WESSELING 205–211
- Beneficial effect of the calcium-sensitizing drug EMD 57033 in a canine model of dilated heart failure *by* A. J. DRAKE-HOLLAND, J. A. LEE, J. HYND, S. B. CLARKE and M. I. M. NOBLE 213–218
- Hyperdynamic circulation of cirrhotic rats with ascites: role of endotoxin, tumour necrosis factor- α and nitric oxide *by* C.-J. CHU, F.-Y. LEE, S.-S. WANG, R.-H. LU, Y.-T. TSAI, H.-C. LIN, M.-C. HOU, C.-C. CHAN and S.-D. LEE 219–225
- Nitric oxide and vascular reactivity in pregnant rats with adriamycin nephropathy *by* M. RATHAUS, E. PODJARNY, S. BENCHETRIT, J. GREEN and J. BERNHEIM 227–234
- Impaired insulin-induced attenuation of noradrenaline-mediated vasoconstriction in insulin-resistant obese Zucker rats *by* A. B. WALKER, J. DORES, R. E. BUCKINGHAM, M. W. SAVAGE and G. WILLIAMS 235–241
- Evidence for an R(+)-[dihydroindenyl]oxy]alkanoic acid-sensitive K^+/Cl^- co-transporter in human platelets and its interaction with the $Na^+/K^+/2Cl^-$ co-transporter *by* H. A. DE SILVA and J. K. ARONSON 243–248
- Pharmacological evidence of calcium-activated and voltage-gated potassium channels in human platelets *by* H. A. DE SILVA, J. G. CARVER and J. K. ARONSON 249–255
- Different dietary calcium intake and relative supersaturation of calcium oxalate in the urine of patients forming renal stones *by* P. MESSA, M. MARANGELLA, L. PAGANIN, M. CODARDINI, A. CRUCIATTI, D. TURRIN, Z. FILIBERTO and G. MIONI 257–263
- Enrichment in urinary ammonia and urea with hourly oral doses of [^{15}N]glycine: evidence for a step function and a circadian rhythm in protein turnover *by* A. A. JACKSON, M. J. SOARES, G. GROVE and J. C. WATERLOW 265–271
- Plasma concentration of total leptin and human lung-cancer-associated cachexia *by* J. P. F. H. A. SIMONS, A. M. W. J. SCHOLS, L. A. CAMPFIELD, E. F. M. WOUTERS and W. H. SARIS 273–277
- Functional analysis of histamine release from basophils and mast cells in subjects with the Ile-181 \rightarrow Leu variant of Fc ϵ RI- β *by* A. LI, G. A. MACKAY and J. M. HOPKIN 279–286

Volume 93, part 4**October 1997****EDITORIAL REVIEW**

- Glycoprotein changes in tumours: a renaissance in clinical applications *by* E. F. HOUNSELL, M. YOUNG and M. J. DAVIES 287–293

PAPERS

- Activation of two inward chloride transport systems in rat femoral arterial smooth muscle in deoxycorticosterone acetate/salt hypertension *by* A. A. HARPER, J. P. L. DAVIS and A. R. CHIPPERFIELD 295–298

| | |
|--|---------|
| Age, gender and fractal scaling in heart rate variability <i>by</i> K. OTSUKA, G. CORNELISSEN and F. HALBERG | 299–308 |
| Age- and gender-related changes in endothelin and catecholamine release, and in autonomic balance in response to head-up tilt <i>by</i> M. WHITE, M. COURTEMANCHE, D. J. STEWART, M. TALAJIC, E. MIKES, P. CERNACEK, P. VANTRIMPONT, D. LECLERC, L. BUSSIÈRES and J. L. ROULEAU | 309–316 |
| Reproducibility of ultrasonographic measurements of different carotid and femoral artery segments in healthy subjects and in patients with increased intima-media thickness <i>by</i> T. J. SMILDE, H. WOLLERSHEIM, H. VAN LANGEN and A. F. H. STALENHOF | 317–324 |
| Evaluation of QT interval length, QT dispersion and myocardial <i>m</i> -iodobenzylguanidine uptake in insulin-dependent diabetic patients with and without autonomic neuropathy <i>by</i> K.-J. LANGEN, D. ZIEGLER, F. WEISE, R. PILOT, C. BOY, A. HÜBINGER, F. A. GRIES and H.-W. MÜLLER-GÄRTNER | 325–333 |
| Mutations at the lipoprotein lipase gene locus in subjects with diabetes mellitus, obesity and lipaemia <i>by</i> Q. ZHANG, E. CAVALLERO, M. M. HOFFMANN, J. CAVANNA, A. KAY, A. CHARLES, S. BRASCHI, W. MARZ, L. PERLEMUTER, B. JACOTOT and D. J. GALTON | 335–341 |
| Elevated post-prandial gastric inhibitory polypeptide concentrations in hypertriglyceridaemic subjects <i>by</i> R. GAMA, F. NORRIS, L. MORGAN, S. HAMPTON, J. WRIGHT and V. MARKS | 343–347 |
| Brown adipose tissue and its uncoupling protein in chronically hypoxic rats <i>by</i> J. P. MORTOLA and L. NASO | 349–354 |
| Selective migration of α -smooth muscle actin-positive myofibroblasts toward fibronectin in the Boyden's blindwell chamber <i>by</i> M. KAWAMOTO, T. MATSUNAMI, R. F. ERTL, Y. FUKUDA, M. OGAWA, J. R. SPURZEM, N. YAMANAKA and S. I. RENNARD | 355–362 |
| Mast cell activation in arthritis: detection of α - and β -tryptase, histamine and eosinophil cationic protein in synovial fluid <i>by</i> M. G. BUCKLEY, C. WALTERS, W. M. WONG, M. I. D. CAWLEY, S. REN, L. B. SCHWARTZ and A. F. WALLS | 363–370 |
| A single dose of intravenously injected poloxamine-coated long-circulating particles triggers macrophage clearance of subsequent doses in rats <i>by</i> S. M. MOGHIMI and T. GRAY | 371–379 |

CORRESPONDENCE

| | |
|---|-----|
| Prognosis of chronic hepatitis C patients correlates with circulating monocyte/macrophage function <i>by</i> M. YAMASHIKI, A. NISHIMURA and H. SUZUKI | 381 |
|---|-----|

Volume 93, part 5

November 1997

1997 BAYER LECTURE

| | |
|--|---------|
| Spontaneous and induced minisatellite instability in the human genome <i>by</i> A. J. JEFFREYS | 383–390 |
|--|---------|

EDITORIAL REVIEW

| | |
|--|---------|
| Angiotensin-converting enzyme gene polymorphism and cardiovascular disease <i>by</i> R. BUTLER, A. D. MORRIS and A. D. STRUTHERS | 391–400 |
|--|---------|

PAPERS

| | |
|---|---------|
| Protective effects of delapril, indapamide and their combination chronically administered to stroke-prone spontaneously hypertensive rats fed a high-sodium diet <i>by</i> G. BIAGINI, M. ZOLI, C. TORRI, S. BOSCHI, G. VANATAGGIATO, M. BALLESTRI, A. BARALDI and L. F. AGNATI | 401–411 |
| Nitric oxide in different types of hypertension during pregnancy <i>by</i> J. V. GARMENDIA, Y. GUTIÉRREZ, I. BLANCA, N. E. BIANCO and J. B. DE SANCTIS | 413–421 |

| | |
|---|---------|
| Maternal carbenoxolone treatment lowers birthweight and induces hypertension in the offspring of rats fed a protein-replete diet <i>by</i> S. C. LANGLEY-EVANS | 423–429 |
| Activity of erythrocyte sodium–hydrogen exchange in normal pregnancy <i>by</i> E. MATTEUCCI and O. GIAMPIETRO | 431–434 |
| Renovascular hypertension with low-to-normal plasma renin: clinical and angiographic features <i>by</i> G. P. ROSSI, E. PAVAN, M. CHIESURA-CORONA, M. BADER, G. PAGANINI, M. CESARI, R. DE TONI, G. P. FELTRIN, D. GANTEN and A. C. PESSINA | 435–443 |
| Iron-binding antioxidant potential of plasma albumin <i>by</i> A. LOBAN, R. KIME and H. POWERS | 445–451 |
| Time-course of iron overload and biochemical, histopathological and ultrastructural evidence of pancreatic damage in hypotransferrinaemic mice <i>by</i> R. J. SIMPSON, J. DEENMAMODE, A. T. MCKIE, K. B. RAJA, J. R. SALISBURY, T. C. IANCU and T. J. PETERS | 453–462 |
| The ⁶⁷ gallium-transferrin pulmonary leak index in pneumonia and associated adult respiratory distress syndrome <i>by</i> A. B. J. GROENEVELD and P. G. H. M. RAJMAKERS | 463–470 |
| Comparative kinetics of microvascular inulin and ^{99m} Tc-labelled diethylenetriaminepenta-acetic acid exchange <i>by</i> C. COUSINS, R. D. GUNASEKERA, M. MUBASHAR, S. MOHAMMADTAGHI, R. STRONG, M. J. MYERS and A. M. PETERS | 471–477 |

Volume 93, part 6

December 1997

EDITORIAL REVIEW

| | |
|--|---------|
| Genetic susceptibility to the development of autoimmune disease <i>by</i> J. HEWARD and S. C. L. GOUGH | 479–491 |
|--|---------|

GLAXO/MRS YOUNG INVESTIGATOR PRIZE

| | |
|---|---------|
| Xenotransplantation: immune barriers beyond hyperacute rejection <i>by</i> A. DORLING and R. I. LECHLER | 493–505 |
|---|---------|

RAPID COMMUNICATION

| | |
|--|---------|
| Effect of red wine on endothelium-dependent relaxation in rabbits <i>by</i> M. B. CISHEK, M. T. GALLOWAY, M. KARIM, J. B. GERMAN and C. T. KAPPAGODA | 507–511 |
|--|---------|

PAPERS

| | |
|--|---------|
| Vasoconstrictor sensitivity to noradrenaline and <i>N</i> ^G -monomethyl-L-arginine in men and women <i>by</i> B. J. KNEALE, P. J. CHOWIENCZYK, J. R. COCKCROFT, D. J. COLTART and J. M. RITTER | 513–518 |
| Impaired nitric oxide-mediated vasodilation and total body nitric oxide production in healthy old age <i>by</i> D. LYONS, S. ROY, M. PATEL, N. BENJAMIN and C. G. SWIFT | 519–525 |
| Interactions between endothelin-1-induced contractions and bronchodilators in human isolated bronchi <i>by</i> R. A. CLAYTON, J. E. NALLY, N. C. THOMSON and J. C. McGRATH | 527–533 |
| 'Physiological' hyperinsulinaemia increases distal artery systolic blood pressure without changing proximal blood pressure <i>by</i> C. J. O'CALLAGHAN, K. KOMERSOVA, H. KRUM and W. J. LOUIS | 535–540 |
| Effects of alcohol intake on organ injuries in normotensive and hypertensive human subjects <i>by</i> T. ISHIMITSU, K. YOSHIDA, M. NAKAMURA, K. TSUKADA, S. YAGI, M. OHRUI, T. HISAUCHI and H. MATSUOKA | 541–547 |
| Effect of narcotic agents and of bleeding on systemic and renal haemodynamics in healthy and CCl ₄ -treated cirrhotic rats <i>by</i> G. VAN ROEY, P. LIJNEN, R. VERBESSELT, A. VERBRUGGEN and J. FEVERY | 549–556 |

| | |
|--|---------|
| Fractional clearance of albumin is influenced by its degradation during renal passage by T. M. OSICKA, S. PANAGIOTOPOULOS, G. JERUMS and W. D. COMPER | 557–564 |
| Elevated renal endothelin-1 clearance and mRNA levels associated with albuminuria and nephropathy in non-insulin-dependent diabetes mellitus: studies in obese <i>falga</i> Zucker rats by N. C. TURNER, P. J. MORGAN, A. C. HAYNES, M. VIDGEON-HART, N. TOSELAND and N. C. CLAPHAM | 565–571 |
| Effect of acute hyperglycaemia on basal and fat-induced exocrine pancreatic secretion in humans by W. F. LAM, E. S. M. MULLER, J. H. M. SOUVERIJN, C. B. H. W. LAMERS and A. A. M. MASCLEE | 573–580 |
| Relationship of serum leptin to total and truncal body fat by M. S. SOLIN, M. J. BALL, I. ROBERTSON, A. DE SILVA, J. A. PASCO, M. A. KOTOWICZ, G. C. NICHOLSON and G. R. COLLIER | 581–584 |
| Absorption of all- <i>trans</i> and 9- <i>cis</i> β -carotene in human ileosomy volunteers by R. M. FAULKS, D. J. HART, P. D. G. WILSON, K. J. SCOTT and S. SOUTHON | 585–591 |
| Bicarbonate therapy and intracellular acidosis by D. J. A. GOLDSMITH, L. G. FORNI and P. J. HILTON | 593–598 |
| PCR detection of the human papillomavirus: improved DNA recovery from frozen biopsies by F. F. MOTA AND J. H. KANAN | 599–603 |
| CORRESPONDENCE | |
| Chimeric hormones and neuropeptides by J. HOWL, Ü. LANGEL and M. WHEATLEY | 605–606 |
| Contribution of nitric oxide to vasodilatation by substance P in human forearm vessels by W. F. M. WALLACE | 607 |
| Contribution of nitric oxide to vasodilatation by substance P in human forearm vessels: author's reply by M. SHIRAMOTO AND T. IMAIZUMI | 607–608 |
| Contribution of nitric oxide to vasodilatation by substance P in human forearm vessels: author's reply by D. E. NEWBY, N. A. BOON and D. J. WEBB | 608–609 |
| CORRECTION | |
| Hypoxia, hypocapnia and spirometry at altitude by A. J. POLLARD, P. W. BARRY, N. P. MASON, D. J. COLLIER, R. C. POLLARD, P. F. A. POLLARD, I. MARTIN, R. S. FRASER, M. R. MILLER and J. S. MILLEDGE (<i>Clin. Sci.</i> 1997; 92 : 593–598) | 611 |

AUTHOR INDEX**SUBJECT INDEX**