

Clinical SCIENCE

C O N T E N T S

COMMENTS

Molecular genetics of coronary artery disease: measuring the phenotype

by N. J. Samani 645–646
 (see accompanying paper pp. 659–667 and Correspondence pp. 745–746)

Aldosterone: a hormone with adverse autonomic effects?

by G. Grassi 647–648
 (see accompanying paper pp. 687–692)

REVIEW

Erythrocyte Na^+/Li^+ countertransport and $\text{Na}^+/\text{K}^+-2\text{Cl}^-$ co-transport measurement in essential hypertension: useful diagnostic tools or failure? A meta-analysis of 17 years of literature

by T. Tepper, W. J. Sluiter, R. M. Huisman and D. de Zeeuw



online data 649–657

PAPERS

Transforming growth factor- $\beta 1$ gene polymorphisms and coronary artery disease

by P. Syrris, N. D. Carter, J. C. Metcalfe, P. R. Kemp, D. J. Grainger, J. C. Kaski, D. C. Crossman, S. E. Francis, J. Gunn, S. Jeffery and K. Heathcote 659–667

Non-invasive measurements of arterial structure and function: repeatability, interrelationships and trial sample size

by Y.-L. Liang, H. Teede, D. Kotsopoulos, L. Shiel, J. D. Cameron, A. M. Dart and B. P. McGrath 669–679

Increased myogenic tone precedes structural changes in mild experimental uraemia in the absence of hypertension in rats

by T. Savage, A. C. McMahon, A. M. Mullen, C. A. Nott, S. M. Dodd, R. M. Tribe and M. M. Yaqoob 681–686

Aldosterone blunts the baroreflex response in man

by K. M. Yee and A. D. Struthers 687–692

Relationship between arterial baroreflex cardiopulmonary vagal reflex and renal natriuretic response to saline in conscious rabbits

by N. Maybaum, E. Gorodetsky and M. Weinstock 693–699

Chronic infusions of brain natriuretic peptide in conscious sheep: bioactivity at low physiological levels

by C. J. Charles, E. A. Espiner, M. G. Nicholls, M. T. Rademaker and A. M. Richards 701–708

Effects of nisoldipine and lisinopril on microvascular dysfunction in hypertensive Type I diabetes patients with nephropathy

by V. B. Sørensen, P. Rossing, L. Tarnow, H.-H. Parving, T. Nørgaard and J. Kastrup

709–717

Subcutaneous glucagon-like peptide-1 (7-36) amide is insulinotropic and can cause hypoglycaemia in fasted healthy subjects

by C. M. B. Edwards, J. F. Todd, M. A. Ghatei and S. R. Bloom

719–724

Variation in the apparent sensitivity of the insulin-mediated inhibition of proteolysis to amino acid supply determines the efficiency of protein utilization

by A. Fereday, N. R. Gibson, M. Cox, P. J. Pacy and D. J. Millward

725–733

Gastrectomy osteopenia in the rat: the role of vitamin B₁₂ deficiency and the type of reconstruction of the digestive tract

by A. Wojtyczka, B. Bergé, G. Rümenapf, P. O. Schwille, P. Ballanti, M. Schreiber, W. Fries and W. Hohenberger

735–744

CORRESPONDENCE**A common polymorphism of the transforming growth factor-β1 gene and coronary artery disease**

by X. L. Wang, A. S. Sim and D. E. L. Wilcken

745–746

AUTHOR INDEX**SUBJECT INDEX**

C O N T E N T S

VOLUME 95, NUMBER 1, JULY 1998

EDITORIAL

by M. J. Jackson

1

REVIEWS

Clinical and therapeutic significance of the Na^+,K^+ pump

by T. Clausen 3–17

Role of T-cells in the development of arthritis

by J. S. H. Gaston 19–31

PAPERS

Heart rate control of blood pressure variability in children: a study in subjects with fixed ventricular pacemaker rhythm

by I. Constant, E. Villain, D. Laude, A. Girard, I. Murat and J.-L. Elghozi 33–42

Autonomic modulation of heart rate and blood pressure in hypertensive subjects with symptoms of anxiety

by G. Piccirillo, S. Elvira, E. Viola, C. Bucca, M. Durante, P. Raganato and V. Marigliano 43–52

Serum total sialic acid, a reputed cardiovascular risk factor, and its relationship to lipids, plasma fasting insulin, blood pressure and body mass index in normal individuals

by M. Crook, P. Lumb, V. Andrews and R. Swaminathan 53–57

Gender differences in fat oxidation and sympathetic nervous system activity at rest and during submaximal exercise in older individuals

by M. J. Toth, A. W. Gardner, P. J. Arciero, J. Calles-Escandon and E. T. Poehlman 59–66

Alterations in renal degradation of albumin in early experimental diabetes in the rat: a new factor in the mechanism of albuminuria

by M. J. Burne, S. Panagiotopoulos, G. Jerums and W. D. Comper 67–72

Renal haemodynamics, sodium and water reabsorption during continuous intravenous infusion of recombinant interleukin-2

by P. F. Geertsen, H. von der Maase, N. V. Olsen, N. Fogh-Andersen, S. L. Nielsen and P. P. Leyssac 73–81

Effect of propylthiouracil-induced hypothyroidism on the onset of skeletal muscle necrosis in dystrophin-deficient *mdx* mice

by A. McArdle, T. R. Helliwell, G. J. Beckett, M. Catapano, A. Davis and M. J. Jackson 83–89

Effects of morphine administration on the fetal production of oxytocin in labour

by S. W. Lindow, M. S. Hendricks, J. W. Thompson and Z. M. van der Spuy 91–95

A novel method for the visualization of the *in situ* mucus layer in rat and man

by N. Jordan, J. Newton, J. Pearson and A. Allen 97–106

Intestinal permeability to polyethyleneglycol and sugars: a re-evaluation

by J. B. Lloyd 107–110

VOLUME 95, NUMBER 2, AUGUST 1998**COMMENTS****Magnesium and airway reactivity**

- by J. Hill 111–112
(see accompanying paper pp. 137–142)

Time for a lower blood lead action level for children?

- by M. White 113
(see accompanying paper pp. 219–223)

REVIEWS**In utero programming of chronic disease**

- by D. J. P. Barker 115–128

Usefulness of markers of cell proliferation in the management of pituitary adenomas

- by M. Losa, A. Franzin, P. Mortini, M. R. Terreni, F. Mangili and M. Giovanelli 129–135

PAPERS**Bronchial reactivity and intracellular magnesium: a possible mechanism for the bronchodilating effects of magnesium in asthma**

- by L. J. Dominguez, M. Barbagallo, G. Di Lorenzo, A. Drago, S. Scola, G. Morici and C. Caruso 137–142

Possible interaction between exposure to environmental tobacco smoke and therapy in children with asthma

- by J.-C. Dubus, C. Oddoze, M. Badier, C. Guillot and B. Bruguerolle 143–149

Effect of endothelin-I on endothelium-derived vascular responsiveness in man

- by H. Krum, N. Cranswick and A.-M. Pellizzer 151–155

Effect of salt-loading on blood pressure, insulin sensitivity and limb blood flow in normal subjects

- by M. Foo, A. E. Denver, S. W. Coppack and J. S. Yudkin 157–164

Characteristics of small bowel motility in patients with irritable bowel syndrome and normal humans: an Oriental study

- by C.-L. Lu, C.-Y. Chen, F.-Y. Chang and S.-D. Lee 165–169

A method for examining differential mRNA expression along the crypt–villus axis of the human small intestine

- by E. Chua, Q. Wang, P. O'Toole and M. Lombard 171–177

Rat hepatic stellate cell expression of α 2-macroglobulin is a feature of cellular activation: implications for matrix remodelling in hepatic fibrosis

- by C. A. Kawser, J. P. Iredale, P. J. Winwood and M. J. P. Arthur 179–186

Inter- α -inhibitor in calcium stones

- by C. J. Dawson, P. K. Grover, J. Kanellos, H. Pham, G. Kupczyk, A. Oates and R. L. Ryall 187–193

Activation of myocardial and renal natriuretic peptides during acute intravascular volume overload in dogs: functional cardiorenal responses to receptor antagonism

- by D. D. Borgeson, T. L. Stevens, D. M. Heublein, Y. Matsuda and J. C. Burnett 195–202

Control of the forearm microcirculation: interactions with measures of obesity and noradrenaline kinetics

by P. J. Nestel, T. Yamashita, T. Sasahara, J. P. F. Chin-Dusting, M. D. Esler, A. M. Dart
and G. L. Jennings

203–212

Central cooling effects in patients with hypercholesterolaemia

by F. De Lorenzo, M. Mukherjee, Z. Kadziola, R. Sherwood and V. V. Kakkar

213–217

Blood lead in U.K. children – time for a lower action level?

by J. O'Donohoe, S. Chalkley, J. Richmond and D. Barltrop

219–223

Proteasome blockers inhibit protein breakdown in skeletal muscle after burn injury in rats

by C.-H. Fang, J. J. Wang, S. Hobler, B. G. Li, J. E. Fischer and P.-O. Hasselgren

225–233

SUPPLEMENT 39

Communications for the Spring Meeting of the Medical Research Society on 20 May 1998 at the Royal College of Physicians, London

1P–22P

VOLUME 95, NUMBER 3, SEPTEMBER 1998

PAPERS

Prolonged stability of brain natriuretic peptide: importance for non-invasive assessment of cardiac function in clinical practice

by M. G. Buckley, N. J. Marcus, M. H. Yacoub and D. R. J. Singer

235–239

A central γ -aminobutyric acid mechanism in cardiac vagal control in man revealed by studies with intravenous midazolam

by M. R. Farmer, J. C. Vaile, F. Osman, H. R. Ross, J. N. Townend and J. H. Coote

241–248

Lack of habituation of the pattern of cardiovascular response evoked by sound in subjects with primary Raynaud's disease

by C. M. Edwards, J. M. Marshall and M. Pugh

249–260

Factors determining cardiac hypertrophy in hypertensive patients with or without peripheral vascular disease

by M. Brahimi, B. I. Levy, M. E. Safar and H. Dabiré

261–267

Human cardiovascular variability, baroreflex and hormonal adaptations to a blood donation

by J.-O. Fortrat, O. Nasr, M. Duvareille and C. Gharib

269–275

Respiratory correlates of muscle sympathetic nerve activity in heart failure

by M. T. Naughton, J. S. Floras, M. A. Rahman, M. Jamal and T. D. Bradley

277–285

Subjects with obstructive pulmonary disease tend to be chronically vasodilated

by E. Casiglia, L. Pavan, L. Marcato, M. Leopardi, A. Pizzoli, P. Salvador, R. Zuin and A. C. Pessina

287–294

Fractal dimension and approximate entropy of heart period and heart rate: awake versus sleep differences and methodological issues

by V. K. Yeragani, E. Sobolewski, V. C. Jampala, J. Kay, S. Yeragani and G. Igel

295–301

Influences of carvedilol treatment on the effects of acetylcholine on regional haemodynamics in the spontaneously hypertensive rat

by S.-O. Granström, B. Fellström and L. Lind

303–309

Methylenetetrahydrofolate reductase polymorphism (C-677T) and coronary artery disease	
by N. M. Malik, P. Syrris, R. Schwartzman, J. C. Kaski, D. C. Crossman, S. E. Francis, N. D. Carter and S. Jeffery	311–315
Diminished insulin clearance during late pregnancy in patients with Type I diabetes mellitus	
by A. O. Björklund, U. K. C. Adamson, P.-E. S. Lins and L. M. R. Westgren	317–323
Subcutaneous glucagon-like peptide-1 improves postprandial glycaemic control over a 3-week period in patients with early Type 2 diabetes	
by J. F. Todd, C. M. B. Edwards, M. A. Ghatei, H. M. Mather and S. R. Bloom	325–329
Glycoxidation, and protein and DNA oxidation in patients with diabetes mellitus	
by K. Krapfenbauer, R. Birnbacher, H. Vierhapper, K. Herkner, D. Kampel and G. Lubec	331–337
Absence of glutamine isotopic steady state: implications for the assessment of whole-body glutamine production rate	
by B. A. C. van Acker, K. W. E. Hulsewé, A. J. M. Wagenmakers, N. E. P. Deutz, B. K. van Kreel, D. Halliday, D. E. Matthews, P. B. Soeters and M. F. von Meyenfeldt	339–346
Effect of interleukin-4 on pro-inflammatory cytokine production and the acute phase response in healthy individuals and in patients with cancer or multiple organ failure	
by S. J. Wigmore, J. P. Maingay, K. C. H. Fearon, M. G. O'Riordain and J. A. Ross	347–354
Nitric oxide synthase activity is increased in relation to the severity of liver dysfunction	
by H. F. Galley, D. Coomansingh, N. R. Webster and P. W. Brunt	355–359
Beneficial effect of vitamin E administration on nitric oxide function in subjects with hypercholesterolaemia	
by D. Green, G. O.'Driscoll, J. M. Rankin, A. J. Maiorana and R. R. Taylor	361–367
Protective agents used as additives in University of Wisconsin solution to promote protection against ischaemia–reperfusion injury in rat lung	
by C.-H. Chiang, K. Wu, C.-P. Yu, W.-C. Perng, H.-C. Yan, C.-P. Wu, D.-M. Chang and K. Hsu	369–376
Regulation of cAMP in a lymphocyte preparation isolated from peripheral venous blood in human subjects: the significance of residual thrombocytes, noradrenaline and prostaglandins	
by S. B. Søndergaard, J. H. Knudsen and N. J. Christensen	377–383
HYPOTHESIS	
Stimulation of apoptosis by sulindac and piroxicam	
by W. R. Waddell	385–388
CORRESPONDENCE	
Humoral-mediated recognition of ‘phagocyte-resistant’ beads by lymph node macrophages of poloxamine-treated rats	
by S. M. Moghimi	389–391

VOLUME 95, NUMBER 4, OCTOBER 1998**COMMENTS**

- Does oxidized low-density lipoprotein occur *in vivo*?**
by M. J. Jackson (see accompanying paper pp. 489–495) 393

- Cerebrovascular reactivity measurement using near-infrared spectroscopy**
by D. Grosset (see accompanying paper pp. 497–504) 395

PAPERS

- Importance of glutamine metabolism in murine macrophages and human monocytes to L-arginine biosynthesis and rates of nitrite or urea production**
by C. Murphy and P. Newsholme 397–407

- Renal arginine metabolism in fasted rats with subacute short bowel syndrome**
by C. H. C. Dejong, C. F. M. Welters, N. E. P. Deutz, E. Heineman and P. B. Soeters 409–418

- Studies *in vivo* of ω -gliadins in gluten sensitivity (coeliac sprue disease)**
by A. Ensari, M. N. Marsh, K. J. Moriarty, C. M. Moore, R. J. Fido and A. S. Tatham 419–424

- Isolation and characterization of the viscous, high-molecular-mass microbial carbohydrate fraction from faeces of healthy subjects and patients with Crohn's disease and the consequences for a therapeutic approach**
by J. G. H. Ruseler-van Embden, L. M. C. van Lieshout, D. J. Binnema and M. P. Hazenberg 425–433

- Inhibition of renal 11β -hydroxysteroid dehydrogenase *in vivo* by carbenoxolone in the rat and its relationship to sodium excretion**
by K. J. Sewell, D. G. Shirley, A. E. Michael, A. Thompson, D. P. Norgate and R. J. Unwin 435–443

- A comparison of the development of renal hypertension in male and female rats**
by R. Okuniewski, E. A. Davis, B. Jarrott and R. E. Widdop 445–451

- Arrhythmogenic effect of ventriculography in patients with left ventricular dilation and/or hypertrophy**
by A. S. Serafi, S. J. Evans and J. V. Jones 453–458

- Administration of albumin to patients with sepsis syndrome: a possible beneficial role in plasma thiol repletion**
by G. J. Quinlan, M. P. Margarson, S. Mumby, T. W. Evans and J. M. C. Gutteridge 459–465

- Porcine hepatic response to sepsis and its amplification by an adrenergic receptor α_1 agonist and a β_2 antagonist**
by D. Tighe, R. Moss and D. Bennett 467–478

- Randomized clinical trial comparing the effectiveness of two dietary interventions for patients with hyperlipidaemia**
by C. Ní Mhurchú, B. M. Margetts and V. Speller 479–487

- Identification of oxidized low-density lipoprotein in human serum by NMR spectroscopy**
by J. Jankowski, J.-R. Nofer, M. Tepel, B. Griewel, H. Schlüter, G. Assmann and W. Zidek 489–495

- Evaluation of potential factors affecting the measurement of cerebrovascular reactivity by near-infrared spectroscopy**
by R. Totaro, G. Barattelli, V. Quaresima, A. Carolei and M. Ferrari 497–504

Contractile response of isolated human hepatic arteries to α -adrenoceptor agonist is not impaired in patients with cirrhosis

by P. W. F. Hadoke, J. F. Dillon, T. G. John, S. W. Walker, P. C. Hayes and B. C. Williams

505–511

Inhaled corticosteroid therapy reduces the early morning peak in cortisol and aldosterone

by A. M. Wilson, E. J. Sims, A. D. Struthers and B. J. Lipworth

513–517

VOLUME 95, NUMBER 5, NOVEMBER 1998

REVIEW

Measurement and significance of circulating natriuretic peptides in cardiovascular disease

by G. A. Sagnella

519–529

GLAXO/MRS PRIZE

Cytotoxic T-lymphocytes against malaria and tuberculosis: from natural immunity to vaccine design

by A. Lalvani and A. V. S. Hill

531–538

PAPERS

Heart rate and flow velocity variability as determined from umbilical Doppler velocimetry at 10–20 weeks of gestation

by N. T. C. Ursem, P. C. Struijk, W. C. J. Hop, E. B. Clark, B. B. Keller and J. W. Vladimiroff

539–545

Regional plasma levels of cardiac peptides and their response to acute neutral endopeptidase inhibition in man

by J. G. Lainchbury, M. G. Nicholls, E. A. Espiner, H. Ikram, T. G. Yandle and A. M. Richards

547–555

Effect of sodium nitroprusside and L-arginine methyl ester on rat hearts stored at 4°C for 24 h

by O. S. Fagbemi and B. J. Northover

557–564

Cardiovascular autonomic modulation and activity of carotid baroreceptors at altitude

by L. Bernardi, C. Passino, G. Spadacini, A. Calciati, R. Robergs, R. Greene, E. Martignoni, I. Anand and O. Appenzeller

565–573

Reproducibility of three different methods of measuring baroreflex sensitivity in normal subjects

by S. W. Lord, R. H. Clayton, M. C. S. Hall, J. C. Gray, A. Murray, J. M. McComb and R. A. Kenny

575–581

Increased Na⁺ and decreased Mg²⁺ intracellular concentrations in vascular smooth muscle cells from spontaneously hypertensive rats

by K. Kisters, E.-R. Krefting, C. Spieker, W. Zidek, K. H. Dietl, M. Barenbrock and K. H. Rahn

583–587

Augmented effects of methionine and cholesterol in decreasing the elastic lamina while thickening the aortic wall in the rat aorta

by A. Zulli, B. F. Buxton, L. Doolan and J. J. Liu

589–593

Different effects of atrial and C-type natriuretic peptide on the urinary excretion of endothelin-I in man

by G. La Villa, M. Mannelli, C. Lazzeri, S. Vecchiarino, M. L. De Feo, C. Tosti Guerra, R. Bandinelli, M. Foschi and F. Franchi

595–602

- Renal targeting of a non-steroidal anti-inflammatory drug: effects on renal prostaglandin synthesis in the rat**
by M. Haas, F. Moolenaar, D. F. K. Meijer, P. E. de Jong and D. de Zeeuw 603–609
- Lack of interaction of hyperpnoea with methacholine and histamine in asthma**
by S. Sompradeekul, R. Hejal, M. McLane, K. A. Lenner, J. A. Nelson and E. R. McFadden Jr. 611–619
- Pulmonary response of normal human subjects to inhaled vasodilator substances**
by S. J. Brett, J. Chambers, A. Bush, M. Rosenthal and T. W. Evans 621–627
- Aminoguanidine ameliorates splanchnic hypersensitivity to glypressin in a haemorrhage-transfused rat model of portal hypertension**
by C.-J. Chu, F.-Y. Lee, S.-S. Wang, F.-Y. Chang, H.-C. Lin, M.-C. Hou, S.-L. Wu, C.-C. Tai, C.-C. Chan and S.-D. Lee 629–636
- Biliary lactoferrin concentrations are increased in active inflammatory bowel disease: a factor in the pathogenesis of primary sclerosing cholangitis?**
by S. P. Pereira, J. M. Rhodes, B. J. Campbell, D. Kumar, I. M. Bain, G. M. Murphy and R. H. Dowling 637–644

VOLUME 95, NUMBER 6, DECEMBER 1998

COMMENTS

- Molecular genetics of coronary artery disease: measuring the phenotype**
by N. J. Samani 645–646
(see accompanying paper pp. 659–667 and Correspondence pp. 745–746)
- Aldosterone: a hormone with adverse autonomic effects?**
by G. Grassi 647–648
(see accompanying paper pp. 687–692)

REVIEW

- Erythrocyte Na^+/Li^+ countertransport and $\text{Na}^+/\text{K}^+-2\text{Cl}^-$ co-transport measurement in essential hypertension: useful diagnostic tools or failure? A meta-analysis of 17 years of literature**
by T. Tepper, W. J. Sluiter, R. M. Huisman and D. de Zeeuw 649–657



PAPERS

- Transforming growth factor- $\beta 1$ gene polymorphisms and coronary artery disease**
by P. Syrris, N. D. Carter, J. C. Metcalfe, P. R. Kemp, D. J. Grainger, J. C. Kaski, D. C. Crossman, S. E. Francis, J. Gunn, S. Jeffery and K. Heathcote 659–667
- Non-invasive measurements of arterial structure and function: repeatability, interrelationships and trial sample size**
by Y.-L. Liang, H. Teede, D. Kotsopoulos, L. Shiel, J. D. Cameron, A. M. Dart and B. P. McGrath 669–679
- Increased myogenic tone precedes structural changes in mild experimental uraemia in the absence of hypertension in rats**
by T. Savage, A. C. McMahon, A. M. Mullen, C. A. Nott, S. M. Dodd, R. M. Tribe and M. M. Yaqoob 681–686
- Aldosterone blunts the baroreflex response in man**
by K. M. Yee and A. D. Struthers 687–692

- Relationship between arterial baroreflex cardiopulmonary vagal reflex and renal natriuretic response to saline in conscious rabbits**
by N. Maybaum, E. Gorodetsky and M. Weinstock 693–699
- Chronic infusions of brain natriuretic peptide in conscious sheep: bioactivity at low physiological levels**
by C. J. Charles, E. A. Espiner, M. G. Nicholls, M. T. Rademaker and A. M. Richards 701–708
- Effects of nisoldipine and lisinopril on microvascular dysfunction in hypertensive Type I diabetes patients with nephropathy**
by V. B. Sørensen, P. Rossing, L. Tarnow, H.-H. Parving, T. Nørgaard and J. Kastrup 709–717
- Subcutaneous glucagon-like peptide-1 (7-36) amide is insulinotropic and can cause hypoglycaemia in fasted healthy subjects**
by C. M. B. Edwards, J. F. Todd, M. A. Ghatei and S. R. Bloom 719–724
- Variation in the apparent sensitivity of the insulin-mediated inhibition of proteolysis to amino acid supply determines the efficiency of protein utilization**
by A. Fereday, N. R. Gibson, M. Cox, P. J. Pacy and D. J. Millward 725–733
- Gastrectomy osteopenia in the rat: the role of vitamin B₁₂ deficiency and the type of reconstruction of the digestive tract**
by A. Wojtyczka, B. Bergé, G. Rümenapf, P. O. Schwille, P. Ballanti, M. Schreiber, W. Fries and W. Hohenberger 735–744

CORRESPONDENCE

- A common polymorphism of the transforming growth factor- β 1 gene and coronary artery disease**
by X. L. Wang, A. S. Sim and D. E. L. Wilcken 745–746

AUTHOR INDEX SUBJECT INDEX