

CONTENTS

Volume 86, part 1

January 1994

Guidance for Authors 1994	i-ix
EDITORIAL REVIEW	
Hormonal and other mechanisms involved in the pathogenesis of cyclosporin-induced nephrotoxicity and hypertension in man <i>by</i> N. D. C. STURROCK and A. D. STRUTHERS	1-9
RAPID COMMUNICATION	
Erythrocyte ion transport alterations in hypertriglyceridaemic rats <i>by</i> J. KUNEŠ, H. K. BIN TALIB, Z. DOBEŠOVÁ, A. VRÁNA and J. ZICHA	11-13
PAPERS	
Muscle blood flow during intermittent exercise: comparison of the microdialysis ethanol technique and ¹³³ Xe clearance <i>by</i> R. C. HICKNER, D. BONE, U. UNGERSTEDT, L. JORFELDT and J. HENRIKSSON	15-25
Haemodynamics of recovery after strenuous exercise in physically trained hypertensive and normotensive subjects <i>by</i> E. CASIGLIA, P. PALATINI, S. BONGIOVI, L. MARIO, G. COLANGELI, G. GINOCCHIO and A.C. PESSINA	27-34
Platelet catecholamine concentrations after short-term stress in normal subjects <i>by</i> E. CARSTENSEN and J. S. YUDKIN	35-41
Cold-induced increases in erythrocyte count, plasma cholesterol and plasma fibrinogen of elderly people without a comparable rise in Protein C or Factor X <i>by</i> P. J. NEILD, D. SYNDERCOMBE-COURT, W. R. KEATINGE, G. C. DONALDSON, M. MATTOCK and M. CAUNCE	43-48
Pretreatment with methylprednisolone in coronary artery bypass grafting influences the levels of histamine and tryptase in serum but not in bronchoalveolar lavage fluid <i>by</i> F. J. VAN OVERVELD, R. F. DE JONGH, P. G. JORENS, P. WALTER, L. BOSSAERT and W. A. DE BACKER	49-53
Effect of induced bronchoconstriction on nasal airflow resistance in patients with asthma <i>by</i> J. C. H. YAP and N. B. PRIDE	55-58
Rates of change in peak expiratory flow and in diurnal variation in peak flow in patients recovering from acute severe asthma <i>by</i> G. E. PACKE, W. FREEMAN and R. M. CAYTON	59-65
Heterogeneity of human gallbladder mucin in bile <i>by</i> M. J. A. VAN WIJLAND, J. H. KLINKSPOOR, L. TH. DE WIT, R. P. J. OUDE ELFERINK, G. N. J. TYTGAT and A. K. GROEN	67-74
Heterogeneity of human biliary mucin: functional implications <i>by</i> J. H. KLINKSPOOR, M. J. A. VAN WIJLAND, C. A. M. KOELEMAN, W. VAN DIJK, G. N. J. TYTGAT and A. K. GROEN	75-82
Glucose turnover in pregnant women with acute malaria <i>by</i> T. M. E. DAVIS, Y. SUPUTTAMONGKOL, J. L. SPENCER, S. G. WILSON, S. MEKHTON, K. D. CROFT and N. J. WHITE	83-90
Nitrogen homeostasis in man: influence of protein intake on the amplitude of diurnal cycling of body nitrogen <i>by</i> G. M. PRICE, D. HALLIDAY, P. J. PACY, M. R. QUEVEDO and D. J. MILLWARD	91-102

- Nitrogen homeostasis in man: the diurnal responses of protein synthesis and degradation and amino acid oxidation to diets with increasing protein intake *by* P. J. PACY, G. M. PRICE, D. HALLIDAY, M. R. QUEVEDO and D. J. MILLWARD 103–118

Volume 86, part 2

February 1994

Editorial	119
Comment	121
EDITORIAL REVIEW	
Nutritional pharmacology: effects of L-arginine on host defences, response to trauma and tumour growth <i>by</i> J. BRITTENDEN, S. D. HEYS, J. ROSS and O. EREMIN	123–132
PAPERS	
Secretion of ions and pharmacological responsiveness in the mouse paw sweat gland <i>by</i> K. SATO, S. CAVALLIN, K. T. SATO and F. SATO	133–139
Insulin-like growth factor-1 is partially responsible for fibroblast proliferation induced by bronchoalveolar lavage fluid from patients with systemic sclerosis <i>by</i> N. K. HARRISON, A. D. CAMBREY, A. R. MYERS, A. M. SOUTHCOTT, C. M. BLACK, R. M. DU BOIS, G. J. LAURENT and R. J. MCANULTY	141–148
Dopamine β -hydroxylase immunoreactivity in human cerebrospinal fluid: properties, relationship to central noradrenergic neuronal activity and variation in Parkinson's disease and congenital dopamine β -hydroxylase deficiency <i>by</i> D. T. O'CONNOR, J. H. CERVENKA, R. A. STONE, G. L. LEVINE, R. J. PARMER, R. E. FRANCO-BOURLAND, I. MADRAZO, P. J. LANGLAIS, D. ROBERTSON and I. BIAGGIONI	149–158
Increase in muscle nerve sympathetic activity in humans after food intake <i>by</i> J. FAGIUS and C. BERNE	159–167
Forearm substrate utilization during exercise after a meal containing both fat and carbohydrate <i>by</i> A. J. GRIFFITHS, S. M. HUMPHREYS, M. L. CLARK and K. N. FRAYN	169–175
Effect of noradrenaline on glycerol turnover and lipolysis in the whole body and subcutaneous adipose tissue in humans <i>in vivo</i> <i>by</i> A. KURPAD, K. KHAN, A. G. CALDER, S. COPPACK, K. FRAYN, I. MACDONALD and M. ELIA	177–184
Nitrogen homeostasis in man: diurnal changes in nitrogen excretion, leucine oxidation and whole body leucine kinetics during a reduction from a high to a moderate protein intake <i>by</i> M. R. QUEVEDO, G. M. PRICE, D. HALLIDAY, P. J. PACY and D. J. MILLWARD	185–193
Effects of nitric oxide donors <i>in vitro</i> on the arachidonic acid-induced platelet release reaction and platelet cyclic GMP concentration in pre-eclampsia <i>by</i> E. HARDY, P. C. RUBIN and E. H. HORN	195–202
Effect of local inhibition of nitric oxide synthesis on forearm blood flow and dorsal hand vein size in patients with alcoholic cirrhosis <i>by</i> A. CALVER, A. HARRIS, J. D. MAXWELL and P. VALLANCE	203–208
Altered dynamics of the circadian relationship between systemic arterial pressure and cardiac sympathetic drive early on in mild hypertension <i>by</i> S. GUZZETTI, S. DASSI, M. BALSAMÀ, G. B. PONTI, M. PAGANI and A. MALLIANI	209–215
Increased systolic blood pressure in adult rats induced by fetal exposure to maternal low protein diets <i>by</i> S. C. LANGLEY and A. A. JACKSON	217–222
Effect of citrate infusion on urinary aluminium excretion in the rat <i>by</i> M. COCHRAN, V. CHAWTUR, J. W. PHILLIPS and B. DILENA	223–226
Gender differences in urinary kallikrein excretion in man: variation throughout the menstrual cycle <i>by</i> J. D. M. ALBANO, S. K. CAMPBELL, A. FARRER and J. G. B. MILLAR	227–231
SUPPLEMENT 30	
Communications for the Autumn Meeting of the Medical Research Society on 11 and 12 November 1993 in conjunction with the Science and Medicine Conference at the Royal College of Physicians, London	1P–44P

Effect of recombinant human growth hormone on cellular sodium metabolism <i>by</i> H. HERLITZ, O. JONSSON and B.-Å. BENGTSSON	233-237
Abnormal erythrocyte and renal frusemide-sensitive sodium transport in idiopathic calcium nephrolithiasis <i>by</i> B. BAGGIO, G. GAMBARO, F. MARCHINI, A. M. VINCENTI, G. CELOOTTO, A. C. PESSINI and A. SEMPLICINI	239-243
Involvement of nitric oxide in the vasodilatory response to parathyroid hormone-related peptide in the isolated rabbit kidney <i>by</i> U. SIMEONI, T. MASSFELDER, C. SAUSSINE, C. JUDES, J. GEISERT and J.-J. HELWIG	245-249
Albumin excretory rate in normal and hypertensive pregnancy <i>by</i> M. A. BROWN, M.-X. WANG, M. L. BUDDLE, M. A. CARLTON, G. M. CARIO, V. C. ZAMMIT and J. A. WHITWORTH	251-255
Contractile dysfunction in the diabetic-rat heart is an intrinsic abnormality of the cardiac myocyte <i>by</i> H. OKAYAMA, M. HAMADA and K. HIWADA	257-262
Platelet membrane microviscosity in Sabra rats with early salt hypertension <i>by</i> K. H. LE QUAN SANG, J. KUNES, J. ZICHA, B. LACOUR, D. BEN-ISHAY and M.-A. DEVYNCK	263-268
Plasma levels of 5-hydroxytryptamine during sympathetic stimulation and in Raynaud's phenomenon <i>by</i> J. D. COFFMAN and R. A. COHEN	269-273
Atrial natriuretic factor potentiates the human forearm vasoconstrictor response to sympathetic stimulation <i>by</i> T. L. TH. A. JANSEN, P. SMITS, J. W. M. LENDERS, M.-C. G. S. JACOBS, J. WILLEMSSEN and T. THIEN	275-283
Ethanol decreases nocturnal plasma levels of atrial natriuretic peptide (ANP 99-126) but not the N-terminal fragment of pro-atrial natriuretic peptide (ANP 1-98) in man <i>by</i> A.-C. EKMAN, Ö. VAKKURI, O. VUOLTEENAHO and J. LEPPÄLUOTO	285-290
Modulation of the effect of atrial natriuretic peptide in human and bovine bronchi by phosphoramidon <i>by</i> R. M. ANGUS, J. E. NALLY, R. MCCALL, L. C. YOUNG, J. C. MCGRATH and N. C. THOMSON	291-295
Role of cardiorespiratory abnormalities, smoking and dive characteristics in the manifestations of neurological decompression <i>by</i> P. WILMSHURST, C. DAVIDSON, G. O'CONNELL and C. BYRNE	297-303
Arthrogenic quadriceps inhibition and rehabilitation of patients with extensive traumatic knee injuries <i>by</i> M. V. HURLEY, D. W. JONES and D. J. NEWHAM	305-310
α - and β -cell function in obese Zucker (<i>fa/fa</i>) rats: a study with the isolated perfused pancreas <i>by</i> H. HIROSE, H. MARUYAMA, K. KIDO, K. ITO, K. KOYAMA, Y. TASHIRO and T. SARUTA	311-316
Assessment of insulin sensitivity in man: a comparison of minimal model- and euglycaemic clamp-derived measures in health and heart failure <i>by</i> J. W. SWAN, C. WALTON and I. F. GODSLAND	317-322
Lipoprotein profiles in a family with two mutants of apolipoprotein E: possible association with hypertriglyceridaemia but not with dysbetalipoproteinaemia <i>by</i> S.-P. ZHAO, A. M. J. M. VAN DEN MAAGDENBERG, T. F. F. P. VROOM, F. M. VAN'T HOOFT, J. A. GEVERS LEUVEN, L. M. HAVEKES, R. R. FRANTS, A. VAN DER LAARSE and A. H. M. SMELT	323-329
β -Adrenoceptor subtypes mediating the metabolic effects of BRL 35135 in man <i>by</i> N. M. WHEELDON, D. G. McDEVITT, L. C. McFARLANE and B. J. LIPWORTH	331-337
Tumour and host tissue responses to branched-chain amino acid supplementation of patients with cancer <i>by</i> M.A. McNURLAN, S. D. HEYS, K. G. M. PARK, J. BROOM, D. S. BROWN, O. EREMIN and P. J. GARLICK	339-345
Production of interleukin-6 and tumour necrosis factor- α <i>in vitro</i> is reduced in whole blood of severely malnourished children <i>by</i> J. F. DOHERTY, M. H. N. GOLDEN, D. G. REMICK and G. E. GRIFFIN	347-351
Do thiazides reduce intestinal oxalate absorption?: study <i>in vitro</i> using rabbit colon <i>by</i> M. HATCH and N. D. VAZIRI	353-357

EDITORIAL REVIEW

- Role of the endothelium in modulating the vascular response to sepsis *by* N. P. CURZEN,
M. J. D. GRIFFITHS and T. W. EVANS 359–374

GLAXO/MRS YOUNG INVESTIGATOR PRIZE

- Stress proteins and myocardial protection *by* M. S. MARBER 375–381

PAPERS

- Acute sodium loading in patients with uncomplicated diabetes mellitus: renal and hormonal effects *by* C. BERETTA-PICCOLI, F. ELSHATER-ZANETTI, S. SHAW, D. CUSI and P. WEIDMANN 383–390
- Acute effects of intravenous ouabain in healthy volunteers *by* G. B. PIDGEON,
A. M. RICHARDS, M. G. NICHOLLS, L. K. LEWIS and T. G. YANDLE 391–397
- Effects of vasopressin V₁ and V₂ receptor antagonists on progressive renal failure in rats *by* H. OKADA, H. SUZUKI, Y. KANNO, Y. YAMAMURA and T. SARUTA 399–404
- Effects of nitric oxide inhibition on the renal papillary blood flow response to saline-induced volume expansion in the rat *by* N. M. ATUCHA, A. RAMÍREZ, T. QUESADA and J. GARCÍA-ESTAN 405–409
- Nitric oxide production by human peripheral blood polymorphonuclear leucocytes *by* H. F. GOODE, N. R. WEBSTER, P. D. HOWDLE and B. E. WALKER 411–415
- Ambulatory blood pressure and left ventricular hypertrophy in subjects with untreated obstructive sleep apnoea and snoring, compared with matched control subjects, and their response to treatment *by* R. J. O. DAVIES, J. CROSBY, A. PROTHERO and J. R. STRADLING 417–424
- Blood pressure response to physical exercise in healthy adolescents and adolescents with insulin-dependent diabetes mellitus *by* N. NORDGREN, U. FREYSCHUSS and B. PERSSON 425–432
- Working capacity and expression of myosin heavy chain isoforms in skeletal muscle of chronic alcoholic men without liver disease after 1 day and 4 weeks of alcohol abstinence *by* L. SESTOFT, P. IVERSEN, I. NORDGAARD, S. AMRIS, T. JOEN, O. OVERGAARD and H. KLITGAARD 433–440
- Whole body protein turnover in chronically undernourished individuals *by* M. J. SOARES, L. S. PIERS, P. S. SHETTY, A. A. JACKSON and J. C. WATERLOW 441–446
- Inositol-specific phospholipase D activity in health and disease *by* F. D. RAYMOND, G. FORTUNATO, D. W. MOSS, G. CASTALDO, F. SALVATORE and M. IPALLOMENI 447–451
- Studies in surgical trauma: oxidative stress in ischaemia–reperfusion of rat liver *by* P. T. LIU, A. M. SYMONS, J. A. HOWARTH, P. S. BOULTER and D. V. PARKE 453–460
- Tumour necrosis factor receptor levels are linked to the acute-phase response and malnutrition in human-immunodeficiency-virus-infected patients *by* U. SÜTTMANN, O. SELBERG, H. GALLATI, J. OCKENGA, H. DEICHER and M. J. MÜLLER 461–467
- Glucose polymer in the fluid therapy of acute diarrhoea: studies in a model of rotavirus infection in neonatal rats *by* A. V. THILLAINAYAGAM, J. A. DIAS, A. F. M. SALIM, F. H. MOURAD, M. L. CLARK and M. J. G. FARTHING 469–477
- Evaluation of multi-frequency bio-impedance analysis for the assessment of extracellular and total body water in surgical patients *by* W. J. HANNAN, S. J. COWEN, K. C. H. FEARON, C. E. PLESTER, J. S. FALCONER and R. A. RICHARDSON 479–485

Comment	487-488
GLAXO/MRS YOUNG INVESTIGATOR MEDAL	
Loop-sheet polymerization: the structural basis of Z α_1 -antitrypsin accumulation in the liver by D. A. LOMAS	489-495
PAPERS	
Influence of 1-desamino-8-D-vasopressin on endogenous fibrinolysis, haemodynamics and liver blood flow in healthy subjects by J. BURGGRAAF, H. C. SCHOEMAKER, J. M. KROON, L. HUIS- MAN, C. KLUFT and A. F. COHEN	497-503
No mandatory role for the spleen in the exercise-induced leucocytosis in man by P. O. IVERSEN, B. L. ARVESEN and H. B. BENESTAD	505-510
Enhanced enteric excretion of urate in rats with chronic renal failure by M. HATCH and N. D. VAZIRI	511-516
Sodium status affects GC-B natriuretic peptide receptor mRNA levels, but not GC-A or C receptor mRNA levels, in the sheep kidney by M. B. FRAENKEL, G. P. ALDRED and J. G. MCDUGALL	517-522
Post-exercise Doppler-echocardiographic haemodynamics in idiopathic dilated cardiomyopathy after metoprolol infusion by H. PERCHET, F. POUILLART, A. M. DUVAL-MOULIN, J. F. HEINTZ, L. HITTINGER, A. CASTAIGNE and J. L. DUBOIS-RANDÉ	523-529
Analysis of vagal effects on ventricular rhythm in patients with atrial fibrillation by M. P. VAN DEN BERG, H. J. G. M. CRIJNS, J. HAAKSMA, J. BROUWER and K. I. LIE	531-535
Non-respiratory components of heart rate variability in heart transplant recipients: evidence of autonomic reinnervation? by L. BERNARDI, F. VALLE, S. LEUZZI, M. RINALDI, E. MARCHESI, C. FALCONE, L. MARTINELLI, M. VIGANÓ, G. FINARDI and A. RADAELLI	537-545
Sympathetic restraint of baroreflex control of heart period in normotensive and hypertensive subjects by D. LUCINI, M. PAGANI, G. S. MELA and A. MALLIANI	547-556
Waveform shape analysis: extraction of physiologically relevant information from Doppler recordings by M. M. RAMSAY, F. BROUGHTON PIPKIN, P. C. RUBIN and R. SKIDMORE	557-565
Short-term variation in the elastic properties of a muscular artery in humans by L. HOFSTRA, J. M. WILLIGERS, F. C. HUVERS, N. C. SCHAPER, A. D. M. KESTER, P. J. E. H. M. KITSLAAR and A. P. G. HOEKS	567-574
Impaired renin stimulation in pre-eclampsia by M. A. BROWN, L. REITER, A. RODGER and J. A. WHITWORTH	575-581
Significant relationships of plasma lipids and body mass index with polymorphisms at the linked low-density-lipoprotein receptor gene and insulin receptor gene loci (19p13.2) in essential hypertensive patients by B. J. MORRIS, R. Y. L. ZEE and B. G. ROBINSON	583-592
Improvement of ketoacidosis in the diabetic rat after the administration of the oral antilipolytic agent GR 79236 by C. S. THOMPSON, P. STRONG and D. P. MIKHAILIDIS	593-598
Time course of systemic and renal plasma prostanoid concentrations and renal function in ovine hyperdynamic sepsis by A. WEBER, I. M. SCHWIEGER, O. POINSOT and D. R. MOREL	599-610
Augmented thermic effect of amino acids under general anaesthesia: a mechanism useful for prevention of anaesthesia-induced hypothermia by E. SELLDÉN, T. BRUNDIN and J. WAHREN	611-618
Potential role for interleukin-1 in the pathophysiology of ulcerative colitis by T. D. WARDLE and L. A. TURNBERG	619-626
Cyclosporin A and vitamin D metabolism: studies in patients with psoriasis and in rats by A. J. SHAW, M. E. HAYES, M. DAVIES, B. D. EDWARDS, F. W. BALLARDIE, R. J. G. CHALMERS and E. B. MAWER	627-632

- Impaired erythropoietin responsiveness in anaemic rheumatoid arthritis patients: potential relation to immune mechanisms *by* F. STOCKENHUBER, R. W. KURZ, M. KEIL, C. WURNIG, M. GOTTSAUNER-WOLF and P. BALCKE 633-638
- Changes in regional pulmonary blood flow during lobar bronchial occlusion in man *by* N. W. MORRELL, K. S. NIJRAN, T. BIGGS and W. A. SEED 639-644

CORRESPONDENCE

- Validity of peak expiratory flow rate variability for the diagnosis of asthma *by* C. K. CONNOLLY 645
- Validity of peak expiratory flow rate variability for the diagnosis of asthma: authors' reply *by* J. P. JAMISON and R. K. MCKINLEY 646

Volume 86, part 6

June 1994

EDITORIAL REVIEW

- Airway re-modelling in asthma: role of airway smooth muscle *by* A. J. KNOX 647-652

PAPERS

- Short-term starvation alters the free amino acid content of the human intestinal mucosa *by* B. AHLMAN, K. ANDERSSON, C.-E. LEIJONMARCK, O. LJUNGQVIST, L. HEDENBORG and J. WERNERMAN 653-662
- Sepsis modifies the contribution of different organs to whole-body protein synthesis in rats *by* D. BREUILLE, F. ROSE, M. ARNAL, C. MELIN and C. OBLÉD 663-669
- Lymphocyte protein synthesis *in vivo*: a measure of activation *by* K. G. M. PARK, S. D. HEYS, M. A. MCNURLAN, P. J. GARLICK and O. EREMIN 671-675
- Metabolic effects of acute hyperketonaemia in man before and during an hyperinsulinaemic euglycaemic clamp *by* J. WEBBER, E. SIMPSON, H. PARKIN and I. A. MACDONALD 677-687
- Oxygen reactivity in diabetes mellitus: effect of hypertension and hyperglycaemia *by* V. PATEL, S. M. B. RASSAM, H. C. CHEN and E.M. KOHNER 689-695
- Association of cerebrospinal fluid deficiency of 5-methyltetrahydrofolate, but not S-adenosylmethionine, with reduced concentrations of the acid metabolites of 5-hydroxytryptamine and dopamine *by* R. SURTEES, S. HEALES and A. BOWRON 697-702
- Urinary endothelin-1-like immunoreactivity in young male patients with testicular cancer treated by *cis*-platinum: comparison with other urinary parameters *by* M. TAKEDA, T. KOMEYAMA, T. TSUTSUI, T. MIZUSAWA, H. GO, A. HATANO and T. TANIKAWA 703-707
- Recovery from acute ischaemic renal failure is accelerated by des-(1-3)-insulin-like growth factor-1 *by* R. CLARK, D. MORTENSEN and R. RABKIN 709-714
- Identical effects of indomethacin on renal function in healthy uninephrectomized subjects and in healthy control subjects *by* C. B. NEILSEN, S. S. SØRENSEN and E. B. PEDERSEN 715-721
- Effects of physiological increments in human α -atrial natriuretic peptide and human brain natriuretic peptide in normal male subjects *by* B. M. Y. CHEUNG, J. E. C. DICKERSON, M. J. ASHBY, M. J. BROWN and J. BROWN 723-730
- Flow cytometric detection of circulating activated platelets and platelet hyper-responsiveness in pre-eclampsia and pregnancy *by* S. L. JANES and A. H. GOODALL 731-739
- Reduced cytosolic free sodium concentration in vascular smooth muscle cells from spontaneously hypertensive rats *by* M. TEPEL, J. HOLTHUES, M. NEUSSER, P. GOLINSKI, Z. ZHU, N. MEHRING and W. ZIDEK 741-747
- Epidemiology of an outbreak of drug-resistant tuberculosis in the U.K. using restriction fragment length polymorphism *by* M. GOYAL, L. P. ORMEROD and R. J. SHAW 749-751

AUTHOR INDEX

SUBJECT INDEX